Experimental investigation of Ru isotope fractionation between metal, silicate and sulfide melts

Tobias Grützner, Timo Hopp, Jasper Berndt, Arno Rohrbach, Stephan
Klemme

► To cite this version:

Tobias Grützner, Timo Hopp, Jasper Berndt, Arno Rohrbach, Stephan Klemme. Experimental investigation of Ru isotope fractionation between metal, silicate and sulfide melts. *Chemical Geology*, 2021, 580, pp.120384. 10.1016/j.chemgeo.2021.120384 . hal-03474539

HAL Id: hal-03474539

<https://hal.sorbonne-universite.fr/hal-03474539>

Submitted on 10 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Experimental investigation of Ru isotope fractionation between metal, silicate and sulfide melts

Tobias Grützner^{1,2*}, Timo Hopp^{3,4}, Jasper Berndt², Arno Rohrbach² & Stephan Klemme²

¹ Institut de minéralogie, de physique des matériaux et de cosmochimie, Sorbonne Université, 4, Place Jussieu - BC 115 - 75252 Paris Cedex 5, France.

² Institut für Mineralogie, Westfälische Wilhelms Universität Münster, Corrensstrasse 24, 48149 Münster, Germany.

³ Origins Laboratory, Department of the Geophysical Sciences and Enrico Fermi Institute, The University of Chicago, 5734 South Ellis Avenue, Chicago, IL 60637, USA.

⁴ Institut für Planetologie, Westfälische Wilhelms Universität Münster, Wilhelm-Klemm-Straße 10, 48149 Münster, Germany.

*Corresponding author

Email addresses: tobias.grutzner-handke@sorbonne-universite.fr (T. Grützner),
hopp@uchicago.edu (T. Hopp), jberndt@wwu.de (J. Berndt), arno.rohrbach@wwu.de (A.
Rohrbach), stephan.klemme@wwu.de (S. Klemme).

Abstract

To improve the understanding of large-scale planetary processes, i.e. differentiation and core formation, of Earth and other planetary bodies, we performed experiments at 1 GPa in a range of

temperatures to investigate mass-dependent isotope fractionation of ruthenium (Ru) between metal, silicate, and sulfide melts. Metal silicate fractionation is $^{102}\text{Ru}/^{99}\text{Ru}_{\text{silicate}} - ^{102}\text{Ru}/^{99}\text{Ru}_{\text{metal}} = 0.02 \pm 0.02$ ‰ (95% confidence interval) at 1600 °C and therefore negligible for Earth's core formation. However, there is resolvable Ru isotope fractionation between liquid metal and liquid sulfide: The $^{102}\text{Ru}/^{99}\text{Ru}$ ratio of liquid sulfide is 0.11 ± 0.03 ‰ lighter than that of liquid metal at 1400 °C in sulfur (S)-bearing experiments. The unexpected lighter Ru isotope composition of the sulfide can be best explained with different Ru-S bonding environments. Our results show furthermore, that addition of tin (Sn) instead of S to experimental charges affects Ru isotope fractionation significantly. The $^{102}\text{Ru}/^{99}\text{Ru}$ ratios in the Sn-bearing phase are $0.18 \text{ ‰} \pm 0.01 \text{ ‰}$ heavier than metal; hence, the presence of Sn not only changes the magnitude of the Ru isotope fractionation but also its direction. The observed Ru isotope fractionations are too small to preserve a resolvable isotope fractionation signature during core formation or the Hadean matte scenario at very high temperatures.

1. Introduction

Planetary core formation, i.e., the segregation of a metal core from a molten silicate mantle is one of the most fundamental processes during planetary differentiation. The highly siderophile elements (HSE – Ru, Rh, Pd, Re, Os, Ir, Pt, Au) are expected to strongly partition into Earth's metallic core during its formation. However, the partitioning behavior of some HSE may depend on the conditions of core formation. Many experimental studies determined metal-silicate partition coefficients for the HSE and suggest that Earth's mantle should have been left more depleted in most HSEs than it is actually observed (e.g. O'Neill et al., 1995; Borisov and Palme, 2000; Holzheid et al., 2000; Fortenfant et al., 2003; Ertel et al, 2008; Mann et al., 2012). Moreover, the relative chondritic HSE abundances inferred for Earth's mantle cannot easily be explained with metal-silicate partitioning. This discrepancy between the expected and actual HSE abundances in Earth's mantle led to the 'late veneer hypothesis' which invokes a late accretion of chondritic material to Earth's mantle after core formation ceased (e.g., Kimura et al., 1974; Wänke 1981; Walker et al., 2015). In consequence, the elemental and isotopic

48 composition of the HSE in the Earth's mantle should reflect predominantly the composition of the
49 material that was added after core formation.

50 A promising tool to better understand core formation and late accretion is stable isotope fractionation
51 during core formation: Recent experimental and theoretical studies have shown that stable isotopes
52 of several elements, e.g. Cr, Fe, Mo, Si and Sn, are significantly fractionated between liquid metal and
53 silicate phases (e.g. Roskosz et al., 2006; Georg et al., 2007; Roskosz et al., 2009; Moynier et al., 2011;
54 Shahar et al., 2011; Hin et al., 2012, 2013, 2014; Shahar et al., 2015; Bourdon et al., 2018). Mass
55 dependent isotope fractionation of an element is controlled by differences in the bonding environment
56 of the element in different phases (Bigeleisen and Mayer, 1947; Urey, 1947); therefore, stable isotope
57 fractionation is often observed due to different oxidation states or coordination of the element in
58 different phases (Bourdon et al., 2018). As the magnitude of equilibrium isotope fractionation is
59 strongly dependent on temperature ($\sim 1/T^2$) (Bigeleisen and Mayer, 1947; Urey, 1947), stable isotope
60 data may be useful to constrain the temperature of metal-silicate equilibration and therefore improve
61 our understanding of core formation processes (review about various isotopic systems and methods
62 in Bourdon et al., 2018). The isotope fractionation factor can potentially be calculated ab-initio from
63 vibrational frequencies of the isotopes in different phases (Bigeleisen and Mayer, 1947; Urey, 1947),
64 but as these remain poorly constrained for most elements, high-pressure high-temperature
65 experiments have been employed to determine mass-dependent stable isotope fractionation between
66 metal and silicate phases (Roskosz et al., 2006; Georg et al., 2007; Roskosz et al., 2009; Shahar et al.,
67 2011; Hin et al., 2012, 2013, 2014; Shahar et al., 2015).

68 In this study, we conducted experiments to investigate mass-dependent Ru isotope fractionation
69 between liquid metal and liquid silicate. Ru plays an important role in the understanding of late
70 accretion: e.g. natural peridotites show elevated Ru/Ir relative to chondrites (Becker et al., 2006; Day
71 et al., 2017). So far, this was either explained by the addition of a fractionated iron meteorite-like
72 component during late accretion (Fischer-Gödde and Becker, 2012), or by sulfide segregation during
73 Earth's core formation, as Ru is less chalcophile than Ir or other HSE at high pressure and high

74 temperature (Laurenz et al., 2016; Rubie et al., 2016). However, the process that caused elevated Ru/Ir
75 has not yet been identified. Hopp and Kleine (2018) compared the mass-dependent Ru isotopic
76 signatures of chondrites, iron meteorites, and terrestrial peridotites and concluded that the bulk
77 silicate Earth (BSE) has a chondritic mass-dependent Ru isotope signature and fractionated iron
78 meteorite components could not have been added during late accretion. Furthermore, the observation
79 of a chondritic Ru isotopic composition of the BSE predicts that core formation processes did not
80 induce measureable Ru isotope fractionation in Earth's mantle prior to the addition of a chondritic late
81 veneer (Hopp and Kleine, 2018). However, experimental constraints on the direction and magnitude
82 of Ru isotope fractionation between metal and silicate are required to evaluate if any significant
83 amount of Earth's mantle Ru could derive from pre-late veneer processes, i.e. core formation or sulfide
84 segregation. In detail, experimental proof of significant Ru isotope fractionation during core formation
85 processes would, in combination with the chondritic Ru isotopic composition of the BSE, exclude any
86 contribution of such isotopically fractionated pre-late accretion Ru to Earth's mantle HSE budget.

87 Experiments of this study were designed to study Ru isotope fractionation between metal and silicate.
88 As we will show below, many Ru isotope analyses of silicate phases in this study are dominated by the
89 formation of sulfide nuggets caused by the experimental setup, hence, display metal-sulfide isotope
90 fractionation instead of metal-silicate fractionation. The interaction of metal and sulfide affects HSE
91 during differentiation of planetary bodies, i.e. partial melting and core crystallization, and can
92 therefore give insights into the evolution of two meteorite groups: (1) Magmatic iron meteorites are
93 remnants of asteroidal cores that underwent fractional crystallization (e.g. Scott, 1972; Scott and
94 Wasson, 1975). Hopp et al. (2018) showed that with progressive fractional crystallization the
95 crystallizing solids become isotopically heavier. This can be explained either by the extraction of
96 isotopically lighter Ru in early formed S-poor solids that led to increasingly heavier isotopic
97 composition in the remaining S-rich melt or by a kinetic effect during fractional solidification of the
98 metallic melt. (2) The HSE systematics of samples from partial differentiated asteroids, i.e. primitive
99 achondrites, are controlled by interaction of metal and sulfide phases that form during the early stages

of differentiation (e.g. Goodrich et al., 2013; Keil, 2014; Keil and McCoy, 2018). Hence, experimental constraints on Ru isotope fractionation between metal and sulfide potentially can provide insights into early differentiation processes.

2. Methods

2.1 Starting Materials

The starting material was prepared from analytical grade oxides (SiO_2 , Al_2O_3 , MgO , FeO), carbonates (CaCO_3 , Na_2CO_3 , K_2CO_3), pure S and metals (Fe, Sn, Ru). To release absorbed water and unwanted hydroxides, MgO was fired in a Pt-crucible to 1000 °C for at least 2 h and it was subsequently stored in a drying oven at 110 °C. The starting material compositions are listed in Table 1. We always used the same batch of Ru powder for the preparation of all starting materials. Silicate as well as metal powders were mixed separately in agate mortars under acetone for at least 30 min to obtain fine grained and homogenous starting material mixtures.

The silicate starting material was first prepared without Fe. This Fe-free mixture of oxides and carbonates was vitrified in a Pt crucible at 1500 °C for 2h to release all CO_2 from the starting material. The glass was reground under acetone and FeO was subsequently added to the silicate starting powder.

As Ru partition coefficients can easily exceed values of 10000 (Laurenz et al., 2016), extremely low Ru concentrations are expected for the silicate glass. Therefore, 10 to 11 wt.% Ru was added to the metal phase starting material. Assuming a metal-silicate ratio of 1:10 and a $D_{\text{Ru}}^{\text{metal-silicate}}$ of 10 000, this results in a silicate glass with 1.1 $\mu\text{g/g}$ Ru.

2.2 Experimental techniques

The starting material was pressed into either MgO single crystal or graphite capsules (Schunk, Germany). MgO capsules were drilled out of 10 mm³ synthetic MgO single crystal cubes in the technical

workshops at the Institute for Mineralogy at WWU Münster. In order to maximize the capsule size and the amount of silicate glass in the run products, the capsule size was set to 6 mm O.D., 4 mm I.D., with an inner length of about 6 mm and a 2 mm thick bottom. The capsule was closed by a 2 mm thick lid of the same capsule material.

Silicate and metal starting material powders were pressed into the capsule in separate layers with a volume ratio of about 90 % silicate and 10 % metal. For most of the experiments, the metal layer was placed on top of the silicate powder to ensure that the metal melt sinks through the entire column of silicate melt during the experiment. However, to test for any effect of the metal location in the capsule before the runs on isotope fractionation, several experiments were performed where the metal powder was located at the bottom of the capsule, and other runs (e.g. E017) contain starting materials where metal and silicate mixtures were homogeneously mixed (Table 3).

All experiments were conducted in an end-loaded piston cylinder apparatus at the University of Münster using $\frac{1}{2}$ " piston cylinder assemblies consisting of concentric cylinders of talc, pyrex glass and a thin graphite heater (Klemme et al. 1997). The inner crushable alumina parts of our usual piston-cylinder assemblies (e.g. Gervasoni et al., 2017; Grützner et al., 2017) were replaced completely by the single crystal MgO capsules or were reduced to 0.5 mm thickness when graphite capsules were used. This modification of the piston cylinder assembly allows experiments at relatively high pressures and provides enough material in a single experimental run for Ru isotope analyses. Temperatures were monitored and controlled with $W_{97}Re_3$ - $W_{75}Re_{25}$ thermocouples and a Eurotherm-controller (Schneider Electric).

The experimental run durations ranged from 2 to 6 h. The experiments were run for a minimum of 2 h to achieve chemical and isotopic equilibrium between liquid metal and liquid silicate. This is commonly achieved in minutes to < 2 h (e.g. Poitrasson et al., 2009; Shahar et al., 2011; Hin et al., 2012, 2013, 2014; Bourdon et al., 2018) for related systems. Sample E098 and E102 show the same isotope fractionation values within the error for 2 h and 6 h which shows that isotopic equilibrium is reached at

least for 1600 °C in less than 2h. The same is the case for < 3h at 1300 °C (sample E104 and E128). However, given the case of isotopic disequilibrium in a certain experiment we would expect higher fractionation than at equilibrated conditions. As we will show in the Discussion, fractionation is small. It would then become even smaller at equilibration without changing the proposed implications of this study. The run duration was not longer than 6h to avoid any Soret effect that may cause isotope fractionation along the temperature gradient of the piston cylinder capsule but would normally require several tens of hours run duration (Kyser et al., 1998; Richter et al., 2008).

As equilibrium isotope fractionation strongly depends on temperature and decreases significantly with increasing temperature, experiments were performed between 1300 and 1600 °C. The lower temperature limit was set by the liquidus temperature of the metal phase and the upper limit by the technical limitations of the piston cylinder, hence by the amount of needed material. In order to lower the liquidus of the metal phase, Sn was added to the metal phase in the first runs (c.f. Hin et al., 2013). However, Young et al. (2015) and Shahar et al. (2015) argue that addition of Sn to the metal might affect the isotopic fractionation. Therefore, we replaced Sn by S in other runs, or we used a mixture of both S and Sn (Table 1).

The experimental run products were either mounted in epoxy or acrylic resin for electron microscopy, electron microprobe, and Laser ablation inductively coupled mass spectrometry measurements, or the capsules were carefully crushed in an agate mortar for Ru isotope analysis. Due to the material loss during mounting, cutting, and polishing the mounted samples had not enough material for successful further Ru isotope analyses. Therefore, most samples were either mounted for element concentration analyses with the techniques mentioned above, or they were prepared for isotope analysis.

For isotope analysis the silicate glass was separated from the capsule rim and from the metal both using hand picking and magnetic separation. If possible, a representative but randomly picked piece of silicate glass was chosen to be mounted in epoxy resin for additional elemental analysis using EPMA and LA-ICPMS (Table 2).

Experiment E135 was first mounted in epoxy for element concentration analysis. Afterwards, a small core (< 4 mm) of the silicate glass was drilled out. The capsule walls with attached remaining silicate glass were cut in several cross sections to study Ru concentrations inside the capsule and metal, as well as sulfide nugget distribution along the capsule walls.

2.3 Major element analysis

The experimental run products were first characterized by optical microscopy, followed by scanning electron microscope imaging and energy-dispersive X-ray spectroscopy (EDS) analysis (JEOL 6510LA). To quantify major and minor element concentrations of the experimental products, a JEOL 8530F electron microprobe (EPMA) was used. Measurement conditions for wavelength-dispersive spectroscopy (WDS) were typically 15 keV acceleration voltage, 5 nA beam current and usually 10 μ m beam diameter to receive representative analyses. Standards were pure metals for metal composition and synthetic silicates and oxides for the basaltic glass. S was standardized on pyrite for metals and on celestine for silicates, respectively. Due to a potential peak shift, peak searches were done for S before the analysis. Ru concentrations in silicates were always below the detection limit.

Investigations of the observed nanonuggets were conducted using semi-quantitative EDS element mapping in and quantitative WDS analysis. As for the small droplet size of ≤ 400 nm the accelerating voltage was set to 7kV. At such conditions Monte-Carlo simulations (Drouin et al., 2007) show a lateral resolution of about 400 nm enabling quantitative analyses of the few larger 400 nm sized melt droplets. However, as revealed by apparent Si concentrations of about 5 wt.% a small portion of the surrounding silicate glass has also been excited.

WDS analyses were performed in two steps. Firstly, all elements except Ru and Sn were analyzed with a beam current of 15 nA and counting times of 15 s on the peak and 5 s on the background. Secondly, the same spots were measured for Ru and Sn at 100 nA and counting times of 80 s on the peak and 40 s on the background. Finally, both analyses were merged using the Offline-matrix correction provided by the JEOL instrument software. Silicon, S ($K\alpha$ line) and Fe, Sn, Ru ($L\alpha$ line) were standardized on the large metal phase within the same sample (10 μ m spot size) to avoid variations in carbon coating

thickness. The metal phase elemental composition had been quantified before under “normal” conditions as described above.

2.4 Trace elements

Trace elements were analyzed using a Laser ablation inductively coupled mass spectrometry system (Analyte G2 Excimer laser with a wavelength of 193 nm coupled to a Thermo Scientific Element 2 HR-ICPMS) at the Institute for Mineralogy at WWU Münster. The laser was operated with a repetition rate of 10 Hz and an energy fluence of 3 J/cm² per pulse. Typical spot sizes were 65 µm. The ablated material was transported to the ICP torch using He and Ar as carrier gases with flow rates of 0.13 L/min. Measurements on the reference material (NIST 612 glass standard) were done at the beginning and end of every session, as well as after about every 30 spots. All analyses were normalized to FeO concentrations, which had been determined by EPMA analyses. For internal reference and to track any mass bias drift, we used BIR-1G, BHVO-2G, and metal phases from experimental run E017 and E031. The analytical results were processed using the software GLITTER (Griffin et al., 2008).

2.5 Ruthenium isotope analysis

The Ru stable isotopic composition of the experimental run products were analyzed following the Ru double spike method described by Hopp et al. (2016). The small sample weights, the large amount of Ru in the metal phases, as well as the contrasting low and unknown Ru concentration of the silicate glass required modification of the procedures that are described in the following paragraph.

2.5.1. Sample preparation

After separation of metal and crushing of silicate glasses, the samples were weighed and transferred into Savillex PFA beakers. Metal phases (~0.02 to 0.05 g) were digested using 7.5 ml *reverse aqua regia* inside sealed Carius tubes at 220 °C for 2 days (Shirey and Walker, 1995). These metal phases always contain the bulk of the Ru in the experiment (~10 wt.%) and hence represent the bulk/initial Ru isotopic compositions of the system. To verify this, an aliquot of the starting material (Alfa Aesar Ru > 99.9 % metal basis powder; 325 mesh, 13994, LOT: R17A033) was digested along with the metals and analyzed

for its Ru isotopic composition. After digestion, a 1 ml aliquot of the solutions were diluted to 10 ml of 6 M HCl.

The silicate samples (~0.06 to ~0.13 g) were digested in PFA vials at 100 °C for 24 hours using a mixture of double teflon-distilled HCl and HF acids (4 ml concentrated HCl + 2 ml HF). After digestion, aliquots of the metal and silicate sample solutions were converted to 0.28M HNO₃ and the Ru concentrations in the solutions were determined using a Thermo Scientific *X-Series 2* quadrupole ICPMS at the Institut für Planetologie, Münster. Based on the calculated Ru concentrations in the individual samples an appropriate amount of a ⁹⁸Ru-¹⁰¹Ru double spike was added. This double spike is used to correct for all analytical fractionation effects; thus, precise determination of the natural mass-dependent isotope fractionation is possible (Rudge et al., 2009). The spiked solutions were equilibrated in closed beakers for 24 hours using *reverse aqua regia* at 120 °C on a hotplate. This procedure results in complete spike-sample equilibration, as demonstrated for iron meteorites and chondrites (Hopp et al., 2018; Hopp and Kleine, 2018). Additionally, no differences between meteorite samples that were spiked prior or after digestion were observed (Hopp and Kleine, 2018). Furthermore, digestion and sample-spike equilibration of several powder aliquots of a homogeneous ~100 g powder of the Allende meteorite using the method described above resulted in reproducible and accurate data (Hopp and Kleine, 2018).

2.5.2. Chemical separation of Ruthenium

The chemical separation of Ru followed a two-stage ion exchange chromatography procedure based on the method outlined in Hopp and Kleine (2018). After sample-spike equilibration, the solutions were dried down at 100 °C on a hotplate, converted to chloride form and re-dissolved in 5 ml of 0.2 M HCl. In the first step, the sample solutions were loaded onto cation exchange columns filled with 10 ml pre-cleaned BioRad AG50 W-X8 (100-200 mesh) resin. On these columns, the bulk of the HSE were eluted in a total volume of 14 ml 0.2 M HCl, while the major elements (i.e., Fe and Ni) remain adsorbed on the resin. Then the Ru fractions were dried down on a hotplate and re-dissolved three times using 5 ml of 1 M HF. To remove remaining interfering elements (Zr, Mo, Pd) the Ru fractions were dissolved in 7 ml 1 M HF and were loaded onto anion exchange columns filled with 2 ml of pre-cleaned BioRad

AG1-WX8 (100-200 mesh) resin. Ruthenium is eluted in 14 ml 1 M HF, whereas Zr, Mo and Pd remain adsorbed onto the resin. The final Ru fractions were dried and re-dissolved in 0.5 ml 0.28 M HNO₃. This procedure results generally in pure Ru fractions with Mo/Ru < 0.0005 and Pd/Ru < 0.001, which are sufficiently low to allow for reliable correction of interferences on ⁹⁸Ru, ¹⁰⁰Ru, ¹⁰²Ru and ¹⁰⁴Ru, i.e. the isotopes used in the double spike inversion (Hopp et al., 2016). The overall yield of the chemical separation of Ru varies between ~60 and ~90 %. The Ru blank is 49 ± 33 pg Ru (1 s.d.; n = 5) and hence insignificant, given that more than 70 ng Ru was analyzed for each sample.

2.5.3. Mass spectrometry and data reduction

The Ru isotope measurements were conducted using a Thermo Scientific Neptune *Plus* MC-ICPMS at the Institut für Planetologie at University of Münster. Prior to the measurements, the samples were dissolved in 0.28M HNO₃ and were introduced into the mass spectrometer using a CETAC *Aridus* II desolvating system combined with a 70 µl/min ESI PFA nebulizer. The formation of oxides was monitored as CeO/Ce and reduced to < 1 % by the addition of N₂ to the sample gas. Sample and standard solutions were measured at ~100 ppb using conventional Ni H cones and ion beams were simultaneously collected in static mode for all seven stable Ru isotopes (⁹⁶Ru, ⁹⁸Ru, ⁹⁹Ru, ¹⁰⁰Ru, ¹⁰¹Ru, ¹⁰²Ru, ¹⁰⁴Ru) together with ⁹⁷Mo and ¹⁰⁵Pd as interference monitors. Ruthenium masses were measured using Faraday cups connected to 10¹¹ Ω feedback resistors and the ion beams at ⁹⁷Mo and ¹⁰⁵Pd were collected using 10¹² Ω feedback resistors. Spiked sample measurements comprised 50 × 8.2 s integrations of the ion beams and consumed ~70 ng Ru. The baselines were measured on peak with 40 × 4.2 s integrations on a solution blank prior each measurement.

The Ru isotopic data are reported relative to the composition of an Alfa Aesar standard solution (RuCl₃; Lot # 61300952) as follows:

$$\delta^{102/99}\text{Ru} = \left(\frac{{}^{102/99}\text{Ru}_{\text{sample}}}{{}^{102/99}\text{Ru}_{\text{standard}}} - 1 \right) \times 10^3 \quad (1)$$

Data reduction and calculation of $\delta^{102/99}\text{Ru}$ values was performed off-line as described in Hopp et al. (2016), using either the ‘double spike toolbox’ (Rudge et al., 2009) or the geometrical approach

described in Siebert et al. (2001). Both data reduction schemes were used in this study and yielded identical results. The molar proportions of spike determined with the reduction schemes were used to calculate Ru concentrations in the samples. Furthermore, the data reduction provides the natural fractionation factor α , from which the mass-dependent Ru isotopic composition of a sample is calculated as follows:

$$\delta^{102/99}\text{Ru}_{\text{meas.}} = -1000 \times (\alpha_{\text{sample}} - \alpha_{\text{standard}}) \times \ln(m_{102}/m_{99}) \quad (2)$$

where m_{102} and m_{99} are the atomic weights of ^{102}Ru and ^{99}Ru and α_{standard} is the mean composition measured for the spiked Alfa Aesar standard solution in each analytical session. The external reproducibility of the Ru stable isotope measurements was estimated to be ± 0.05 ‰ (2 s.d.; $n = 20$) for $\delta^{102/99}\text{Ru}$, based on repeated measurements of spiked Ru standard solutions and Ru doped geochemical reference materials (BHVO-2, BCR-2, UB-N) (Hopp et al., 2016) and by seven replicate digestions of an Allende (CV3) chondrite powder (Hopp and Kleine, 2018).

Fractionation factors between metal and silicate or sulfide, respectively ($\Delta^{102/99}\text{Ru}_{\text{metal-silicate}} = \delta^{102/99}\text{Ru}_{\text{metal}} - \delta^{102/99}\text{Ru}_{\text{silicate}}$), are calculated based on the average isotopic compositions of eleven metals ($\delta^{102/99}\text{Ru}_{\text{bulk}}$) that equals the bulk isotopic composition of the starting material because > 99.99 % of Ru is incorporated in the metal phases.

3. Results

Representative major element compositions from SEM-EDS and EPMA measurements are listed in Table 2. Samples that were only analyzed by SEM-EDS are marked in Table 2. The Ru isotopic compositions of experimental products together with Ru concentrations in silicates are presented in Table 3. For both EPMA and LA-ICPMS measurements a minimum of 10 spots were analyzed and used for the mean values in Table 2 and Table 3.

3.1 Textures

3.1.1 *Silicate phases*

During the experiments, the melt composition changes, as the melt reacts with the MgO capsule and becomes more picritic. Consequently, a thin layer of olivine crystallizes during the run at the contact zone between MgO capsule and melt (Figure 1). The quenched silicate melt is typically glass with no quench crystals or other phases. The experiments at 1600 °C result in elongated, needle-shaped olivine crystals (Figure 2), caused by rapid dissolution of MgO in the basaltic melt (Hin et al., 2013). MgO concentrations in silicate glasses at 1600 °C reach up to 36.4(2) wt.%, whereas in experiments at $T < 1600$ °C the MgO concentration ranges from 7.5(2) to 15.2(6) wt.% (Table 2).

3.1.2 *Metal blobs, metal droplets and sulfidic nanonuggets*

In successful experiments, a large metal blob is located at the bottom of the capsule after the run. This is independent from the location of the metal powder in the capsule before the run, which was either on top or at the bottom of the capsule (Figure 1a). In experiments with a homogenized starting material (runs E017, E029, E031) several medium-sized blobs (> 10 μm) were found in the capsule attached to the capsule walls (Figure 1a).

Tiny metal droplets (< 10 μm) are observed at the capsule walls in nearly all experiments (Figure 1d). However, the number of droplets increases, if the metal had been placed at the top of the capsule before the run and sank down to the bottom during the experiment. Droplets attached to the wall can be also found in run products where the metal powder had been placed directly at the bottom.

Large blobs, medium blobs and tiny metal droplets are all assigned to the metal phase during the experimental run and show no variation in chemical composition. Most medium size blobs are attached to the olivines that formed at the capsule rim (Figure 1). Their number can be minimized by placing the starting metal material at the bottom of the capsule.

Beside the aforementioned metal phases, nano-sized (< 1 μm) nuggets appear in many silicate glasses (Figure 6) and these nuggets have a composition that differs strongly from the metal starting material.

The analyzed nuggets are all sulfidic and because of their small size could not be separated from the silicate phase. As it will be shown in subsection 4.1.2, these Ru-bearing sulfidic nuggets are in equilibrium with the melts during the experiments and they dominate the budget and isotopic composition of Ru in the silicate portion of the experiments. In the following text, the term ‘nugget’ hence refers to the sulfidic nanonuggets described above. Any small metal phase of similar size that has a composition identical to the major metal phase in the experiment or any Fe-exsolution phase that formed during quenching, will be labeled as ‘droplet’.

In graphite capsule experiments, we did not observe metal droplets attached to the walls or sulfidic nanonuggets. This correlates well with the lack of olivine in experiments with graphite capsules. These results indicate that metal droplets do not stick to the capsule wall itself, but that they tend to attach to surfaces of crystallizing olivines close to the wall of MgO capsules (Figure 1).

3.2 Oxygen fugacity

The oxygen fugacity was mainly controlled by the reducing starting material components. To get an idea of the oxygen fugacity in different experiments it was calculated using the equation

$$\Delta IW = 2 \times \log \left(\frac{X_{FeO} \cdot \gamma_{FeO}}{X_{Fe} \cdot \gamma_{Fe}} \right) \quad (3)$$

where X_{FeO} and X_{Fe} are the molar fractions of iron in the silicate and metal melts. γ_{FeO} and γ_{Fe} describe their respective activity coefficients. The activity coefficient for Fe in the metal alloy was calculated using the modified Wagner epsilon formalism (Ma, 2001). Interaction parameters for Sn and S were taken from the steel making literature (JSPS, the 19th Committee on Steelmaking, 1988). The addition of up to 4 wt.% S and/or 23 wt.% Sn to the Fe-dominated alloy shows almost ideal behavior. For Ru an ideal approach to Raoult’s law was assumed due to the lack of activity data. The calculated values for γ_{Fe} range from 0.995 to 1.067. For γ_{FeO} the value was set to 1.7 after Holzheid et al. (1997), who showed that the activity coefficient of FeO in a basaltic melt with MgO between 4-20 wt.% and

FeO up to 12 wt.% is constant between 1300 °C and 1600 °C. If we exclude the experiments at 1600 °C with MgO concentrations of above 30 wt.%, all other silica glasses from this study are within the aforementioned range (Table 2). In MgO capsules oxygen fugacity vary between $\Delta IW = -1.86$ and -2.05 . This is in good agreement with the approximation made by Wade and Wood (2005) for their proposed core formation conditions. In graphite capsules oxygen fugacity is expected to be in a similar range around IW but fO_2 could not be calculated in these experiments as the metal phase was lost during sample preparation. In these experiments the metal phase did not form a large metal blob, but instead a metal layer was formed that was also attached to the capsule wall. However, the existence of the metal phase indicates an oxygen fugacity of at least $\Delta IW < 0$ in these runs.

3.3 Ruthenium concentrations in experimental run products

Ruthenium concentrations were analyzed with EPMA or SEM-EDS for metal phases and with LA-ICPMS as well as MC-ICPMS for the silicate phases. Results for Ru in metal and silicate analyses are listed in Table 3. In the metal phases Ru concentrations range from 10.8(2) to 14.0(8) wt.%. The coexisting sulfide phase from E041 has a Ru element concentration of 0.7(2) wt.%. Ruthenium concentrations measured with LA-ICPMS in silicate glasses range from 0.02 $\mu\text{g/g}$ to 0.6 $\mu\text{g/g}$. The only exception is sample E029 with a Ru concentration of 8 $\mu\text{g/g}$ in the glass. Where the entire capsule was embedded in epoxy for LA-ICPMS analyses (E017; E135), laser spots were chosen to form a cross section along the capsule from the bottom to the top. No Ru concentration gradient was found in the silicate glass of these samples, and we conclude that Ru is homogeneously distributed in the silicate glass (Figure 3).

MC-ICPMS analyses show generally higher concentrations of Ru in the silicate fractions than LA-ICPMS analyses. This is caused by the (sulfidic) equilibrium nanonuggets, which could not be separated from the silicate phase during preparation (except for experiment E135 – see below). Glasses from graphite capsule experiments have the lowest Ru concentrations measured with MC-ICPMS (7 to 8.2 $\mu\text{g/g}$). These concentrations are still higher than the LA-ICPMS data, however, in the range of concentrations determined in the glass of E029. Silicate fractions from MgO capsule experiments have Ru

concentrations ranging from 9.7 $\mu\text{g/g}$ up to 199 $\mu\text{g/g}$ when measured with MC-ICPMS – up to three orders of magnitude higher than the results from LA-ICPMS.

Most runs were prepared for MC-ICPMS analysis by crushing of the sample and separating the metal from the silicate phase – either by picking or by magnetic separation with a hand magnet. For experiment E135 the entire capsule was mounted in epoxy for EPMA and LA-ICPMS analyses. Laser spots were set on the glass, the capsule walls, on the core of olivine and at olivine rims (Figure 2). The LA-ICPMS data show that the Ru concentrations in the glass and in olivine are extremely low ($< 0.1 \mu\text{g/g}$) while at the olivine surface ($> 0.1 \mu\text{g/g}$) and at the capsule rim ($>> 1 \mu\text{g/g}$) the Ru concentrations are elevated (Figure 4a). In the MgO capsule Ru concentrations are below the detection limit. After the LA-ICPMS analyses, the silicate glass was drilled out of the mounted capsule with a miniature core drill to avoid any contamination with capsule material or olivine crystals from the wall. Additionally, the olivine-rich glass at the contact to the metal was separated and the MgO capsule was cut into four different sections (Figure 4b) and analyzed in the same way as described for the glasses. Ru concentrations of all seven samples including the metal phase and a zone of ol-rich glass can be found in Figure 4b. Ru concentrations of the silicate glass are low ($0.4 \mu\text{g/g}$) and in good agreement with LA-ICPMS analyses. Besides the metal phase, only the ol-bearing glass ($5.4 \mu\text{g/g}$) and the lowermost capsule wall close to the metal phase ($158 \mu\text{g/g}$) show elevated Ru concentrations. The analyzed capsule wall sections show Ru concentrations from $0.04 \mu\text{g/g}$ to $0.28 \mu\text{g/g}$ in the three upper sections (B, C, D in Figure 4b). The metal phase contains 14.0(8) wt.% Ru.

3.4 Ruthenium isotope compositions

The Ru isotopic composition of the eleven analyzed metal phases ranges from $\delta^{102/99}\text{Ru}$ of 0.02 ‰ to 0.07 ‰ (average of $\delta^{102/99}\text{Ru}_{\text{metal}} = 0.04 \pm 0.02 \text{ ‰}$ (95 % conf.), without any clear trends related to the starting material, temperature or capsule material (Table 3). This average is in good agreement with Ru isotopic composition of the starting material of $\delta^{102/99}\text{Ru} = 0.03 \pm 0.02 \text{ ‰}$ (95 % conf.; $n = 4$). Thus, as predicted from the highly siderophile character of Ru, the metals in our runs are very close to the bulk Ru isotopic composition of the experiments.

The Ru isotopic signatures in the silicate phases show some fractionation trends depending on the chemical system (Figure 5): The silicate glasses in S-bearing experiments (E088, E089, E097, E098 and E102) have isotopically lighter Ru compositions with $\delta^{102/99}\text{Ru}$ values ranging from $-0.01 \pm 0.01 \text{ ‰}$ to $-0.07 \pm 0.03 \text{ ‰}$. In contrast, the silicate portions of the two Sn-bearing experiments E110 and E126 have isotopically heavier Ru compositions, with $\delta^{102/99}\text{Ru}$ values of $0.22 \pm 0.01 \text{ ‰}$ and $0.21 \pm 0.01 \text{ ‰}$, respectively. The three experiments that contain both Sn and S show only small or no Ru isotope fractionation, with Ru isotopic compositions of the silicate portions varying between $\delta^{102/99}\text{Ru} = -0.01 \pm 0.02 \text{ ‰}$ and $0.06 \pm 0.01 \text{ ‰}$. Moreover, the silicate glasses of the experiment without S or Sn (E134) has a Ru isotopic composition of $\delta^{102/99}\text{Ru} = 0.02 \pm 0.02 \text{ ‰}$ which is very close to the bulk Ru isotopic composition of the metal phases. Similarly, the S-bearing experiments conducted in graphite capsules (E115, E141) show no Ru isotopic fractionation, with silicate glasses having a $\delta^{102/99}\text{Ru}$ of 0.03 and 0.05 ‰, respectively.

4. Discussion

4.1 Ruthenium concentrations in silicate glasses

Ruthenium concentrations determined by double spike MC-ICPMS are generally 2-4 orders of magnitude larger than those obtained by LA-ICPMS. Whereas the Ru concentrations in the silicate glasses measured with LA-ICPMS are close to the detection limit, MC-ICPMS analyses return concentrations of up to 200 $\mu\text{g/g}$ Ru. Both analytical methods give good and reproducible results for all analyzed reference materials (Methods). Hence, analytical errors, that cause up to three orders of magnitude difference, can be excluded. The high concentrations in the silicate fractions of the experiments determined by MC-ICPMS were first expected to be most likely a result of either external contamination during sample preparation or of insufficient physical separation of silicate glass and Ru-bearing nuggets or droplets. The latter has been seen previously for Ir, Pt and Re (O'Neill, et al., 1995; Ertel et al., 2008; Medard et al., 2016). Both scenarios were not the case as we show in the following.

4.1.1. Testing for metal contamination of the silicate glass

The possibility of external contamination was evaluated with a metal-free experiment (E125) that was performed and processed in the same way as all former experiments. The Ru concentration measured with LA-ICPMS and quadrupole ICPMS was below the detection limit for both methods and hence excludes any external contamination of the samples during preparation for MC-ICPMS analysis. To exclude contamination by incomplete separation of metal and silicate phase after the experiment (e.g. small metal droplets in the silicate or at the capsule wall), experiment E135 was conducted and analyzed as described above. Ruthenium concentrations in the silicate measured by LA-ICPMS are low (0.02 $\mu\text{g/g}$) and LA-ICPMS profiles show no gradients across the silicate glass (Figure 3). Analyses of olivine phenocrysts that settled at the bottom of the capsule close to the main metal phase show also no enrichment in Ru (Figure 2). However, the olivine surface (i.e., the olivine-glass interface) as well as analyses at the capsule rim show elevated Ru concentrations of up to 1 $\mu\text{g/g}$, which is about two orders of magnitude higher than the Ru concentrations in the glass (Figure 4a). Optically visible, but i.e. μm -sized, metal droplets were clearly too small to be analyzed with LA-ICPMS. We analyzed the droplets together with surrounding material (Laser spot size: 20-60 μm) and the results show Ru concentrations from 50 to 500 $\mu\text{g/g}$. Further analyses were done on E135 glass in the center of the capsule and on glass of other samples to ascertain that the glass itself is nugget- and droplet-free. Using LA-ICPMS, elevated Ru concentration can be only found at the capsule walls attached to olivines (Figure 1d).

These observations can be best explained by Ru-bearing sulfide nuggets or metal droplets that are attached to the olivine phenocrysts in the ol-rich glass and to the newly formed olivines at the capsule wall. As the metal starting material was placed at the bottom of the capsule in run E135, Ru-bearing nuggets stayed attached only in lower sections of the capsule wall, during melting and during formation of the large metal phase. No Ru-rich nuggets were transported upwards and stuck to capsule wall sections in the top part of the capsule. Olivine itself should normally store small amounts of Ru. Capobianco et al. (1991) and Brenan et al. (2003) find $D_{\text{Ru}}^{\text{olivine-silicate}}$ between 2.2 and 0.2, depending on

449 fO_2 and T. However, $D_{Ru}^{silicate-sulfide}$ is very small (c.f. section 4.2) and we can expect similar values for
450 $D_{Ru}^{olivine-sulfide}$, which agrees well with the lack of measurable amounts of Ru in olivine.

451 If we assume that the Ru-rich nuggets at the capsule walls are droplets from the primary metal, they
452 should have the same isotopic signature as the main metal phase. In contrast, the measured Ru isotope
453 compositions of the nugget-containing silicate portions are systematically fractionated relative to the
454 metal. Hence, contamination cannot be caused by the observed metal droplets at the capsule wall.
455 Existing metal droplets are part of the primary metal and can neither explain the good reproducibility
456 of the fractionated $\delta^{102/99}Ru$ values (Table 2) nor the lack of correlation between Ru concentration and
457 $\delta^{102/99}Ru$ values (Figure 3). However, this is the case for sulfide nuggets.

458 4.1.2. Formation of sulfidic nanonuggets

459 The nanonuggets in experiment E176 are attached to the basalt glass-olivine interface and have a
460 diameter of about ≤ 400 nm (Figure 6). The Ru concentration in the nuggets was too low to be mapped.
461 Quantitative WDS analyses give Ru concentrations of about 435 ± 120 $\mu g/g$ which are far above Ru
462 concentrations in the S-doped silicate, but they are not fully reliable on nuggets of this size as all
463 analyses resulted in mixed analyses (Supplementary Table 1). This is caused by contamination of the
464 surrounding basaltic glass and olivine (too large beam excitation volume). Of about 15 analyzed
465 nuggets only two gave totals ≥ 98 wt.% and ≤ 102 wt.%. Nevertheless, all analyses show strongly
466 increased S concentrations of about 25-35 wt.% (Supplementary Table 1). Therefore, we assume that
467 the nanonuggets have a sulfidic composition and represent droplets of a third immiscible liquid that
468 formed during the experiment. The generation of larger amounts of sulfide melt in coexistence with
469 metal and silicate phase is shown in experiment E041 (Figure 2). The sulfide layer around the metal
470 phase has 27(1) wt.% S, 64.0(8) wt.% Fe and 0.7(2) wt.% Ru. Assuming similar Ru concentrations in
471 sulfide nuggets, 400 to 7000 $\mu g/g$ are far above Ru concentration in basalt glass. The formation of these
472 sulfidic nuggets can explain the discrepancy between Ru concentrations determined by LA-ICPMS and
473 MC-ICPMS analyses, as well as the excellent reproducibility of $\delta^{102/99}Ru$ values among S-bearing

experiments in MgO capsules. Moreover, the lack of a correlation between Ru concentrations and isotopic compositions shows that MC-ICPMS results are dominated by the sulfide nanonuggets and that significant contributions of initial metal droplets can be excluded.

To add 13 $\mu\text{g/g}$ Ru to the silicate melt bound in sulfide nuggets (with about 500 to 7000 $\mu\text{g/g}$ Ru), only a small contribution of sulfide nuggets to the separated silicate fractions is required. For example, based on the masses and Ru concentrations of the silicate sample E098 it can be estimated that a sulfide nugget contribution of 3.2 wt.% to 0.2 wt.%, respectively, is sufficient to explain the observed high Ru concentrations in the MC-ICPMS analysis.

Sulfide nuggets produced in metal-silicate partition experiments have been already reported by Shahar et al. (2015) who describe “submicrometer sized iron sulfides” within their silicate glass that are in equilibrium with the glass. We assume that the sulfidic nuggets form during melting of the metal phase at the beginning of the experiment. Their attachment to olivines and to the capsule wall argues against late exsolution of Ru-rich nuggets from the melt during quenching. Quench nuggets would be dispersed over a larger range within the glass and would be detectable due to elevated Ru concentrations by LA-ICPMS (or a better agreement of LA-ICPMS and MC-ICPMS results). Experiment E110 (Figure 1b) shows such exsolution textures after quenching, however the exsolution droplet composition is pure Fe-metal. As the silica melt from which these quench nuggets precipitated can only store very small amounts of Ru, LA-ICPMS analyses of E110 glass and quench metal droplets cannot contain any elevated Ru concentrations (0.3(1) $\mu\text{g/g}$).

To explain the change in Ru isotope fractionation between S- and Sn-bearing experiments, equivalent Sn-rich nuggets could exist in the Sn-rich, S-free experiments (E110; E126). Fe-rich and Sn-rich phases may coexist at temperatures > 1400 °C (Franke et al., 2005). Unfortunately, Sn-rich nuggets could not be detected in our experiment with EPMA in “low keV mode”. Instead of Sn nuggets, one could also speculate about an alternative scenario: as FeSn alloys have relatively low melting points, larger amounts of Sn could soften the bonding environment in the molten alloy. If Ru would have a bonding

affinity to Sn in the alloy, light Ru isotope bonding would be promoted leaving the silicate isotopically heavier. However, this would require the Ru isotope signature to be derived by the silicate and not by Sn-nuggets. In this case, Sn-nuggets are not required and a low Ru concentration would be expected for the bulk silicate analysis with MC-ICPMS, which is not the case for Sn-bearing experiments (e.g. 198.7 $\mu\text{g/g}$ in E126).

This section showed that the analyzed $\Delta^{102/99}\text{Ru}$ of most experiments is dominated by either a S- or Sn-rich phase in the silicate glass. The following sections will further discuss the unambiguous nature of the Ru isotopic composition analyzed in the silicate glass, the impact of varying experimental conditions and the mechanisms that might drive these effects.

4.2 Ruthenium metal-silicate partition coefficients

There is scant data on the Ru partitioning between metal and silicate melts or sulfide and silicate melts. Ruthenium element partition coefficients can be calculated in this study from Ru concentrations in the metal and LA-ICPMS analyses of the glasses. For S-bearing experiments $\log D_{\text{Ru}}^{\text{metal-silicate}}$ range from 2.0(1) to 6.8(3). A $\log D_{\text{Ru}}^{\text{sulfide-silicate}}$ value of 4.6(2) was calculated for experiment E041. Varying amounts of S in the metal starting materials (0.001 wt.%; 0.01 wt.%; 0.1 wt.%) show that $\log D_{\text{Ru}}^{\text{metal-silicate}}$ decreases with increasing amount of S in the system (Figure 7). This is in good agreement with experimental studies from Laurenz et al. (2016). They show that Ru and other HSEs become less siderophile with increasing S concentration in the silicate melt. The calculated $\log D_{\text{Ru}}^{\text{metal-silicate}}$ and $\log D_{\text{Ru}}^{\text{sulfide-silicate}}$ from Laurenz et al. (2016) are slightly lower when compared to values from this study (Figure 7). The different partition coefficients may be explained by different pressures or temperatures, as Laurenz et al. (2016) reported that $\log D_{\text{Ru}}^{\text{metal-silicate}}$ decrease with increasing pressure and our runs were performed at 1 GPa, whilst experiments from Laurenz et al. (2016) were conducted at 11 GPa (Figure 7).

4.3 Ruthenium isotope fractionation

Mass-dependent Ru isotope fractionation between quenched metal melt and the nugget-bearing silicate glasses is small but detectable (Figure 5). Sulfur-bearing experiments in MgO capsules show an average Ru isotope fractionation factor $\Delta^{102/99}\text{Ru}_{\text{metal-sulfide}}$ of $0.11 \pm 0.03 \text{ ‰}$ (95 % conf.) where $\Delta^{102/99}\text{Ru}_{\text{metal-sulfide}} = \delta^{102/99}\text{Ru}_{\text{metal}} - \delta^{102/99}\text{Ru}_{\text{sulfide}}$. The two Sn-bearing experiments in MgO capsules show $\Delta^{102/99}\text{Ru}_{\text{metal-Sn-phase}}$ values of $-0.18 \text{ ‰} \pm 0.01 \text{ ‰}$. These differences in the direction of the isotope fractionation can be best explained with the sulfidic or and Sn-rich phase, respectively, that dominate the isotopic signature. The very small isotope fractionation in the S- and Sn-free experiments in a MgO capsule (E134; Table 3) shows that in the S- or Sn-bearing experiments the measured Ru isotope fractionation is controlled by formation of S- or Sn-bearing phases, respectively. The S+Sn-bearing experiments show an average Ru isotope fractionation factor $\Delta^{102/99}\text{Ru}_{\text{metal-sulfide}}$ of $-0.02 \pm 0.02 \text{ ‰}$ (Figure 5). These runs were originally conducted to lower the melting temperature and allow experiments at 1300 °C. Given these low fractionation factors, it could be assumed that sulfide nanonuggets and a Sn-phase exists in the silicate glass. The two effects of S- and Sn bearing phases would counterbalance each other in experiment E104, E109 and E128 and we would expect a correlation between S- and Sn-content in the silicate phase. However, both elements were not measured with MC-ICPMS and the samples could not be analyzed by EPMA. The Ru concentration in the silicate glass is also not higher (22-96 µg/g) than in experiments with only S or Sn in the starting material.

In graphite capsules olivine cannot form at the capsule walls and hence the formation of S-rich nuggets is prohibited. Thus, the Ru concentration in the silicate fractions of the graphite experiments are low (7-8 ppm, measured with MC-ICPMS) and reproducible. Nevertheless, these concentrations are higher than results from LA-ICPMS measurements and the formation of S-rich nuggets, like in MgO-capsule experiments, can be excluded due to the lack of any Ru isotope fractionation in graphite experiments. The slightly higher Ru concentration in silicates from graphite capsule experiments can be best explained by contamination with primary metal droplets.

For experiments at 1600 °C Hin et al. (2013) found that isotope fractionation starts to be dominated by kinetic fractionation in MgO capsules as the element of interest (Mo in their study) fractionates from the metal phase into a silicate whose composition changes over time. Therefore, Hin and coworkers treated these experiments separately. At 1600 °C the MgO capsule dissolves much faster and Hin et al. (2013) see an increase of Mo element concentration, as well as a change of isotope fractionation over time. Ruthenium experiments at 1600 °C in MgO capsules from this study also show significant increase of MgO in the melt, extensive olivine growth (Figure 2), and metal exsolution within the silicate melt. However, LA-ICPMS data from E098 and E102 show no elevated Ru concentrations. They show comparable isotope fractionation to experiments conducted at temperatures < 1600 °C. Thus, the change in silicate melt composition does not affect the Ru concentration in the silicate melt.

4.4. Ruthenium bonding environment and its influence on isotope fractionation

Our experiments are not designed to study Ru element coordination in the melt or its valence state in the different phases. Discrete data are lacking but element bonding is crucial for isotope fractionation and will be discussed shortly.

Ru has a higher valence state in the silicate melt than in the metal melt. While the Ru oxidation state in the metal is 0, Ru can be +II, +III, +IV, +VI or +VIII when bonded to non-metals. Laurenz et al. (2013) propose Ru^{4+} to be the dominant cationic species for their experiments in picritic melts. In their experiments, Ru bonds either with O^{2-} or S^{2-} , albeit the bonding with S^{2-} is about 900 times stronger due to the chalcophile character of Ru (Laurenz et al., 2013). For RuS_2 in sulfide nanonuggets, the valence state of Ru would vary between metal and sulfide from 0 to +IV as it is supposed to be for metal and silicate. Ru isotope fractionation should be dominated by the varying bonding length of Ru-Fe, Ru-O and Ru-S. Schauble (2004) shows that higher valence states and lower coordination states are generally associated with stiffer bonds. These stiff bonds are favored by the heavier isotope of the element of interest (Bigeleisen, 1965). However, this does not seem to be the case for the sulfide nanonuggets, and the isotope fractionation observed in our S-bearing experiments in MgO capsules. All analyzed sulfide nuggets are isotopically lighter than the metal and therefore predict a stronger

affinity of lighter Ru isotopes for the sulfide nuggets relative to the metal phase. This is contrary to expectations from theory (Bigeleisen, 1965; Schauble, 2004) and cannot be simply explained by a lower valence state than +IV. The isotopic fractionation of other elements such as Fe in S-bearing systems is also not well constrained. Several studies (Williams et al., 2006; Schuessler et al., 2007; Polyakov and Soultanov, 2011) show that Fe sulfides are depleted in heavy Fe isotopes relative to their silicates. In contrast, Shahar et al. (2015) find good correlations between increasing sulfur content in the metal and higher $\Delta^{57}\text{Fe}_{\text{metal-silicate}}$ values, which they conclude is caused by different bonding structures of sulfides and S-rich metal alloys. Their results show that the heavier Fe isotopes have a stronger affinity to bond with S in sulfides but not with S in metal. Hence, one could also speculate that other factors like coordination of Ru or Fe within the melts have a stronger effect on isotope fractionation than their valence state.

For the Sn-bearing experiments of this study, it can be concluded that the negative $\Delta^{102/99}\text{Ru}$ values are derived from coordination differences and a Ru-Sn bonding that varies from the sulfide phase, as well as from the Fe dominated metal phase. However, Sn can theoretically have valence states between –IV and +IV but not much is known about Ru bonding in such phases. The effect of Sn on metal isotope fractionation in experiments has been addressed in a few studies. Shahar et al. (2015) and Young et al. (2015) propose that large amounts of Sn in the metal melt changes the bonding environment and should therefore influence isotope fractionation of elements such as Fe or Mo. Nevertheless, Hin et al. (2013) conducted experiments on Mo isotope fractionation between Sn-free and Sn-bearing metal and silicate melts, and could not find any significant differences. In our experiments, there is a significant effect of Sn (in the metal phase) on Ru isotope fractionation (c.f. also Hin et al. 2012; 2014). But to better understand Ru isotope fractionation between liquid metal, sulfide and silicate, further work is required on Ru valence state, bonding environment, and coordination in these phases.

4.5 Implications for Ru isotope fractionation in natural Fe-FeS systems

There is no clear temperature dependency in Figure 5 for metal-sulfide fractionation experiments between 1400 °C and 1600 °C as their variation is too small. To better describe the change of Ru

isotope fractionation with varying temperature a best-fit approach can be applied: Bigeleisen and Mayer (1947) and Urey (1947) show that equilibrium mass dependent isotope fractionation is proportional to A/T^2 , where A is a constant that can be either determined from experiments or theoretically (e.g. Bourdon et al., 2018). This results in a decreasing magnitude of isotope fractionation with increasing temperature. To extrapolate the effect of temperature on Ru isotope fractionation, one can use a Least Square Approach for A/T^2 as it is shown in Figure 8. For this fit a value of $0.24 (\pm 0.03) \times 10^6$ was calculated for A on the base of the S-bearing experiments at 1400 °C, 1500 °C and 1600 °C (E088, E089, E097, E098, E102; Table 3). Thus, the temperature dependence of the Ru isotope fractionation between metal and sulfide can be described as:

$$\Delta^{102/99}\text{Ru}_{\text{metal-sulfide}} = \frac{0.24(\pm 0.03) \times 10^6}{T^2} \quad (6)$$

The fractionation of $\Delta^{102/99}\text{Ru}_{\text{metal-sulfide}}$ is not resolvable (<0.04 ‰) at temperatures above 2500 °C (Figure 8b) and $\Delta^{102/99}\text{Ru}_{\text{metal-silicate}}$ is already negligible at > 1600 °C. Given these results from Figure 8 and the even smaller silicate-metal fractionation (0.02 ± 0.02 ‰ at 1600 °C), significant Ru isotope fractionation during Earth's core formation ($T > 3500$ °C) is not expected. These findings are in good agreement with the results from Hopp and Kleine (2018) who did not see any distinguishable Ru isotope fractionation between chondritic meteorites and terrestrial peridotites.

It has been recently shown that the partitioning behavior of some HSEs may be different under Earth's core formation conditions and that they will not be quantitatively removed from the mantle by metal-silicate partitioning but would be overabundant and display non-chondritic relative abundances (Righter et al., 2008; Rubie et al., 2016; Righter et al., 2018). Therefore, the relative chondritic abundances of HSEs in Earth's mantle require an additional removal of HSEs by a sulfide matte during the late stages of core formation before a chondritic late veneer is added (O'Neil, 1991; Rubie et al., 2016; Righter et al., 2018). This Hadean matte model proposes that the exsolution of FeS from the magma ocean during cooling affects HSE/Ir ratios in the Earth's mantle, as they show different behavior (Laurenz et al., 2016; Rubie et al., 2016). However, high temperatures above 2000 °C (rather even 3000

- 4000 °C) are also expected for the Hadean matte (Savage et al., 2015), and according to our findings for metal-silicate and metal-sulfide fractionation, significant sulfide-silicate Ru isotope fractionation is also not expected at these temperatures.

The observed metal-sulfide isotope fractionation of Ru stable isotopes could be important to understand planetary processes occurring at lower temperatures that are closer to the temperatures from our experiments: Hopp et al. (2018) determined mass-dependent Ru isotope signatures of various magmatic iron meteorites. These meteorites stem from the metallic cores of differentiated protoplanetary bodies. The magmatic iron displays heavy and variable $\delta^{102/99}\text{Ru}$ compared to undifferentiated material such as ordinary chondrites. The $\delta^{102/99}\text{Ru}$ values vary between -0.07 ± 0.05 and 0.85 ± 0.05 and show a correlation of increasingly heavier Ru isotopic composition with decreasing Ru contents. Hopp et al. (2018) interpret these findings with progressive fractional crystallization of the metallic liquid, which leads to enrichment in FeS and heavier Ru isotope signatures in the remaining melt (Hopp et al., 2018). These results suggest that fractionation of Ru was controlled by the increasing amount of sulfur in the melt which might cause Ru isotope fractionation between Fe and FeS dominated phases. This fractionation model requires that the remaining S-rich melt is isotopically heavier than the solidifying metal, which is contrary to results from this study. However, the phases involved during the crystallization of magmatic iron meteorites are S-poor solid metal and S-rich metallic metal that are distinct to the S-rich metal and sulfide nuggets that control the Ru isotopic fractionation in our experiments. Furthermore, the incongruent crystallization itself might play a role in the Ru isotope fractionation of magmatic iron meteorites but is not represented in the experiments. Hence, the experimental results on the Ru isotope fractionation do not represent the mechanisms that control Ru isotope fractionation during fractional crystallization of asteroidal cores.

Primitive achondrites are meteorites that derive from partially differentiated parent bodies (e.g., Weisberg et al., 2006). Thus, while magmatic iron meteorites are expected to have already experienced core formation and core mantle segregation on their parent body, primitive achondrites represent earlier stages of differentiation. These meteorites experienced only partial silicate melting and

incomplete metal segregation (e.g. Keil, 2014; Keil and McCoy, 2017). Nevertheless, they provide evidence for variable extraction of S-rich and S-poor Fe-Ni-S melts (Day et al., 2012; Goodrich et al., 2013; Dhaliwal et al., 2017; Day et al., 2019). Hopp and Kleine (2021) reported that primitive achondrites from different groups, i.e. brachinites, acapulcoite-lodranites, and ureilites, have heavier $\delta^{102/99}\text{Ru}$ values relative to chondrites. The extraction of S-rich Fe-Ni-S melts cannot easily explain the observed Ru isotopic fractionation with reasonable degrees of melt extraction. However, the extraction of S-poor metallic melts at higher temperatures can produce the heavier $\delta^{102/99}\text{Ru}$ values of primitive achondrites with realistic degrees of melt extraction (Hopp and Kleine, 2021). Thus, the results from the S-rich experiments reported here are likely not directly applicable to the main driver of isotopic fractionation in primitive achondrites, i.e. extraction of S-poor metallic melts. However, they might represent initial extraction of S-rich Fe-Ni-S during partial differentiation of planetesimals that contributed to the bulk isotopic composition. Interestingly, the observed Ru isotope fractionation in primitive achondrites agrees with the magnitude and direction of the isotope fractionation observed in this study.

5. Conclusions

Our experiments were designed to study mass-dependent isotope fractionation of stable Ru isotopes between metal melt and silicate melt. This metal-silicate fractionation turned out to be too small and negligible for core formation temperatures. However, in several experiments significant Ru isotope fractionation was caused by metal-sulfide fractionation with a lighter Ru isotope composition in the sulfide phase. The addition of small amounts of S (used as a flux) to the experimental system led to the formation of Ru-bearing sulfide nuggets which dominated the measurements. This effect could only be seen in MgO capsules but not in graphite capsules. The direction of this fractionation contradicts what would have been expected by theoretical approaches from literature: a heavier isotopic composition for Ru in a non-metallic valence state. Moreover, the addition of Sn instead of S to the starting material results very likely in a Sn-rich phase that has a heavier Ru isotope composition than the Fe-metal. In

consequence, the exchange of small amounts of S with Sn (or vice-versa) in the starting material can flip over the direction of Ru isotope fractionation in the experimental system. There are scant data about the coordination and the real valence state of Ru in sulfides or other compounds. To better understand the effect of the chemical composition on Ru (or HSE in general) isotope fractionation, we need to better understand their bonding in the studied phases.

The magnitude of Ru isotope fractionation is small in our experiments. Since equilibrium isotope fractionation decreases with increasing temperature, we do not expect any resolvable isotope fractionation during core formation temperatures (> 2000 °C) or a late sulfide segregation from a magma ocean.

Acknowledgements

Our thanks go to the excellent workshops of the Inst. for Mineralogy in Münster, especially Maik Trogisch and Michael Feldhaus for their help with capsule preparation and sample mounting, and Beate Schmitte for help with microprobe analyses and LA-ICP-MS. We are grateful to Marian Horstmann, Thorsten Kleine and Remco Hin for constructive comments that helped to improve the paper. Finally, we want to thank Mathieu Roskosz, an anonymous reviewer, and the editor for their supportive comments, criticism and questions which helped again to improve the paper significantly. This work was supported by the Deutsche Forschungsgemeinschaft (DFG) within the Collaborative Research Centre SFB-TRR 170 (subproject B2). This is TRR 170 Publication no. xx.

References

- Becker H., Horan M. F., Walker R. J., Gao S., Lorand J. P. and Rudnick R. L. (2006) Highly siderophile element composition of the Earth's primitive upper mantle: constraints from new data on peridotite massifs and xenoliths. *Geochim. Cosmochim. Acta* **70**, 4528–4550.
- Bigeleisen J. (1965) Chemistry of Isotopes: Isotope chemistry has opened new areas of chemical physics, geochemistry, and molecular biology. *Science* **147**, 463–471.

702 Bigeleisen J. and Mayer M. G. (1947) Calculation of equilibrium constants for isotopic exchange
703 reactions. *J. Chem. Phys.* **15**, 261–267.

704 Borisov A. and Palme H. (2000) Solubilities of noble metals in Fe-containing silicate melts as derived
705 from experiments in Fe-free systems. *Am. Mineral.* **85**, 1665–1673.

706 Bourdon B., Roskosz M. and Hin R. C. (2018) Isotope tracers of core formation. *Earth Sci. Rev.* **181**,
707 61–81.

708 Brenan J.M., McDonough W.F., Dalpé C. (2003) Experimental constraints on the partitioning of
709 rhenium and some platinum-group elements between olivine and silicate melt *Earth Planet. Sci.*
710 *Lett.* **212**, 135–150.

711 Capobianco C.J., Drake, M.J., Rogers, P.S.Z. (1991) Partitioning of Ru, Rh and Pd. *Abstract of the Lunar*
712 *and Planetary Science Conference* **22**, p. 179.

713 Day J.M.D., Walker R. J., Ash R. D., Liu Y., Rumble D., Irving A. J., Goodrich C. A., Tait K., McDonough W.
714 F. and Taylor L. A. (2012) Origin of felsic achondrites Graves Nunataks 06128 and 06129, and
715 ultramafic brachinites and brachinite-like achondrites by partial melting of volatile-rich primitive
716 parent bodies. *Geochim. Cosmochim. Acta* **81**, 94–128.

717 Day J.M.D., Walker R.J., Warren J.M. (2017). ^{186}Os – ^{187}Os and highly siderophile element abundance
718 systematics of the mantle revealed by abyssal peridotites and Os-rich alloys. *Geochim. Cosmochim.*
719 *Acta* **200**, 232–254.

720 Day J. M. D., Corder C. A., Assayag N. and Cartigny P. (2019). Ferrous oxide-rich asteroid achondrites.
721 *Geochim. Cosmochim. Acta* **266**, 544–567.

722 Dhaliwal J. K., Day J. M. D., Corder C. A., Tait K. T., Marti K., Assayag N., Cartigny P., Rumble D. and
723 Taylor L.A. (2017) Early metal-silicate differentiation during planetesimal formation revealed by
724 acapulcoite and lodranite meteorites. *Geochim. Cosmochim. Acta* **216**, 115–140.

725 Drouin D., Couture A. R., Joly D., Tastet X., Aimez V. and Gauvin R. (2007). CASINO V2. 42—a fast and
 726 easy-to-use modeling tool for scanning electron microscopy and microanalysis users. *Scanning*
 727 29(3), 92-101.

728 Ertel W., Dingwell D. B. and Sylvester P. J. (2008) Siderophile elements in silicate melts – A review of
 729 the mechanically assisted equilibration technique and the nanonugget issue. *Chem. Geol.* **248**,
 730 119–139.

731 Fischer-Gödde M. and Becker H. (2012) Osmium isotope and highly siderophile element constraints
 732 on ages and nature of meteoritic components in ancient lunar impact rocks. *Geochim.*
 733 *Cosmochim. Acta* **77**, 135–156.

734 Fortenfant S. S., Gunther D., Dingwell D. B. and Rubie D. C. (2003) Temperature dependence of Pt
 735 and Rh solubilities in a haplobasaltic melt. *Geochim. Cosmochim. Acta* **70**, 742–756.

736 Franke P., Neuschütz D. and Scientific Group Thermodata Europe (SGTE) (2005) Fe-Sn. In *Binary*
 737 *systems. Part 3: Binary Systems from Cs-K to Mg-Zr* (eds. P. Franke and D. Neuschütz). Springer
 738 Berlin Heidelberg. Berlin, Heidelberg.

739 Goodrich C. A., Ash R. D., Orman J. A. V., Domanik K. and McDonough W. F. (2013) Metallic phases
 740 and siderophile elements in main group ureilites: Implications for ureilite petrogenesis. *Geochim.*
 741 *Cosmochim. Acta* **112**, 340–373.

742 Gervasoni F., Klemme S., Rohrbach A., Grützner T., Berndt J. (2017) Experimental constraints on
 743 mantle metasomatism cause by silicate and carbonate melts. *Lithos* **282-283**, 173-186.

744 Grützner T., Kohn S. C., Bromiley D.W., Rohrbach A., Berndt J., Klemme S. (2017) The storage capacity
 745 of fluorine in olivine and pyroxene under upper mantle conditions. *Geochim. Cosmochim. Acta*
 746 **208**, 160-170.

747 Hin R. C., Schmidt M. W. and Bourdon B. (2012) Experimental evidence for the absence of iron
 748 isotope fractionation between metal and silicate liquids at 1GPa and 1250–1300 °C and its
 749 cosmochemical consequences. *Geochim. Cosmochim. Acta* **93**, 164–181.

750 Hin R. C., Burkhardt C., Schmidt M. W., Bourdon B. and Kleine T. (2013) Experimental evidence for
 751 Mo isotope fractionation between metal and silicate liquids. *Earth Planet. Sci. Lett.* **379**, 38–48.

752 Hin R. C., Fitoussi C., Schmidt M. W. and Bourdon B. (2014) Experimental determination of the Si
 753 isotope fractionation factor between liquid metal and liquid silicate. *Earth Planet. Sci. Lett.* **387**,
 754 55–66.

755 Holzheid A., Palme H. and Chakraborty S. (1997) The activities of NiO, CoO and FeO in silicate melts.
 756 *Chem. Geol.* **139**, 21–38.

757 Holzheid A., Sylvester P., O'Neill H. S. C., Rubie D. C. and Palme H. (2000) Evidence for a late
 758 chondritic veneer in the Earth's mantle from high-pressure partitioning of palladium and
 759 platinum. *Nature* **406**, 396–399.

760 Hopp T. and Kleine T. (2021) Ruthenium isotopic fractionation in primitive achondrites: Clues to the
 761 early stages of planetesimal melting. *Geochim. Cosmochim. Acta*, *in press*.

762 Hopp T. and Kleine T. (2018) Nature of late accretion to Earth inferred from mass-dependent Ru
 763 isotopic compositions of chondrites and mantle peridotites. *Earth Planet. Sci. Lett.* **494**, 50–59.

764 Hopp T., Fischer-Gödde M. and Kleine T. (2016) Ruthenium stable isotope measurements by double
 765 spike MC-ICPMS. *J. Anal. At. Spectrom.* **31**, 1515–1526.

766 Hopp T., Fischer-Gödde M. and Kleine T. (2018) Ruthenium isotope fractionation in protoplanetary
 767 cores. *Geochim. Cosmochim. Acta* **223**, 75–89.

768 Keil K. (2014) Brachinite meteorites: Partial melt residues from an FeO-rich asteroid. *Geochemistry*
 769 **74**, 311–329.

770 Keil K. and McCoy T. J. (2018) Acapulcoite-Iodranite meteorites. *Geochemistry* **78**, 153–203.

771 Kimura K. L. R. and Anders E. (1974) Distribution of gold and rhenium between nickel-iron and silicate
 772 melts: implications for the abundance of siderophile elements on the Earth and Moon. *Geochim.*
 773 *Cosmochim. Acta* **38**, 683–701.

774 Klemme S., O'Neill H. St. C. (1997). *The reaction $MgCr_2O_4 + SiO_2 = Cr_2O_3 + MgSiO_3$ and the free energy of*
 775 *formation of magnesiochromite ($MgCr_2O_4$). Contrib. Mineral. Petrol*, **130**, 59-65.

776 Kyser T. K., Leshner C. E. and Walker D. (1998) The effects of liquid immiscibility and thermal diffusion
 777 on oxygen isotopes in silicate liquids. *Contrib. Mineral. Petrol.* **133**, 272–281.

778 Laurenz V., Fonseca R. O., Ballhaus C., Jochum K. P., Heuser A. and Sylvester P. J. (2013) The solubility
 779 of palladium and ruthenium in picritic melts: 2. The effect of sulfur. *Geochim. Cosmochim. Acta*
 780 **108**, 172–183.

781 Laurenz V., Rubie D. C., Frost D. J. and Vogel A. K. (2016) The importance of sulfur for the behavior of
 782 highly-siderophile elements during Earth's differentiation. *Geochim. Cosmochim. Acta* **194**, 123–
 783 138.

784 Ma Z. (2001) Thermodynamic description for concentrated metallic solutions using interaction
 785 parameters. *Metall. Mater. Trans. B* **32**, 87–103.

786 Mann U., Frost D. J., Rubie D. C., Becker H. and Audétat A. (2012) Partitioning of Ru, Rh, Pd, Re, Ir and
 787 Pt between liquid metal and silicate at high pressures and high temperatures - Implications for the
 788 origin of highly siderophile element concentrations in the Earth's mantle. *Geochim. Cosmochim.*
 789 *Acta* **84**, 593–613.

790 Médard E., Martin, A. M., Righter, K., Lanziloti, A., Newville M., (2016) Platinum partitioning at low
 791 oxygen fugacity: Implications for core formation processes. *Abstract of the Lunar and Planetary*
 792 *Science Conference*, LPI Contribution No. 1903, p.2801.

793 Moynier F., Yin Q. Z. and Schauble E. A. (2011) Isotopic evidence of Cr partitioning into Earth's core.
 794 *Science* **331**, 1417–1420.

795 O'Neill H. St.C.(1991) The origin of the Moon and the early history of the Earth – A chemical model
 796 Part 2: The Earth. *Geochim. Cosmochim. Acta* **43**, 1159-1172.

797 O'Neill H. St.C., Dingwell D. B., Borisov A., Spettel B. and Palme H. (1995) Experimental
 798 petrochemistry of some highly siderophile elements at high temperatures, and some implications
 799 for core formation and the mantle's early history. *Chem. Geol.* **120**, 255–273.

800 Poitrasson F., Roskosz M., Corgne A. (2009) No iron isotope fractionation between molten alloys and
 801 silicate melt to 2000 °C and 7.7 GPa. Experimental evidence and implications for planetary
 802 differentiation and accretion. *Earth Planet. Sci. Lett.* **278** (3-4), S. 376–385

803 Polyakov V. B. and Sultantov D. M. (2011) New data on equilibrium iron isotope fractionation among
 804 sulfides: Constraints on mechanisms of sulfide formation in hydrothermal and igneous systems.
 805 *Geochim. Cosmochim. Acta* **75**, 1957–1974.

806 Richter F. M., Watson E., Mendybaev R. A., Teng F.-Z. and Janney P. E. (2008) Magnesium isotope
 807 fractionation in silicate melts by chemical and thermal diffusion. *Geochim. Cosmochim. Acta* **72**,
 808 206–220.

809 Richter K., Humayun M. and Danielson L. (2008) Partitioning of palladium at high pressures and
 810 temperatures during core formation. *Nat. Geosci.* **1**, 321–323.

811 Richter K., Pando K., Humayun M., Waesermann N., Yang S., Boujibar A., Danielson, L.R. (2018) Effect
 812 of silicon on activity coefficients of siderophile elements (Au, Pd, Pt, P, Ga, Cu, Zn, and Pb) in liquid
 813 Fe: Roles of core formation, late sulfide matte, and late veneer in shaping terrestrial mantle
 814 geochemistry. *Geochim. Cosmochim. Acta* **232**, 101-123.

815 Roskosz M., Luais B., Watson H. C., Toplis M. J., Alexander C. and Mysen B. O. (2006) Experimental
 816 quantification of the fractionation of Fe isotopes during metal segregation from a silicate melt.
 817 *Earth Planet. Sci. Lett.* **248**, 851–867.

818 Roskosz M., Caracas R. and Rouxel O. (2009) Advances in experimental and theoretical isotope
819 geochemistry. *Chem. Geol.* **267**, 109–110.

820 Rubie D. C., Laurenz V., Jacobson S. A., Morbidelli A., Palme H., Vogel A. K. and Frost D. J. (2016)
821 Highly siderophile elements were stripped from Earth's mantle by iron sulfide segregation. *Science*
822 **353**, 1141–1144.

823 Rudge J. F., Reynolds B. C. and Bourdon B. (2009) The double spike toolbox. *Chem. Geol.* **265**, 420–
824 431.

825 Savage P. S., Moynier F., Chen H., Shofner G., Siebert J., Badro J., Puchtel I. S. (2015) Copper isotope
826 evidence for large-scale sulphide fractionation during Earth's differentiation. *Geochem. Persp. Let.*
827 **1**, 53–64.

828 Schauble E. A. (2004) Applying stable isotope fractionation theory to new systems. In *Reviews in*
829 *mineralogy and geochemistry - Geochemistry of non-traditional stable isotopes* (eds. C. M.
830 Johnson, B. L. Beard and F. Albarède). Mineralogical Society of America. Washington, DC, pp. 65–
831 111.

832 Schuessler J. A., Schoenberg R., Behrens H. and Blanckenburg F. v. (2007) The experimental
833 calibration of the iron isotope fractionation factor between pyrrhotite and peralkaline rhyolitic
834 melt. *Geochim. Cosmochim. Acta* **71**, 417–433.

835 Scott E. R. D. (1972) Chemical fractionation in iron meteorites. *Geochim. Cosmochim. Acta* **36**, 1205–
836 1236.

837 Scott E. R. D. and Wasson T. (1975) Classification and properties of iron meteorites. *Rev. Geophys.*
838 *Space Phy.* **13**, 527–545.

839 Shahar A., Hillgren V. J., Young E. D., Fei Y. W., Macris C. A. and Deng L. W. (2011) High temperature
840 Si isotope fractionation between iron metal and silicate. *Geochim. Cosmochim. Acta* **75**, 7688–
841 7697.

842 Shahar A., Hillgren V. J., Horan M. F., Mesa-Garcia J., Kaufman L. A. and Mock T. D. (2015) Sulfur-
 843 controlled iron isotope fractionation experiments of core formation in planetary bodies. *Geochim.*
 844 *Cosmochim. Acta* **150**, 253–264.

845 Shirey S. B. and Walker R. J. (1995) Carius tube digestion for low-blank rhenium–osmium analysis.
 846 *Anal. Chem.* **67**, 2136–2141.

847 Siebert C., Nägler T. F. and Kramers J. D. (2001) Determination of molybdenum isotope fractionation
 848 by double-spike multicollector inductively coupled plasma mass spectrometry. *Geochem.*
 849 *Geophys. Geosyst.* **2** (7).

850 The Japan Society for the Promotion of Science, the 19th Committee on Steelmaking (1988)
 851 *Steelmaking Data Sourcebook, Part 2: Recommended Values of Activity and Activity Coefficients,*
 852 *and Interaction Parameters of Elements in Iron Alloys.* Gordon and Breach Science Publishers,
 853 Montreux.

854 Urey H. C. (1947) The thermodynamic properties of isotopic substances. *J. Chem. Soc.* **0**, 562–581.

855 Wade J. and Wood B. J. (2005) Core formation and the oxidation state of the Earth. *Earth Planet. Sci.*
 856 *Lett.* **236**, 78–95.

857 Walker R. J., Bermingham K., Liu J., Puchtel I. S., Touboul M. and Worsham E. A. (2015) In search of
 858 late-stage planetary building blocks. *Chem. Geol.* **411**, 125–142.

859 Wänke H. (1981) Constitution of terrestrial planets. *Philos. T. R. Soc. A* **303**, 287–302.

860 Weisberg M. K., McCoy, T. J., Krot, A. N. (2006) Systematics and evaluation of meteorite
 861 classification. *Meteorites and the Early Solar System II*, University of Arizona Press, 19–52.

862 Williams H. M., Markowski A., Quitté G., Halliday A. N., Teutsch N. and Levasseur S. (2006) Fe isotope
 863 fractionation in iron meteorites: New insights into metal-sulphide segregation and planetary
 864 accretion. *Earth Planet. Sci. Lett.* **250**, 486–500.

865 Young E. D., Manning C. E., Schauble E. A., Shahar A., Macris C. A., Lazar C. and Jordan M. (2015)
866 High-temperature equilibrium isotope fractionation of non-traditional stable isotopes. *Chem.*
867 *Geol.* **395**, 176–195.

868

869

870 Figures

871

872 *Figure 1: Back-scattered electron (BSE) image of experiments a) E017, b), c) E110 and d) E041. a) A*
 873 *homogeneous mixture of metal and silicates in the starting materials results in numerous medium*
 874 *size metal blobs in the run product. b) and c) nano size nuggets (bright spots) in the silicate glass are*
 875 *found in several experiments but show these nuggets results in no elevation in Ru concentrations, and*
 876 *hence these nuggets are interpreted to be formed by Fe-exsolution during the quench of the run. d)*
 877 *metal droplets that form during the run and that are attached to the olivine layer at the capsule wall.*

878

Figure 2: Back-scattered electron (BSE) image of experiments a) E134, b) E102, c) E135 and d) E041. a), b) Needle-shaped olivine textures in experiments at 1600 °C are caused by fast dissolution of MgO in the basaltic melt. c) nano size nuggets (bright spots) are found in the silicate glass of several experiments but show no elevation in Ru concentration and hence these nuggets are interpreted to be formed by Fe-exsolution during the quench of the run. d) In runs with high amount of S in the starting material, a sulfide layer forms around the metal phase.

Figure 3: a) Ruthenium concentrations (μg/g) in the silicate measured with LA-ICPMS. Concentrations were analyzed along the cross sections of run E017 (circles; detection limit = bars) from the bottom of the capsule, i.e. close to the metal phase, to the top of the capsule (Figure 1a). Ruthenium concentrations in the silicate show no gradient between top and bottom of the capsule. b) Ruthenium concentrations (μg/g) in the silicate measured with MC-ICPMS vs. $\delta^{102/99}\text{Ru}$ in the silicate samples show no correlation, which is a strong argument against contamination by a metal phase in the analyzed silicate glass. White = S-bearing runs; grey = Sn-bearing runs; black = runs in graphite capsule.

Figure 4: Ruthenium concentrations measured in run E135. SEM image of E135 can be is shown in Figure 2c. a) While Ru concentrations measured by LA-ICPMS in the silicate glass and inside the olivine crystals are low, Ru concentrations are elevated at the rim of the olivine phenocrysts and at the olivine layer at the edge of the capsule. Concentrations in the MgO capsule were below the

detection limit. This supports the assumption the Ru is concentrated in Ru-rich nuggets, which are attached to the silicate glass-olivine interface. b) Sketch of experiment E135. The sample was separated into 7 pieces, which were then separately analyzed with quadrupole ICPMS: metal, silicate glass, ol-rich silicate glass, 4 (A-D) sections of the MgO capsule: The silicate glass was drilled out of the capsule leaving a rest of glass that was attached to the capsule (section A-D). The “ol-rich” glass (with olivine phenocrysts, SEM image in Figure 2c) and the glass attached to the capsule fragments A-D show elevated Ru concentrations relative to the drilled-out silicate glass. This supports the assumption that the Ru is concentrated in Ru-rich nuggets, which are attached to the silicate glass-olivine interface.

Figure 5: Ruthenium stable isotope fractionation measured in silicate glasses. The $\delta^{102/99}\text{Ru}$ analyses from metal are normalized to zero; $\Delta^{102/99}\text{Ru}_{\text{metal-non metal}} = \delta^{102/99}\text{Ru}_{\text{metal}} - \delta^{102/99}\text{Ru}_{\text{non metal}}$ with non-metal being either silicate glass, sulfide nanonuggets, or a Sn-phase. The fractionation is dependent on the starting material composition, as Ru is either concentrated in S-nuggets or a Sn-bearing phase. Runs in S-bearing systems show opposing isotope fractionation direction with Sn-bearing runs resulting in an isotopically lighter $\delta^{102/99}\text{Ru}$ signature for S-bearing runs. Sn-bearing experiments indicate a heavier signature. In experiments with graphite capsules neither S nor Sn nuggets formed and hence no isotope fractionation is observed.

Figure 6: Sulfidic nanonuggets were characterized with EDS spot analysis and element mapping using EPMA. The color scale on the element maps show relative abundances of the elements. The analyzed nuggets are attached to the silicate glass-olivine interface and about 100-500 nm diameter. The white dashed line indicates the silicate glass-olivine boundary.

Figure 7: D_{Ru} vs. S concentrations a) in the silicate and b) in the metal portion of the starting material. Due to the presentation in logarithmic scale errors are covered within the size of the symbols. Data from Laurenz et al. (2016) are from experiments at 11 GPa and 2373 - 2473 °C. D_{Ru} increases with increasing P and T , but increasing S in the silicate makes Ru less siderophile.

Figure 8: Approach for the temperature dependence of equilibrium Ru isotope fractionation between liquid metal and liquid sulfide (E088, E089, E097, E098, E102; Table 3). Error bars are the 95 % confidence intervals of the respective analyses. a) The fit is fixed on the average value of the

datapoints at 1400 °C and supports the general assumption of a temperature dependency. The temperature dependency of the fractionation factor would be $A = 0.41 (\pm 0.33) \times 10^6$ and is represented by the solid line. b) This weighted best fit was determined by a best fit estimation using the average value for the 1400 °C experiments and the 1600 °C experiment and is fixed to “zero”. The temperature dependency of the fractionation factor $A = 0.24 (\pm 0.03) \times 10^6$ is represented by the solid line. The gray areas reflect the uncertainty (95 % confidence interval) of the fractionation factor ($\pm 0.03 \times 10^6$).

Tables

Table 1 Chemical composition (wt.%) of silicate and metal starting mixtures.

*Table 2 Major element composition of silicate glasses and metal phases in wt.% measured with the electron probe. Uncertainties (1 s.d.) are given in parentheses showing the first significant digit. b.d. = below detection limit. Totals indicated with * were determined by energy-dispersive X-ray analysis (EDS) only.*

Table 3 Details of experimental run conditions, Ru contents and Ru isotopic compositions of run products. For some silicate samples the Ru concentrations were not only determined using bulk methods (MC-ICPMS), but also in-situ methods using LA-ICPMS. Partition coefficients ($\log D_{Ru}^{metal-silicate}$) were calculated only for samples that were analyzed by LA-ICPMS. Capsule C = graphite, t = run duration in hours.

^a Number of isotopic analysis.

^b Ruthenium concentrations of silicate glasses determined by LA-ICPMS. Uncertainties in parentheses are 1 σ of 5 to 15 spot analysis per sample.

^c Ruthenium concentrations determined from the double spike isotope ratio analyses. Uncertainties are <1% including measurement uncertainties and weighing.

^d Measured Ru isotope mass fractionation relative to an Alfa Aesar standard solution. Given uncertainties are 95% c.i. for samples with $N \geq 4$.

^e Isotopic difference of metal and silicate

^f Partition coefficients $D_{\text{Ru}}^{\text{metal-silicate}}$ calculated using LA-ICPMS concentration data of metals (Table 2) and silicates for selected experiments.

^g Isotopic difference of metal and silicate calculated using the average $\delta^{102/99}\text{Ru}_{\text{Bulk}}$ of all analyzed metal phases representing the bulk isotopic composition as proven by the absence of any isotopic difference between starting material and metal phases.

Supplementary Figures

Supplementary Figure 1: Back-scattered electron (BSE) image of experiments E168. This experiment was performed in a graphite capsule but could not be considered for further analyses. The metal phase was lost during preparation. a) The contact between graphite capsule and silicate glass shows no reaction phase like olivine in MgO capsules. b) In E168 silicate glass contains a high amount of

980 *metal droplets that exsolved during quenching. Note that for successful runs in graphite capsule*
981 *(E115 and E141) Ru concentration in the silicate is extremely low (Table 3). c) At the bottom of the*
982 *capsule the melt partially infiltrates the the graphite capsule.*

983

Table 1: Chemical composition (wt.%) of silicate and metal starting mixtures.

	SiO ₂	Al ₂ O ₃	MgO	FeO	CaO	Na ₂ O	K ₂ O
<i>Silicate</i>							
M011	47	15	7	10	11	6.5	3.5
	Fe	Ru	Sn	S			
<i>Metals</i>							
M006	67	11	22	-			
M047	67	10	18	5			
M048	85	10	-	5			
M116	55	10	-	35			
M117	75	10	-	15			
M133	90	10	-	-			

Table 2: Major element composition of silicate glasses and metal phases in wt.% measured with electron probe micro-analysis E

Run	Na ₂ O	MgO	SiO ₂	Al ₂ O ₃	K ₂ O	CaO	S	SnO ₂
<i>Silicates</i>								
E102	3.7(2)	36.4(2)	33.7(6)	11.6(4)	2.5(1)	6.8(2)	b.d.	b.d.
E017	5.9(1)	12.6(6)	45.7(2)	15.3(3)	3.5(1)	10.0(2)	b.d.	b.d.
E110	5.8(1)	9.9(3)	47.4(2)	15.3(2)	3.2(1)	9.5(1)	b.d.	b.d.
E135	6.4(3)	12.3(3)	43.1(3)	14.7(3)	3.1(1)	10.6(2)	b.d.	b.d.
E029	5.1(2)	14.3(8)	45(1)	15.2(3)	3.0(1)	10.4(2)	0.6(1)	0.41(4)
E031	5.2(1)	15.2(7)	44.0(4)	15.1(1)	3.12(6)	10.0(3)	b.d.	b.d.
E104	5.8(3)	7.5(2)	47.6(4)	15.2(1)	3.4(1)	9.4(2)	b.d.	b.d.
E109	4.9(2)	15.7(6)	47.6(3)	13.6(7)	2.9(1)	7.3(1)	b.d.	b.d.
E134	4.0(1)	33.8(4)	34.4(8)	12.1(6)	2.5(1)	7.0(3)	b.d.	b.d.
E175	6.0(2)	7.3(3)	47.0(4)	15.3(4)	3.2(1)	9.9(2)	0.4(2)	b.d.
E041	5.6(1)	13.9(2)	43.9(3)	14.8(2)	3.3(1)	9.6(1)	0.23(3)	0.18(5)
	Fe	Si	S	Sn	Ru	Total	f(O ₂) ΔIW	
<i>Metals</i>								
E017	66.7(7)	0.06(1)	b.d.	22.9(7)	11.3(2)	101.0(3)	-1.86	
E135	81.4(8)	b.d.	4(1)	b.d.	14.0(8)	99.4(8)*	-1.86	
E031	67.4(9)	0.05(1)	0.9(2)	21(1)	10.8(2)	100.6(4)	-2.05	
E175	84.2(1)	b.d.	1.4(1)	b.d.	13.9(3)	99.5(3)*	-1.47	
E041 metal	56.2(8)	0.05(5)	5.8(3)	24(1)	13.6(2)	100.5(2)		
E041 sulfide	64.0(8)	0.01(1)	27(1)	6(1)	0.7(2)	98.2(2)		

PMA. Uncertainties (1 s.d.) are given in parentheses showing the first significant digit. b.d. = below detection limit. Totals indicated with * were

FeO	Total
5.3(2)	100.0(6)*
6.4(1)	99.5(4)
9.0(2)	100.1(3)*
9.9(2)	100.1(3)*
3.0(1)	97(1)
5.5(2)	98.3(4)
11.2(3)	100.1(4)*
8.0(3)	100.0(7)*
6.3(2)	100.1(8)*
10.9(9)	100.0(9)*
6.6(1)	98.3(4)

• determined by energy-dispersive X-ray analysis (EDX) only.

Table 3: Details of experimental run conditions, Ru contents and Ru isotopic compositions of run products. For some silicate samples the Ru c

Sample	start mixtures	T [°C]	t (h)	Capsule	Dopant	N ^a	Ru _{LA-ICPMS} [ppm] ^b	Ru _{MC-ICPMS} [ppm] ^c
<i>Starting material</i>								
Alfa Aesar Ru metal						4		
<i>Metals</i>								
E088 M	M048	1400	3	MgO	S	7		
E089 M	M048	1400	3	MgO	S	7		
E097 M	M048	1500	3	MgO	S	8		
E102 M	M048	1600	3	MgO	S	6		
E110 M	M006	1400	3	MgO	Sn	5		
E126 M	M006	1450	3	MgO	Sn	5		
E128 M	M048	1300	3	MgO	S+Sn	5		
E104 M	M047	1300	3	MgO	S+Sn	5		
E109 M	M047	1400	3	MgO	S+Sn	5		
E134 M	M133	1600	3	MgO	-	5		
E115 M	M048	1400	3	C	S	5		
<i>Average (bulk)</i>						(11)		
<i>Silicates</i>								
E088 S	M048	1400	3	MgO	S	5		26.93
E089 S	M048	1400	3	MgO	S	7		22.23
E098 S	M048	1400	6	MgO	S	5		13.70
<i>Average</i>		1400	3	MgO	S			
E097 S	M048	1500	3	MgO	S	6		25.44
E0102 S	M048	1600	3	MgO	S	5	0.03(1)	95.90
E110 S	M006	1450	3	MgO	Sn	5	0.3(1)	32.84
E126 S	M006	1450	3	MgO	Sn	5		198.7
E104 S	M047	1300	3	MgO	S+Sn	5	0.5(1)	92.77
E109 S	M047	1400	3	MgO	S+Sn	5	0.02(1)	96.23
E128 S	M048	1300	3	MgO	S+Sn	5		22.47
E134 S	M133	1600	3	MgO	-	5	0.02(1)	9.790

E115 S	M048	1400	3	C	S	5	8.207
E141 S	M048	1400	3	C	S	5	7.015
<i>LA-ICPMS only</i>							
E017	M006+M011		3				0.13(6)
E135	M048		3				0.02(1)
E029	M006+0.01 wt.% S		3				8(7)
E041	M006+1 wt.% S		3				0.16(7)
E041 (sul-sil)	M006+1 wt.% S		3				0.16(7)
E031	M006+1 wt.% S		3				0.3(5)

^a Number of isotopic analysis.

^b Ruthenium concentrations of silicate glasses determined by LA-ICPMS. Uncertainties in parentheses are calculated ... of 5 to 15 spot analysis

^c Ruthenium concentrations determined from the double spike isotope ratio analyses. Uncertainties are <1% including measurement uncertainty

^d Measured Ru isotope mass fractionation relative to an Alfa Aesar standard solution. Given uncertainties are 95% c.i. for samples with N≥4.

^e Isotopic difference of metal and nonmetal, which would be depending on the dopant either silicate (no dopant), sulfide (s), a Sn-rich phase (

^f Partition coefficients $D_{Ru}^{metal-silicate}$ calculated using LA-ICPMS concentration data of metals (Table 2) and silicates for selected experiments.

concentrations were not only determined on the bulk sample (MC-ICPMS), but also in-situ using LA-ICPMS. Partition coefficients (log DR_{metal-silicate}) were

$\delta^{102/99}\text{Ru}^{\text{d}}$	$\Delta^{102/99}\text{Ru}_{\text{nonmetal-metal}}^{\text{e}}$	$\text{Log } D_{\text{Ru}}^{\text{metal-silicate f}}$
---------------------------------------	---	---

0.03 ± 0.02	
0.04 ± 0.01	
0.02 ± 0.02	
0.05 ± 0.02	
0.07 ± 0.02	
0.04 ± 0.02	
0.03 ± 0.02	
0.05 ± 0.01	
0.04 ± 0.02	
0.03 ± 0.01	
0.03 ± 0.01	
0.04 ± 0.02	
0.04 ± 0.01	
-0.07 ± 0.03	0.11 ± 0.03
-0.03 ± 0.01	0.08 ± 0.01
-0.05 ± 0.05	0.09 ± 0.05 ^g
	0.09 ± 0.03
-0.06 ± 0.01	0.10 ± 0.01
-0.01 ± 0.01	0.05 ± 0.01
0.22 ± 0.01	-0.18 ± 0.01
0.21 ± 0.01	-0.17 ± 0.01
0.05 ± 0.03	-0.01 ± 0.03
-0.01 ± 0.02	0.05 ± 0.02
0.06 ± 0.01	-0.02 ± 0.01
0.02 ± 0.02	0.02 ± 0.02

0.03 ± 0.02	0.01 ± 0.02
0.05 ± 0.01	0.00 ± 0.01

5.9(2)
6.8(3)
2.0(1)
5.6(2)
4.6(2)
5.5(2)

; per sample.

inties and weighing.

[Sn) or a combination of Sn-rich phase and sulfide (S+Sn)

· calculated for samples analyzed by LA-ICPMS only. Capsule C = graphite, t = run duration in hours.