

Sensori-Motor Learning with Movement Sonification: Perspectives from Recent Interdisciplinary Studies

Frédéric Bevilacqua, Eric Boyer, Jules François, Olivier Houix, Patrick Susini, Agnès Roby-Brami, Sylvain Hanne-ton

► **To cite this version:**

Frédéric Bevilacqua, Eric Boyer, Jules François, Olivier Houix, Patrick Susini, et al.. Sensori-Motor Learning with Movement Sonification: Perspectives from Recent Interdisciplinary Studies. *Frontiers in Neuroscience*, Frontiers, 2016, 10, pp.385. 10.3389/fnins.2016.00385 . hal-01375443

HAL Id: hal-01375443

<https://hal.sorbonne-universite.fr/hal-01375443>

Submitted on 3 Oct 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





Sensori-Motor Learning with Movement Sonification: Perspectives from Recent Interdisciplinary Studies

Frédéric Bevilacqua^{1*}, Eric O. Boyer^{1,2}, Jules Françoise¹, Olivier Houix¹, Patrick Susini¹, Agnès Roby-Brami² and Sylvain Hanneton³

¹ STMS Ircam-Centre National de la Recherche Scientifique-UPMC, Paris, France, ² UMR7222 ISIR - Université Pierre et Marie Curie, Paris, France, ³ UMR 8242 Centre National de la Recherche Scientifique - Université Paris Descartes, Paris, France

OPEN ACCESS

Edited by:

David Rosenboom,
California Institute of the Arts, USA

Reviewed by:

Rolando Grave De Peralta Menendez,
Geneva Electrical Neuroimaging
Group, Switzerland
Martin Lotze,
University of Greifswald, Germany

*Correspondence:

Frédéric Bevilacqua
frederic.bevilacqua@ircam.fr

Specialty section:

This article was submitted to
Neuroprosthetics,
a section of the journal
Frontiers in Neuroscience

Received: 30 April 2016

Accepted: 08 August 2016

Published: 25 August 2016

Citation:

Bevilacqua F, Boyer EO, Françoise J, Houix O, Susini P, Roby-Brami A and Hanneton S (2016) Sensori-Motor Learning with Movement Sonification: Perspectives from Recent Interdisciplinary Studies. *Front. Neurosci.* 10:385. doi: 10.3389/fnins.2016.00385

This article reports on an interdisciplinary research project on movement sonification for sensori-motor learning. First, we describe different research fields which have contributed to movement sonification, from music technology including gesture-controlled sound synthesis, sonic interaction design, to research on sensori-motor learning with auditory-feedback. In particular, we propose to distinguish between *sound-oriented* tasks and *movement-oriented* tasks in experiments involving interactive sound feedback. We describe several research questions and recently published results on movement control, learning and perception. In particular, we studied the effect of the auditory feedback on movements considering several cases: from experiments on pointing and visuo-motor tracking to more complex tasks where interactive sound feedback can guide movements, or cases of sensory substitution where the auditory feedback can inform on object shapes. We also developed specific methodologies and technologies for designing the sonic feedback and movement sonification. We conclude with a discussion on key future research challenges in sensori-motor learning with movement sonification. We also point out toward promising applications such as rehabilitation, sport training or product design.

Keywords: sonification, movement, learning, sensori-motor, sound design, interactive systems

1. INTRODUCTION

The idea of using auditory feedback in interactive systems has recently gained momentum in different research fields. In applications such as movement rehabilitation, sport training or product design, the use of auditory feedback can complement visual feedback. It reacts faster than the visual system and can continuously be delivered without constraining the movements. In particular, movement sonification systems appear promising for sensori-motor learning in providing users with auditory feedback of their own movements. Generally, sonification is defined as the use of non-speech audio to convey information (Kramer et al., 1999). Nevertheless, research on movement sonification for sensori-motor learning has been scattered in totally different research fields. On the one hand, most neuroscience and medical experiments have made use of very basic interactive systems, with little concern for sound design and the possible types of sonification. On the other hand, novel sound/music interactive technologies have been developed toward artistic practices, gaming or sound design, with little concern for sensori-motor learning.

Clearly, there has been a lack of overlap between all these different disciplines, which would each benefit from more exchanges on tools, methods and knowledge. This rationale motivated us to initiate an interdisciplinary project that focused on sensorimotor learning in movement-based sound interactive systems¹. Overall, this body of work, that we partially present in this *Perspective* paper, allowed us to establish general principles on movement sonification and to formalize fundamental questions that should be addressed in future research.

The paper is structured as follows. First, we recall related works in interactive music systems, human-computer design, sonic interaction design, and movement sonification for sport and rehabilitation. Second, we report on the questions and results we obtained in our project. Third, we discuss key research questions that should open a broad discussion.

2. INTERSECTING RESEARCH ON SOUND, MOVEMENT, AND INTERACTION

Different types of interactive systems can produce sound based on human movement. Movement parameters are typically obtained from motion capture systems—such as optical motion capture, cameras, or inertial measurement units—and the sound can be rendered continuously using various types of real-time sound synthesis methods. In this paper, we restrain the discussion to interactive systems built with a deterministic *mapping* between movement and sound parameters (Dubus and Bresin, 2013). As described in the next section, these technologies have been developed in different contexts focusing either on sound or on movement aspects.

2.1. Movement-Based Interfaces for Sound Production and Expression

The music technology research community has long been concerned with gestural and bodily control of sound². Technologies for movement capture, analysis, recognition and interaction design have been developed and reported in the *sound and music computing* literature. In particular, the so-called *mapping* between movement parameters and sound synthesis parameters has been formalized and categorized (Hunt et al., 2003; Wanderley and Depalle, 2004). Methods and tools have been developed and are available for research communities (Leman, 2008; Schnell et al., 2009; Fiebrink and Cook, 2010; Bevilacqua et al., 2011). Surprisingly, though, sensori-motor learning has been rarely studied explicitly in such electronic or digital musical instruments.

In musical applications, the goal of the interaction is often to produce a specific *sound*. Therefore, we propose to refer to such tasks as *sound-oriented tasks*, during which the focus of the user's attention is drawn toward the sound produced by the interactive system. In general, the users must adapt their movement to the interface and gain expertise to achieve high control of sound production and musical expressivity. We explicitly used the

¹Legos project, see <http://legos.ircam.fr>.

²See for example the community related to the NIME conferences (New Interfaces for Musical Expression) (Bevilacqua et al., 2013).

concept of *sound-oriented task* to demonstrate how auditory feedback can be used in sensori-motor adaptation (Boyer et al., 2014). This important point will be further discussed in Section 3.

2.2. Movement Sonification for Sensori-Motor Learning


On the other side of the spectrum lie works on sensori-motor learning *per se*. The large majority of neuroscience papers on the human motor system only deals with visual, haptic and vestibular sensory inputs and rarely mentions the auditory modality. Historically, most papers reporting on auditory-motor mechanisms are concerned speech learning and production. Due to promising applications in movement learning, mostly in sport and rehabilitation, there has recently been an increasing number of studies showing the potential interest of auditory feedback (see Sigrist et al., 2013 for a review). Nevertheless, the technology used in these studies remains generally rudimentary, considering only simple movement-to-sound mapping using parameters such as audio energy and pitch (Dubus and Bresin, 2013).

Generally, the tasks described in such research correspond to what we call *movement-oriented tasks*, where the attention (and the instruction) is put on the movement itself. Movements are thus designed to exhibit specific characteristics (e.g., exercises in rehabilitation) or fully constrained by the application (e.g., specific movements that must be mastered in a given sport). The auditory exteroceptive concurrent feedback either informs whether the movement is properly executed (KR: Knowledge of Results) or how it is executed (KP: Knowledge of Performance) (Schmidt, 1988; Cirstea et al., 2006).

It is worth noting that the beneficial effect of music therapy for sensori-motor rehabilitation is now well recognized, particularly in stroke patients (Ripollés et al., 2015) and in other neurological diseases such as Parkinson (Thaut, 2015) where the synchronization of rhythmic auditory cues is proven to improve gait and motor activity (Schiavio and Altenmüller, 2015). The effect of music training is probably not only due to motivation and psychosocial factors linked with community practicing but also to the multisensory feedback linked to musical motor actions and the brain plasticity it induces (Schlaug, 2015). Rhythmic cues are an important support during music execution (Schneider et al., 2007). Less is known about the effect of continuous sound or music feedback on discrete movements of the upper-limb. Recent evidence suggests that such tasks performed with continuous sound feedback could improve the performance and facilitate learning (Rosati et al., 2012). Thus, sonification has been proposed during rehabilitation, in isolation or to augment other exercise based methods (Scholz et al., 2014).

3. RESEARCH QUESTIONS AND FUNDAMENTAL STUDIES

We report below the different research questions we have investigated (see **Figure 1**), covering fundamentals studies, methods and tool development. In particular, we describe in this section the fundamental and methodological aspects of



our experimental studies on the influence of continuous and concurrent auditory feedbacks.

3.1. Can Auditory Feedback Modify and/or Improve Movement Performance?

We investigated movement sonification in a visuo-motor tracking task (Boyer, 2015). In this case, we compared the sonification of three different variables: the visual target presented on a screen, the participant’s pointer (i.e., movement hand) and the online error between the target and the pointer. In the three conditions, we found a positive effect of the auditory feedback for improving the tracking accuracy. Interestingly, the sonification of the hand movement seems in this case to favor an increase of the average movement energy, even after a long exposure to the task, and to improve retention.

Another study focused on a pointing task to an unseen spatialized auditory target, in which we evaluated the role of the target sound duration and the movement sonification (Boyer et al., 2013a). A long duration target presentation improved

the pointing accuracy, highlighting the contribution of neuronal integration processes of the auditory information. The hand movement sonification was not found useful in this case, which might be explained by the complexity of the perception of two different spatialized sound sources (target and sonified hand).

Tajadura-Jiménez et al. (2014) also showed that in a touch task, interactive auditory feedback could modify the user’s behavior, precisely the hand velocity and finger pressure. Finally, we found that movement sonification could be used to stabilize the performance of newly learned gestures (Françoise et al., 2016).

3.2. Can the Presentation of a Specific Sound Serve to Specify a Movement?

We investigated whether auditory feedback can be designed for guiding users in the performance of a specific movement. For example, we built an interactive system where participants had to discover how to move an object on a table using solely the auditory feedback (Boyer et al., 2014). They were asked to pay attention to specific sound features, which corresponds to

what we define as a *sound-oriented task*. The whole movement was continuously sonified with sound properties depending on the error between the performed and targeted velocity profiles. Globally, we found that such an auditory feedback was effective to guide participants to learn to perform a predefined velocity profile. Also, after a first stage of exposure with a fixed velocity profile, movement adaptation was also observed when modifying the target profile (without informing the participants). This confirmed similar results obtained by Rath and Rocchesso (2005) and Rath and Schleicher (2008).

Importantly, a large variability was found between participants, which could be partially explained by the fact that such a task (i.e., performing a specific movement being guided by sound feedback) was totally unfamiliar to the participants. It is also likely that each subject exhibits different audio-motor ability.

3.3. Sensory Substitution: Can Sound Replace Another Modality?

We explored a case of sensory substitution where participants had to estimate the curvature of a virtual shape from auditory feedback (Boyer et al., 2015; Hanne-ton et al., 2015). In the experiment, users received continuous auditory feedback when ‘touching’ the virtual surface. While the accuracy of participants’ estimation of the curvature was inferior to published results with tangible surfaces, we found that the auditory feedback can be effective for such a task, especially when the sound responds to the hand velocity. Most interestingly, different strategies on the use of the movement-sound interaction were observed between users: some persons tend to gently tap perpendicularly to the surface, while others prefer to explore the surface with large lateral movements. This also here indicates large discrepancies between participants in transferring movement sonification information.

3.4. Can (Interactive) Sound Alter Perception and Emotion?

As we just reported, people can use the auditory channel to adapt their movements. Nevertheless, little is known about the subjective changes (for the users’ perception) of the sound and the movement, as well as possible change in their emotional state. In a tapping task with an artificial auditory feedback, the emotional response has been found to be affected by the congruence between the sound energy and the tapping dynamics (Tajadura-Jimenez et al., 2015). In particular, audio-motor incongruences can lead to unpleasant experiences, which shows that expectation of the user for the audio feedback might be crucial for integrating the feedback. The artificial sound feedback of touch can also alter the texture perception, such as the coldness or material type (Tajadura-Jiménez et al., 2014).

Beyond fundamental neuroscience research, such investigations—that confirm other studies on multimodal sensory integration (Zampini and Spence, 2004; Maes et al., 2014),—have high impact potential applications for diminishing pain (Singh et al., 2016) or effort perception (Fritz et al., 2013).

4. DESIGNING MOVEMENT-SOUND INTERACTION

The various results we gather indicates that the effect of the sonification might depend on specific aspects of the interaction design, which confirmed previous studies. In particular, the sound, and more specifically the congruence between the movement and sound, can strongly modify the user experience and therefore the effectiveness of the feedback. In Castiello et al. (2010), it was shown that the effect on the action of reaching and grasping an object is favored (in terms of movement duration) for congruent conditions, when the sound corresponds to the material covering the object to grasp, compared to incongruent conditions. In Susini et al. (2012), congruent sound-action conditions in terms of naturalness were found to be determinant in the appraisal of the sounds of everyday objects. These findings call for improving methodologies for the design of such sound interactive systems.

Building upon previous results (Rocchesso et al., 2009; Franinović and Serafin, 2013), we developed user-centered methodologies based on participatory design workshops. A central idea was to explore strategies combining the analysis of various objects’ affordances with established sound and action taxonomies (Houix et al., 2014, 2015). The design of the movement-sound can be leveraged by taking advantages of users expectancy on the auditory feedback. In such a case, we refer to *ecological* relationships between action and sound.

The notion of object affordances can also be extended to sound, by questioning reversely which movement could be performed to match a given sound (Caramiaux et al., 2014a,b). Following such premises, we developed a method called *mapping by demonstration*, that allows to program an interactive systems based on movement performed while listening to a sound (Françoise, 2015). Such an approach can leverage known association between movement and sound feedback, and is particularly adapted for user-centered methodology in the design of interactive systems.

5. DISCUSSION AND FUTURE RESEARCH CHALLENGES

We discuss here some of the research questions we mentioned in the previous sections, and propose new steps that we think as central for future research.

First, auditory feedback can be designed to convey different type of information. A first approach is to inform continuously on the error between the performed movement and a “normal” movement. In this case, the learning or adaptation is explicit. The alternative approach is to provide users with a real-time movement sonification independently of a reference to a “normal movement.” In this case, implicit learning is in play. The comparison between these two approaches remains to be carefully investigated, both in term or learning speed and retention. Our results (Boyer et al., 2014; Boyer, 2015) show that these two approaches are in fact complementary and the

combination of both can be beneficial. Nevertheless, more studies are necessary to clarify the different neural mechanisms that are implied:

- *Are the neural mechanisms for error-related auditory feedback different to those when movement sonification is used as a feedback on users' own movements?* In particular, can the movement sonification be considered as “enhancing proprioception” in integrating congruent information?
- *What is the role of the guidance hypothesis in these cases?* Can the constant use of the auditory feedback be detrimental for learning (i.e., the effect disappears when the feedback is removed). Such a point needs to be clarified for both approaches and has still insufficiently been studied.
- *Is the standard distinction between KR (knowledge of results) or KP (knowledge of performance) relevant when considering movement sonification?* Since both feedback types can occur simultaneously during real-time movement sonification (Boyer et al., 2014), specific formalization of auditory feedback types should be developed.

Second, the role of the sound characteristics remains elusive for quantifying the learning efficiency or learning rate. Reported results have been sometimes contradictory, and very different mapping or sound types have been equally successful. The role of the mapping or sound quality must be further studied, and we particularly propose to focus on two important questions:

- *How does a particular mapping can favor agency in the interaction?* The auditory feedback should be clearly predictable by the user. This requires to study both the sound and movement perception in an interactive context (Effenberg, 2005).
- *When is the auditory feedback perceived as motivational?* Fundamental studies of sensori-motor learning with auditory feedback has generally avoided to take into account possible emotional response to the auditory feedback. Nevertheless, even the simplest ones using pure tone might trigger positive or negative effects, which can potentially affect the task perception, adaptation and learning (Lemaitre et al., 2012).

Third, our studies as well as many other published results point toward a large variability between participants. Such findings might be put in parallel with the large variability found in rhythmic ability, which motivated the establishment of a standard test called BAASTA (Farrugia et al., 2012). We believe that such a test would be highly useful for movement sonification in interactive systems. This would represent a first step toward more reproducible results and build understanding of possible causes of this variability. This point is also crucial to develop real-world applications. Moreover, sound design applications provide extremely fruitful cases to study sound perception as an active and contextual process. In that new framework, sound perception studies should be redesigned in relation to gesture and to user's objectives.

As already mentioned, movement sonification or more generally the use of auditory feedback have been already proposed for specific applications. Beyond artistic communities

which have already largely included movement-based interactive systems, the most prominent ones are rehabilitation (Robertson et al., 2009; Roby-Brami et al., 2014; Scholz et al., 2014; Katan et al., 2015), sport learning and training (Effenberg, 2004; Eriksson and Bresin, 2010; Boyer et al., 2013b) while human-computer interaction also shows a growing interests (Franinović and Serafin, 2013; Oh et al., 2013).

In stroke patients, the sound based therapies are specifically promising to target the impairment of the upper-limb. The contemporary guidelines for rehabilitation insist on the similarity between sensori-motor learning and recovery phenomenon. Thus, therapy should be improved both in quantity and quality: on the one hand it should be based on massive exercise repetitions, emphasizing on sensory-motor reciprocity and multisensory integration. On the other hand, the therapy should be adapted to the needs of each individual: the exercises should be shaped according to the precise capabilities of the person and should evolve according to his/her abilities and progress during learning. Sound feedback is frequently integrated into virtual and augmented reality rehabilitation training but its use is often limited to rhythmic auditory cues or reinforcement feedback signaling only the success to an exercise. We propose that sonification could be further developed to target specific impairments in stroke patients as a continuous feedback during movement execution. Sonification is particularly interesting to signal to the patients some impairment, which they might not be aware of, particularly if they have somatosensory impairments, for example error in direction, in coordination or lack of movement smoothness (Maulucci and Eckhouse, 2001), in coordination of reaching and grasping for prehension or in grasping to lift coordination (Hsu et al., 2012). Thanks to a braked elbow orthosis, we simulated the disrupted shoulder-elbow coordination observed in hemiparetic stroke patients and used this device to test sonification strategies that we developed to target shoulder elbow coordination. Further studies are needed in order to find a compromise between two possibly contradictory requirements: target the specific impairments of stroke patients and develop motivation linked to exploration of sophisticated auditory-motor coupling.

Beside the fundamental aspects we described about the understanding of the different auditory feedback mechanisms that can contribute to sensori-motor learning, the development of rigorous—and shared—sound design methodologies is crucial for grounding these applications. As a matter of fact, the use of sound in any technological applications could lead to user annoyance or discomfort, even if globally beneficial for movement training. We therefore advocate for more interdisciplinary research bringing together sound designer, musicians, engineers, cognitive scientists, to work toward efficient applications using movement-based sonification. On the one hand, the collaboration with sound artists and musicians is generally necessary to design pleasant and motivational interactive sound and music systems, on the other hand sound design research should further develop methods to assess naturalness

and pleasantness of sonic interactive system (Susini et al., 2012).

AUTHOR CONTRIBUTIONS

FB drafted the paper, and all the other authors (EB, JF, OH, PS, AR, SH) revised the article critically for important intellectual content. All authors contributed to the research project described in this Perspective article (i.e., Legos project) and participated in formalizing the research questions and perspectives. All authors gave their final approval for publication of this paper.

REFERENCES

- Bevilacqua, F., Schnell, N., Rasamimanana, N., Bloit, J., Fléty, E., Caramiaux, B., et al. (2013). "De-MO: designing action-sound relationships with the MO interfaces," in *CHI '13 Extended Abstracts on Human Factors in Computing Systems* (Paris). doi: 10.1145/2468356.2479571
- Bevilacqua, F., Schnell, N., Rasamimanana, N., Zamborlin, B., and Guédy, F. (2011). "Online gesture analysis and control of audio processing," in *Musical Robots and Interactive Multimodal Systems*, Vol. 74, eds J. Solis and K. Ng (Springer Berlin Heidelberg), 127–142. doi: 10.1007/978-3-642-22291-7_8
- Boyer, E. (2015). *Continuous Auditory Feedback for Sensorimotor Learning*. Ph.D. thesis, Université Pierre et Marie Curie - Paris VI.
- Boyer, E., Vandervoort, L., Bevilacqua, F., and Hanneton, S. (2015). "Touching sounds: perception of the curvature of auditory virtual surfaces," in *Virtual Reality (VR), 2015 IEEE* (Arles), 153–154. doi: 10.1109/VR.2015.7223341
- Boyer, E. O., Babayan, B. M., Bevilacqua, F., Noisternig, M., Warusfel, O., Roby-Brami, A., et al. (2013a). From ear to hand: the role of the auditory-motor loop in pointing to an auditory source. *Front. Comput. Neurosci.* 7:26. doi: 10.3389/fncom.2013.00026
- Boyer, E. O., Bevilacqua, F., Phal, F., and Hanneton, S. (2013b). Low-cost motion sensing of table tennis players for real time feedback. *Int. J. Table Tennis Sci.* 8, 1–4.
- Boyer, E. O., Pyanet, Q., Hanneton, S., and Bevilacqua, F. (2014). "Learning movement kinematics with a targeted sound," in *Sound, Music & Motion, Lecture Notes in Computer Science*, Vol. 8905, eds M. Aramaki, O. Derrien, R. Kronland-Martinet, and S. Ystad (Springer International Publishing), 218–233. doi: 10.1007/978-3-319-12976-1_14. Available online at: http://link.springer.com/chapter/10.1007%2F978-3-319-12976-1_14
- Caramiaux, B., Bevilacqua, F., Bianco, T., Schnell, N., Houix, O., and Susini, P. (2014a). The role of sound source perception in gestural sound description. *ACM Trans. Appl. Percept.* 11, 1–19. doi: 10.1145/2536811
- Caramiaux, B., Schnell, N., Françoise, J., and Bevilacqua, F. (2014b). Mapping through listening. *Comput. Music J.* 38, 34–48. doi: 10.1162/COMJ_a_00255
- Castiello, U., Giordano, B. L., Begliomini, C., Ansuini, C., and Grassi, M. (2010). When ears drive hands: the influence of contact sound on reaching to grasp. *PLoS ONE* 5:e12240. doi: 10.1371/journal.pone.0012240
- Cirstea, C. M., Ptitto, A., and Levin, M. F. (2006). Feedback and cognition in arm motor skill reacquisition after stroke. *Stroke* 37, 1237–1242. doi: 10.1161/01.STR.0000217417.89347.63
- Dubus, G., and Bresin, R. (2013). A systematic review of mapping strategies for the sonification of physical quantities. *PLoS ONE* 8:e82491. doi: 10.1371/journal.pone.0082491
- Effenberg, A. (2004). "Using sonification to enhance perception and reproduction accuracy of human movement patterns," in *International Workshop on Interactive Sonification 2004* (Bielefeld), 1–5.
- Effenberg, A. O. (2005). Movement sonification: effects on perception and action. *IEEE Multimedia* 12, 53–59. doi: 10.1109/MMUL.2005.31
- Eriksson, M., and Bresin, R. (2010). "Improving running mechanics by use of interactive sonification," in *Proceedings of the Interaction Sonification Workshop (ISon) 2010* (Stockholm: KTH Royal Institute of Technology).

ACKNOWLEDGMENTS

This work was funded by the French National Research Agency (LEGOS project -ANR-11-BS02-012) and the Labex SMART (supported by French state funds managed by the ANR within the "Investissements d'Avenir" program under reference ANR-11-IDEX-0004-02). We thank all the participants of the Legos project for their important contributions, as well as our external collaborators Ana Tajadura-Jimenez, Nadia Berthouze, and Nathanaël Jarrassé, whose works are reported in this paper.

- Farrugia, N., Benoit, C.-E., Harding, E., Kotz, S. A., and Dalla Bella, S. (2012). "BAASTA : battery for the assessment of auditory sensorimotor and timing abilities," in *Proceedings of the 12th International Conference on Music Perception and Cognition and the 8th Triennial Conference of the European Society for the Cognitive Sciences of Music* (Thessaloniki).
- Fiebrink, R., and Cook, P. R. (2010). "The wekinator: a system for real-time, interactive machine learning in music," in *Proceedings of The Eleventh International Society for Music Information Retrieval Conference (ISMIR 2010)* (Utrecht).
- Françoise, J. (2015). *Motion-Sound Mapping By Demonstration*. Ph. D. thesis, Université Pierre et Marie Curie - Paris VI.
- Françoise, J., Chapuis, O., Hanneton, S., and Bevilacqua, F. (2016). "Soundguides: adapting continuous auditory feedback to users," in *Proceedings of the 34th International Conference on Human Factors in Computing Systems, Extended Abstracts, CHI EA '16* (San Jose, CA: ACM).
- Franinović, K., and Serafin, S. (2013). *Sonic Interaction Design*. Cambridge, MA; London, UK: MIT Press.
- Fritz, T. H., Hardikar, S., Demoucron, M., Niessen, M., Demey, M., Giot, O., et al. (2013). Musical agency reduces perceived exertion during strenuous physical performance. *Proc. Natl. Acad. Sci. U.S.A.* 110, 17784–17789. doi: 10.1073/pnas.1217252110
- Hanneton, S., Herquel, P., and Auvray, M. (2015). Intermodal recoding of a video game: learning to process signals for motion perception in a pure auditory environment. *Int. J. Adapt. Control Signal Process.* 29, 1475–1483. doi: 10.1002/acs.2549
- Houix, O., Bevilacqua, F., Misdariis, N., Susini, P., Fléty, E., Françoise, J., et al. (2015). "Objects with multiple sonic affordances to explore gestural interactions," in *xCoAx 2015. Computation, Communication, Aesthetics & X, xCoAx 2015: Proceedings of the Third Conference on Computation, Communication, Aesthetics and X* (Glasgow: Alison Clifford, Miguel Carvalhais and Mario Verdicchio), 296–303.
- Houix, O., Misdariis, N., Susini, P., Bevilacqua, F., and Gutierrez, F. (2014). "Sonically augmented artifacts: design methodology through participatory workshops," in *Lecture Notes in Computer Science*, Vol. 8905, eds M. Aramaki, O. Derrien, R. Kronland-Martinet, and S. Ystad (Springer International Publishing), 20–40. doi: 10.1007/978-3-319-12976-1_2. Available online at: http://link.springer.com/chapter/10.1007%2F978-3-319-12976-1_14
- Hsu, H.-Y., Lin, C.-F., Su, F.-C., Kuo, H.-T., Chiu, H.-Y., and Kuo, L.-C. (2012). Clinical application of computerized evaluation and re-education biofeedback prototype for sensorimotor control of the hand in stroke patients. *J. Neuroeng. Rehabil.* 9, 1–9. doi: 10.1186/1743-0003-9-26
- Hunt, A., Wanderley, M. M., and Paradis, M. (2003). The importance of parameter mapping in electronic instrument design. *J. New Music Res.* 32, 429–440. doi: 10.1076/jnmr.32.4.429.18853
- Katan, S., Grierson, M., and Fiebrink, R. (2015). "Using interactive machine learning to support interface development through workshops with disabled people," in *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems, CHI '15* (New York, NY: ACM), 251–254.
- Kramer, G., Walker, B. N., Bonebright, T., Cook, P. R., Flowers, J., and Miner, N. (1999). *Sonification Report: Status of the Field and Research Agenda*. Technical Report, University of Nebraska - Lincoln.

- Lemaitre, G., Houix, O., Susini, P., Visell, Y., and Franinovic, K. (2012). Feelings elicited by auditory feedback from a computationally augmented artifact: the flops. *IEEE Trans. Affect. Comput.* 3, 335–348. doi: 10.1109/T-AFFC.2012.1
- Leman, M. (2008). *Embodied Music Cognition and Mediation Technology*. Cambridge, MA; London, UK: MIT Press.
- Maes, P.-J., Leman, M., Palmer, C., and Wanderley, M. M. (2014). Action-based effects on music perception. *Front. Psychol.* 4:1008. doi: 10.3389/fpsyg.2013.01008
- Maulucci, R. A., and Eckhouse, R. H. (2001). Retraining reaching in chronic stroke with real-time auditory feedback. *NeuroRehabilitation* 16, 171–182.
- Oh, U., Kane, S. K., and Findlater, L. (2013). “Follow that sound: using sonification and corrective verbal feedback to teach touchscreen gestures” in *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility, ASSETS '13* (New York, NY: ACM), 13:1–13:8. doi: 10.1145/2513383.2513455
- Rath, M., and Rocchesso, D. (2005). Continuous sonic feedback from a rolling ball. *IEEE Multimedia* 12, 60–69. doi: 10.1109/MMUL.2005.24
- Rath, M., and Schleicher, R. (2008). On the relevance of auditory feedback for quality of control in a balancing task. *Acta Acust. United Acust.* 94, 12–20. doi: 10.3813/AAA.918003
- Ripollés, P., Rojo, N., Grau-Sánchez, J., Amengual, J., Càmarà, E., Marco-Pallarés, J., et al. (2015). Music supported therapy promotes motor plasticity in individuals with chronic stroke. *Brain Imaging Behav.* doi: 10.1007/s11682-015-9498-x. Available online at: <http://link.springer.com/article/10.1007/s11682-015-9498-x>. [Epub ahead of print].
- Robertson, J. V. G., Hoellinger, T., Lindberg, P., Bensmail, D., Hanneton, S., and Roby-Brami, A. (2009). Effect of auditory feedback differs according to side of hemiparesis: a comparative pilot study. *J. Neuroeng. Rehabil.* 6:45. doi: 10.1186/1743-0003-6-45
- Roby-Brami, A., Van Zandt-Escobar, A., Jarrassé, N., Robertson, J., Schnell, N., Boyer, E., et al. (2014). Toward the use of augmented auditory feedback for the rehabilitation of arm movements in stroke patients. *Ann. Phys. Rehabil. Med.* 57, e4–e5. doi: 10.1016/j.rehab.2014.03.015
- Rocchesso, D., Polotti, P., and Delle Monache, S. (2009). Designing continuous sonic interaction. *Int. J. Design* 3, 13–25.
- Rosati, G., Oscari, F., Spagnol, S., Avanzini, F., and Masiero, S. (2012). Effect of task-related continuous auditory feedback during learning of tracking motion exercises. *J. Neuroeng. Rehabil.* 9:79. doi: 10.1186/1743-0003-9-79
- Schiavio, A., and Altenmüller, E. (2015). Exploring music-based rehabilitation for parkinsonism through embodied cognitive science. *Front. Neurol.* 6:217. doi: 10.3389/fneur.2015.00217
- Schlaug, G. (2015). “Musicians and music making as a model for the study of brain plasticity,” in *Music, Neurology, and Neuroscience: Evolution, the Musical Brain, Medical Conditions, and Therapies*, Vol. 217 of Progress in Brain Research, Chapter 3, eds S. F. Eckart Altenmüller and F. Boller (Amsterdam: Elsevier), 37–55. Available online at: <http://store.elsevier.com/Music-Neurology-and-Neuroscience-Evolution-the-Musical-Brain-Medical-Conditions-and-Therapies/isbn-9780444635518/>
- Schmidt, R. A. (1988). *Motor Control and Learning: A Behavioral Emphasis, 2nd Edn*. Champaign, IL: Human Kinetics.
- Schneider, S., Schönle, P. W., Altenmüller, E., and Münte, T. F. (2007). Using musical instruments to improve motor skill recovery following a stroke. *J. Neurol.* 254, 1339–1346. doi: 10.1007/s00415-006-0523-2
- Schnell, N., Röbel, A., Schwarz, D., Peeters, G., and Borghesi, R. (2009). “MuBu and friends – assembling tools for content based real-time interactive audio processing in Max/MSP,” in *Proceedings of the International Computer Music Conference (ICMC 2009)* (Montreal, QC), 423–426.
- Scholz, D. S., Wu, L., Schneider, J., Pirzer, J., Grossbach, M., Rollnik, J. D., et al. (2014). Sonification as a possible stroke rehabilitation strategy. *Front. Neurosci.* 8:332. doi: 10.3389/fnins.2014.00332
- Sigrist, R., Rauter, G., Riener, R., and Wolf, P. (2013). Augmented visual, auditory, haptic, and multimodal feedback in motor learning: a review. *Psychon. Bull. Rev.* 20, 21–53. doi: 10.3758/s13423-012-0333-8
- Singh, A., Piana, S., Pollarolo, D., Volpe, G., Varni, G., Tajadura-Jimenez, A., et al. (2016). *Go-with-the-flow*: tracking, analysis and sonification of movement and breathing to build confidence in activity despite chronic pain. *Hum. Comput. Interact.* 31, 1–49. doi: 10.1080/07370024.2015.1085310
- Susini, P., Misdariis, N., Lemaitre, G., and Houix, O. (2012). Naturalness influences the perceived usability and pleasantness of an interface’s sonic feedback. *J. Multimodal User Interfaces* 5, 175–186. doi: 10.1007/s12193-011-0086-0
- Tajadura-Jimenez, A., Bianchi-Berthouze, N., Furfaro, E., and Bevilacqua, F. (2015). Sonification of surface tapping changes behavior, surface perception, and emotion. *IEEE MultiMedia* 22, 48–57. doi: 10.1109/MMUL.2015.14
- Tajadura-Jiménez, A., Liu, B., Bianchi-Berthouze, N., and Bevilacqua, F. (2014). “Using sound in multi-touch interfaces to change materiality and touch behavior,” in *Proceedings of the Nordic Conference on Human-Computer Interaction (NordiCHI'14)* (Helsinki), 199–202.
- Thaut, M. H. (2015). The discovery of human auditory–motor entrainment and its role in the development of neurologic music therapy. *Prog. Brain Res.* 217, 253–266. doi: 10.1016/bs.pbr.2014.11.030
- Wanderley, M. M., and Depalle, P. (2004). Gestural control of sound synthesis. *Proc. IEEE* 92, 632–644. doi: 10.1109/JPROC.2004.825882
- Zampini, M., and Spence, C. (2004). The role of auditory cues in modulating the perceived crispness and staleness of potato chips. *J. Sens. Stud.* 19, 347–363. doi: 10.1111/j.1745-459x.2004.080403.x

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Bevilacqua, Boyer, Françoise, Houix, Susini, Roby-Brami and Hanneton. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.