

Defect-induced ultimately fast volume phonon-polaritons in the wurtzite Zn0.74Mg0.26Se mixed crystal

H. Dicko, O. Pagès, M. B Shoker, F. Firszt, K. Strzalkowski, A. Maillard, A. Polian, Y. Battie, L. Broch, A. En Naciri, et al.

▶ To cite this version:

H. Dicko, O. Pagès, M. B Shoker, F. Firszt, K. Strzalkowski, et al.. Defect-induced ultimately fast volume phonon-polaritons in the wurtzite Zn0.74Mg0.26Se mixed crystal. Scientific Reports, 2019, 9, pp.7817. 10.1038/s41598-019-44273-5. hal-02156595

HAL Id: hal-02156595 https://hal.sorbonne-universite.fr/hal-02156595v1

Submitted on 14 Jun 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Received: 12 December 2018 Accepted: 9 May 2019

Published online: 24 May 2019

OPEN Defect-induced ultimately fast volume phonon-polaritons in the wurtzite Zn_{0.74}Mg_{0.26}Se mixed crystal

H. Dicko¹, O. Pagès¹, M. B. Shoker¹, F. Firszt², K. Strzałkowski², A. Maillard³, A. Polian⁴, Y. Battie¹, L. Broch¹, A. En Naciri¹, A. V. Postnikov¹, W. Paszkowicz⁵ & J.-P. Itié⁶

Volume-phonon-polaritons (VPP's) propagating at a light-in-vacuum-like speed are identified in the wurtzite-type Zn_{0.76}Mq_{0.26}Se mixed crystal by near-forward Raman scattering. Their detection is selective to both the laser energy and the laser polarization, depending on whether the ordinary (n_0) or extraordinary (n_e) refractive index is addressed. Yet, no significant linear birefringence $(n_0 \simeq n_e)$ is observed by ellipsometry. The current access to ultrafast VPP's is attributed to the quasi-resonant Raman probing of an anomalous dispersion of n_0 due to impurity levels created deep in the optical band gap by oriented structural defects. The resonance conditions are evidenced by a dramatic enhancement of the Raman signals due to the polar modes. Hence, this work reveals a capacity for the lattice defects' engineering to "accelerate" the VPP's of a mixed crystal up to light-in-vacuum-like speeds. This is attractive for ultrafast signal processing in the terahertz range. On the fundamental side we provide an insight into the VPP's created by alloying ultimately close to the center of the Brillouin zone.

Replacement of electrons by photons as the carrier of information, leading to the development of photonics besides electronics, is highly promising in view to ultimately accelerate the signal processing in matter. On this way one resorts to elementary crystal excitations able to couple with light. Plasmon-polaritons spanning large to small plasma pulsations offer an option for data processing in the visible to terahertz spectral ranges¹⁻³. In the latter range, the phonon-polaritons (PP) resulting from the coupling between optical lattice vibrations (phonons) and a photon-like (*i.e.*, transverse) electric field (\overline{E}) in polar dielectrics are the other option⁴.

The existence of PP's in common high-purity and high-structural-quality materials for electronics, e.g., the III-V and II-VI binary semiconductor compounds with zincblende (cubic) structure, has been known for decades⁵⁻⁷. The pioneering study of the PP coupling in GaP (III-V) compound done by near-forward ('transmission'-like) Raman scattering goes back to the sixties^{8,9}. The interest is revived at each novel generation of semiconductors; nowadays the focus has shifted onto the emerging class of N- based (III-V) compounds^{10,11}. The physics behind the PP's in pure compounds is well understood. Basically the PP's can be classified into surface $(SPP, \varepsilon_r(\omega) < 0)$ or volume $(VPP, \varepsilon_r(\omega) > 0)$ ones depending on the sign of the relative dielectric function $\varepsilon_r(\omega)$, which changes on crossing the Reststrahlen ($\omega_{TO}-\omega_{LO}$) band spanning the transverse (TO) and longitudinal (LO) pulsations of an optical phonon 12 .

In view of applications, the SPP's are preferred over the VPP's, because the propagation of the electromagnetic energy at the surface is less prone to dissipative effects due to defects and impurities ^{13,14}. Moreover, the confinement of light at the surface offers a possibility to achieve light localization into volumes down to a few nanometers, i.e. at a length scale much below the diffraction limit 1,15. This is promising in view of optical signal processing in miniaturized devices at a level of integration comparable to that achieved in modern electronics. However, the SPP is bound to a fixed pulsation inside the Reststrahlen band, given by $\varepsilon_r(\omega_{SPP}) = -1$, that leads to high spectral

¹LCP-A2MC, Institut Jean Barriol, Université de Lorraine, Metz, F-57078, France. ²Institute of Physics, N. Copernicus University, 87-100, Toruń, Poland. 3LMOPS, Université de Lorraine – Supélec, 2 rue Edouard Belin, F-57070, Metz, France. ⁴Institut de Minéralogie, de Physique des Matériaux et de Cosmochimie, Sorbonne Université —UMR CNRS 7590, F-75005, Paris, France. ⁵Institute of Physics, Polish Academy of Sciences, Aleja Lotników 32/46, PL-02668, Warsaw, Poland. ⁶Synchrotron SOLEIL, L'Orme des Merisiers Saint-Aubin, BP 48, F-91192, Gif-sur-Yvette Cedex, France. Correspondence and requests for materials should be addressed to O.P. (email: olivier.pages@univ-lorraine.fr)




Figure 1. Near-forward-scattering Raman study of the Zn_{0.74}Mg_{0.26}Se *VPP*'s. (a) The reference A_1 –like dispersion of *VPP*'s (clear curves) including the *y*-dependence of the Raman intensity (thickness of the curves). (b) Polarized phonon-polariton Raman spectra in the near-forward (θ ~0°) X(ZZ)X and X(YZ)X scattering geometries. In panel (a), asymptotic regimes are defined by the dispersions of light well-beneath and well-beyond the phonon resonances (dashed-dotted curves, dictated by ε_s and ε_∞ , respectively) and by the *LO*'s and *TO*'s close to Γ and away from Γ, respectively. I_c refers to the photon-like extinction of the *PP*^{int} mode. The dispersion within the darkened area close to Γ has no physical meaning. The scan lines achievable experimentally by using the effective refractive index (n_{eff}) in the perfect forward scattering geometry (θ =0°) with the red (R, 632.8 nm), green (G, 514.5 nm) and blue (B, 488.0 nm) laser lines are indicated (dashed curves), for reference purpose. The scan line corresponding to the experimental A_1 –like X(ZZ)X Raman spectrum displayed in panel (b) is shown (θ =0.55°). The curved arrow indicates an apparent upward-tilt of the corresponding scan line when shifting to the E_1 –like X(YZ)X geometry.

selectivity. In contrast, the VPP is naturally dispersive. However, a major problem is that the VPP is hardly supported by a pure crystal since phonon decoupling occurs as soon as the VPP enters the highly-dispersive/high-velocity regime. The main features of the SPP's and VPP's related to a zincblende-type compound, corresponding to an unique optical phonon, are summarized in the Supplementary Section S1 for reference purpose, using ZnSe (II-VI) as a case study.

Elegant 'extrinsic' means to circumvent the absence of dispersion of the *SPP* are nanoarchitectural design or hybridization with a plasmon at metal/semiconductor-like interfaces^{16,17}. An alternative 'intrinsic' option likely to reconcile the advantages of the *SPP* (signal processing at light-like speeds) and *VPP* (dispersive character) might be to (re)consider the *PP* coupling in volume, albeit in mixed crystals (multi-phonon systems) rather than in pristine (sole-phonon) ones.

Such option, so far unexplored, may seem doomed to fail as the chemical and positional disorders inherent to a mixed crystal are expected to aggravate the dissipative effects that are nearly prohibitive already for pure crystals. In fact, we are not aware of any mixed crystal being considered so far for applications in photonics. Half a century separates the original near-forward Raman study of the PP coupling in GaP^9 (still arising interest PP0 from the pioneering experimental works on the mixed crystals, engaged over the past decade. Nevertheless, several attractive features already emerge, summarized below, that might stimulate an interest in photonics for using the PP1 created by alloying. The PP2 created by alloying. The PP3 from the particular mixed crystal studied in this work can be considered as generic, and thus used as a visual support to fix ideas in the following.

Calculations of the VPP dispersion via the Maxwell's equations^{8,19,20} have shown that $AB_{1-x}C_x$ alloying generates an intermediary VPP with (A-B, A-C)-mixed character, i.e. PP^{int} , between the PP^- and PP^+ parent-like ones mostly related to the soft/heavy (say A-B) and stiff/light (A-C) bonds, respectively. PP^{int} differs in nature from PP^- and PP^+ in that it exhibits a characteristic dispersion with a S-like shape between the Reststrahlen bands of the two bonds governed by two horizontal phonon asymptotes, and not by one phonon asymptote and one photon asymptote as is the case for the PP^- and PP^+ dispersions. These two phonon asymptotes are positioned, away from the center Γ of the Brillouin zone (q=0), at the pulsation of the upper TO mode (TO_{A-C}), and, near Γ , at the pulsation of the lower LO mode (LO_{A-B}). The S-like dispersion can thus be adjusted to suit the user's needs depending on the choice of parent compounds and on the crystal composition.

On the experimental side, pioneering far-infrared reflectivity studies of the PP coupling in thin films of wurtzite-type GaN-based mixed crystals were concerned with the SPP only^{20,21}. Regarding the VPP, we are only aware of our own near-forward Raman studies on two zincblende-type ZnSe-based mixed crystals, namely $Zn_{1-x}Be_xSe$ and $ZnSe_{1-x}S_x$ (refs^{22–26}). The *Reststrahlen* bands of the parent compounds are well separated in these systems, so that the PP^{int} mode exhibits a large S-like dispersion, covering as much as ~200 cm⁻¹ (~6 THz) in the case of $Zn_{1-x}Be_xSe$ (see, e.g., ref.²⁶), and shows up as a distinct feature in the Raman spectra. As such, the PP^{int} mode could be studied experimentally in detail.

The S-dispersion was to a certain extent probed by slightly varying the scattering angle θ between the incident $(\overrightarrow{k_i})$ and scattered $(\overrightarrow{k_s})$ light wavevectors inside the crystal near the perfect forward scattering geometry $(\theta=0^\circ)$, and also by changing the laser pulsation (ω_i) . This latter option implies the dispersion of the refractive index $n(\omega)$ around ω_i that is decisive to how far (with respect to the ω_{min} value achieved at $\theta=0^\circ$) a given laser line would 'penetrate' downward the S-shaped PP^{int} dispersion towards Γ (ref.⁸). The probing of the S-dispersion has revealed several attractive features of the PP^{int} mode:

- (i) The PP^{int} Raman signal disappears at a critical point $I_c(q_c, \omega_c)$ near the S-inflexion, where the PP^{int} mode becomes photon-like. It is revived on both sides of I_c as the PP^{int} mode recovers a dominant phonon character. This conforms to intuition that only matter-like (phonon-like) excitations scatter light efficiently^{25–27}.
- (ii) On both sides of I_o , the PP^{int} mode obeys the same Raman selection rules as its native purely-mechanical TO phonons away from Γ (ref. 26). This means that the PP^{int} mode preserves its transverse character throughout its entire S-like dispersion, even in the LO-like asymptotic regime near Γ . As such, it keeps an ability to couple strongly with light at any stage.
- (iii) The agreement between the experimental and theoretical PP^{int} selection rules is excellent ante $(\omega > \omega_c)$ and post $(\omega < \omega_c)$ photon-like extinction²⁶. Apparently the long wavelength in the PP regime $(q \sim 0)$ operates a natural average on the alloy disorder, so that the PP^{int} mode does 'see' neither the chemical disorder nor the local lattice distortions inherent to a mixed crystal, and propagates like in a perfect medium.
- (iv) While the PP^{int} mode ante-extinction exhibits a large Raman linewidth comparable to that of its native TO phonon away from Γ , it becomes sharp post-extinction while approaching Γ (refs^{25,26}) an explanation is given in the Supplementary Section S4, with concomitant increase on the PP^{int} lifetime²⁸. This opposes to the experimental trend in a pure crystal (a direct insight in the case of ZnSe is given in the Supplementary Fig. S2)⁸.

Summarizing, the naturally dispersive PP^{int} mode created by alloying is interesting in many respects: (i) it remains supported by the crystal (phonon-like) throughout most of its S-like dispersion, (ii) it is likely to couple with light throughout its whole dispersion, (iii) it 'feels' like propagating in a pure crystal, and, beyond all expectation, (iv) it gains lifetime while acquiring high velocities ($q \rightarrow 0$). Of upmost interest in view of applications is the latter 'high-velocity/long-lifetime' regime of the PP^{int} dispersion situated beneath I_c . So far, only its early stage near I_c could be probed experimentally, leaving the lower part of the S-like dispersion totally unexplored across all studied mixed crystals^{22–26}. An access near Γ is needed to complete the PP^{int} picture in view of applications, but also for the sake of fundamental understanding. As already mentioned, the limiting factor is the finite dispersion of the refractive index $n(\omega)$ around ω , that so far hindered to approach sufficiently small q values.

In this work, the lacking insight into the PP^{int} mode near Γ is searched for by trying near-forward Raman scattering on a wurtzite-type ZnSe-based mixed crystal, using Zn_{0.74}Mg_{0.26}Se as a case study. The ZnSe-based crystals are transparent in the visible (the optical band gap of ZnSe is 2.7 eV at room temperature²⁹) and thus well-suited for a Raman study in 'transmission'. Moreover, owing to a large difference in the Zn (~65) and Mg (~24) atomic masses, the Reststrahlen bands of the wurtzite-type ZnSe³⁰ and MgSe³¹ compounds are well separated, i.e. by $\sim 20 \,\mathrm{cm}^{-1}$, which is needed for the PP^{int} mode to exhibit a pronounced S-like dispersion. This separation is preserved with alloying $^{32-34}$. Last but not least, $Z_{0.74}Mg_{0.26}Se$ is interesting for its wurtzite structure – in part because the PPint mode remained unexplored in anisotropic crystals so far, but moreover in a hope that the vibrational and optical anisotropies behind the structural anisotropy would help to diversify the access to PP^{int}. Indeed, for each phonon that is likely to support the VPP coupling, in reference to the A_1 and E_1 polar vibrations along and perpendicular to the \overrightarrow{c} -crystal axis, respectively 10,11 , the PP^{int} insight can be optimized by playing with the dispersion of either the ordinary (n_0) or extraordinary (n_e) refractive index. Altogether the access to the PP^{int} mode by near-forward Raman scattering is thus potentially quadruple (2 phonons \times 2 refractive indices) with a wurtzite-type system such as $Zn_{0.74}Mg_{0.26}Se$, and not only unique (1 phonon \times 1 refractive index) as with the zincblende-type ZnSe-based mixed crystals studied so far. The opportunities to capture novel information near Γ are correspondingly enriched.

Results and Discussion

No significant linear birefringence could be detected by ellipsometry in the visible where operates the Raman scattering. An effective refractive index $n_{eff}(\omega)$ is thus considered from now on for $Zn_{0.74}Mg_{0.26}Se$. Besides, in the $Zn_{0.74}Mg_{0.26}Se$ near-forward Raman spectra taken with the red laser line (632.8 nm, Fig. 1b), the native Zn-Se (~200 cm⁻¹) and Mg-Se (~280 cm⁻¹) purely-mechanical TO's of the VPP's, and also the related LO's, both theoretically forbidden but activated due to multi-reflection of the laser beam between faces of the crystal⁹, appear to be quasi degenerate in the A_1 and E_1 symmetries (within ~5 cm⁻¹). Altogether, the quasi negligible linear birefringence ($n_0 \simeq n_e$) and the apparent $A_1 - E_1$ degeneracy ruin all hopes of achieving a diversified PP^{int} insight by playing with the optical and vibrational anisotropies behind the wurtzite structure of $Zn_{0.74}Mg_{0.26}Se$, independently evidenced by X-ray diffraction. Details concerning the ellipsometry and X-ray diffraction measurements are given in the Supplementary Section S2.

Based on the observed pulsations of the Zn-Se and Mg-Se purely-mechanical *TO*'s, an overview of the *VPP* dispersion is achieved by solving numerically

$$Im\left\{\frac{-1}{\varepsilon_r(\omega) - q^2 \cdot c^2 \cdot \omega^{-2}}\right\} = 0,\tag{1}$$

that captures the resonances behind the dispersion of a TO mode, using a classical two-oscillator $[1 \times (Zn - Se), 1 \times (Mg - Se)]$ form for $\varepsilon_r(\omega)$. A more refined expression in which the resonance-term is weighted by a pre-factor involving the Faust-Henry coefficients of ZnSe and MgSe, derived in ref.²², provides the actual VPP Raman cross section in its ω -dependence, shown in Fig. 1a. Note the punctual extinction (at I_c) of the PP^{int} Raman signal in the photon-like regime. Detail is given in the Supplementary Section S4.

The near-forward Raman spectrum taken in the X(ZZ)X pure- A_1 geometry (Fig. 1b), using the Porto's notation³⁵, reveals a sharp PP^{int} mode in the shallow reinforcement regime ($\omega \sim 260~{\rm cm}^{-1} < \omega_c \sim 265~{\rm cm}^{-1}$). The corresponding Raman 'scan' line ($\theta \sim 0.55$ °) in Fig. 1a, as derived from the wavevector conservation law that governs the Raman scattering ($\overrightarrow{k_i} - \overrightarrow{k_s} = \overrightarrow{q}$) using the effective refractive index measured by ellipsometry (see the Supplementary Section S1) to express the magnitudes of $\overrightarrow{k_i}$ and $\overrightarrow{k_s}$, crosses the S-like PP^{int} dispersion exactly between ω_c ($\theta \sim 0.80$ °) and ω_{min} ($\sim 258~{\rm cm}^{-1}$, $\theta = 0$ °). As the PP^{int} mode emerges near its native TO_{Mg-Se}^{A1} mode, it is referred to as PP_{TO}^{int} . As soon as θ increases, the PP^{int}_{TO} mode vanishes. This is consistent with its entry into the photon-like extinction regime ($\omega \sim \omega_c$) on its way back to the collapse regime ($\omega > \omega_c$).

The $X(ZZ)X \to X(YZ)X$ shift of geometry of the $(n_e, A_1) \to (n_0, E_1)$ type, obtained by rotating the laser polarization, truly shakes the PP signal, with no obvious explanation since the linear birefringence is quasi negligible and the native (A_1, E_1) phonons behind the PP's are quasi degenerate. Beyond all expectations, the PP dispersion is now probed in its deep reinforcement regime close to Γ , where both the PP^{int} and PP^+ modes assimilate with their asymptotic LO_{Zn-Se} and LO_{Mg-Se} limits ($\omega \ll \omega_c$), respectively, thus labelled as PP_{LO}^{int} and PP_{LO}^+ . It is as if by rotating the incident polarization the Raman 'scan' line (Δ') was tilted upward its nominal position (Δ) dictated by $n_{eff}(\omega)$ close by the dispersion of light in vacuum (Fig. 1a, refer to the curved arrow).

Neither the PP_{TO}^{int} mode nor the $(PP_{LO}^{int}, PP_{LO}^+)$ ones survive when adopting the X(ZY)X and X(YY)X geometries, for different reasons. The former geometry probes the E_1 -like counterpart of PP_{TO}^{int} in the final stage of its collapse regime where the mode is overdamped. In the X(YY)X geometry the E_1 modes are forbidden while the A_1 ones are marginally activated and anyway screened by spurious features, with concomitant impact on the related PP's. Detail is given in the Supplementary Section S4.

The $\Delta \to \Delta'$ upward-tilt needed to mimic the apparent reduction of $q_{min} = c^{-1} \cdot |n_{eff}(\omega_i) \cdot \omega_i - n_{eff}(\omega_s) \cdot \omega_s|$ in the X(YZ)X geometry can be explained only if the difference in pulsations $|\omega_i - \omega_s|$ is countered by the corresponding difference in indices $|n_{eff}(\omega_i) - n_{eff}(\omega_s)|$, and not emphasized by the latter as expected in view of the positive dispersion of $n_{eff}(\omega)$ measured by ellipsometry (see Methods). The tilt suggests an anomalous dispersion of n_0 near ω_i , presumably due to impurity levels created by structural defects. These give rise to a local absorption reflected by a maximum in $Im\{\varepsilon_r(\omega)\}$ (as sketched out in Fig. 2a – dotted curve) going with a sigmoidal distortion of $Re\{\varepsilon_r(\omega)\}$, with concomitant impact on the dispersion of n_0 , being inverted locally (thick curve) – basic relations are given, e.g., in ref. 36. In Fig. 2a, the dispersion of the refractive index for the zincblende-type $Zn_{0.74}Mg_{0.26}Se$ single-crystalline epitaxial film 37 is added for comparison.

In fact, the activation of the PP_{LO}^{int} and PP_{LO}^+ modes in the X(YZ)X geometry is selective to ω_i . It is strong with the red (632.8 nm) laser line and also, to a less extent, with the near-infrared (785.0 nm) one, but remains weak with the green (514.5 nm) and blue (488.0 nm) ones (examples are given in the Supplementary Fig. S10). This suggests a resonance mechanism involving impurity levels mostly situated deep in the optical band gap. The resonance is searched for by extending the Raman analysis away from ω_i using the red laser line (Fig. 2b). A typical two-feature set, combining a dramatic enhancement of the Raman signal preceding its sudden extinction at ~840 cm⁻¹ beneath ω_i (considering the used Stokes scattering), reveals a resonance with an impurity level positioned right at the extinction (i.e., at $\omega_{Res} \sim \omega_i - 840$ cm⁻¹). The enhanced signal is of the PP type since it vanishes along with the PP_{LO}^{int} modes when θ increases (Fig. 2b). It is assigned as a resonance-induced PP^+ mode ($Res - PP^+$) away from the LO-like limit of the PP^+ dispersion. At large scattering angle ($\theta \geq 2^\circ$) the PP's disappear. The only left polar (E-equipped) modes likely to be resonantly enhanced (via the E-mediated Fröhlich mechanism³⁸) are then the LO ones, notably the sharp and intense LO_{Zn-Se} peak, giving rise, in fact, to resonance-activated harmonics up to the third order.

Earlier photoluminescence measurements done with $Zn_{1-x}Mg_xSe$ (0 < x < 0.6) monocrystals from the same source as the current one (x = 0.26) have revealed a strong red emission, providing a direct evidence for a




Figure 2. Resonance-induced near-forward Raman scattering – impact on the dispersion of the refractive index. (a) Measured dispersion of the effective refractive index of the wurtzite-type Zn_{0.74}Mg_{0.26}Se mixed crystal (solid line) in the visible (400–800 nm). The dispersion for the corresponding zincblende-type system (taken from ref.³⁷) is added (dotted curve) for comparison. The resonance at ω_{Res} creates a local absorption (k_0) in the red spectral range eventually leading to a local inversion (–) of the nominally positive (+) dispersion of n_0 near ω_i . This inversion offers a chance to achieve extremely small q_{min} values, as schematically explained in the inset, corresponding to an upward-tilt of the nominal scan line (curved arrow in Fig. 1a). The used near-infrared (NIR, 785.0 nm), red (R, 632.8 nm), green (G, 514.5 nm) and blue (B, 488.0 nm) laser lines are indicated. (b) Expanded A_1 -like near-forward Raman spectra ($\theta \sim 0^\circ$) taken with the red laser line at increasing θ values (from top to bottom) until disappearance of the VPP's. The enhancement of the polar (VPP, LO)-like Raman signals is due to the resonance. The Raman spectrum taken in the backscattering geometry ($\theta \sim 180^\circ$) is added for reference purpose.

continuum of impurity levels deep in the optical band gap³⁹. Based on positron annihilation measurements, the red emission has been related to Zn vacancies (V_{Zn}) , possibly arranged as dimers³⁹. As the activation of the PP_{LO}^{int} and PP_{LO}^{+} Raman features occurs only when $\overrightarrow{e_i} \parallel \overrightarrow{c}$ and in a given phonon (E_1) symmetry, we conclude that the V_{Zn} -related complexes have a preferential orientation with respect to the \overrightarrow{c} -axis of the crystal. The concentration of such complexes is small, though, since no singularity is detected in the red spectral range of the linear dichroism measured by transmission ellipsometry (see the Supplementary Fig. S4). Their massive impact on the X(YZ)X Raman spectra is all due to the resonance conditions.

Technically, a crude contour modeling of the bimodal $(PP_{LO}^{int}, PP_{LO}^+)$ Raman signal can be achieved (see the Supplementary Fig. S9) by considering that the distorted dispersion of the refractive index in the studied $\omega_{Res} \leq \omega_s \leq \omega_i$ spectral domain (emphasized in Fig. 2a) is opposite (negative) and roughly twice as large in magnitude as that (positive) measured for $n_{eff}(\omega)$ by ellipsometry. To fix ideas, the amount of oscillator strength (taken as the only adjustable parameter – see details in the Supplementary Section S4) needed to achieve such inversion (shown in Fig. 2a) by introducing one unique damped Lorentz oscillator at ω_{Res} was estimated at ~1% of the oscillator strength carried by the optical phonon of ZnSe.

Summarizing, the Zn_{0.74}Mg_{0.26}Se mixed crystal with wurtzite structure is studied by near-forward Raman scattering. Despite the almost negligible linear birefringence ($n_0 \sim n_e$) observed by ellipsometry, an unexpectedly large variety of *VPP*'s is revealed, contrasting with the quasi-indiscernibility of the native A_1 and E_1 phonons. This is due to an artificial linear birefringence created by deep impurity levels associated with oriented crystal defects.

The artificial linear birefringence grants access to the PP^{int} mode both in its shallow reinforcement regime just beneath the photon-like extinction I_c ($\overrightarrow{e_i} \parallel \overrightarrow{c}$) and far from I_c deep in its reinforcement regime ultimately close to Γ ($\overrightarrow{e_i} \perp \overrightarrow{c}$), where it acquires a light-in-vacuum-like speed. An added bonus in this case is the access to PP^+ . On the practical side, the easy-to-handle shift from the shallow (PP^{int}_{TO}) to deep (PP^{int}_{LO}) reinforcement regimes of PP^{int}_{TO} by merely rotating the laser polarization provides, in fact, a sharp ($PP^{int}_{TO} - PP^{int}_{LO}$) optical switch, with potential applications in photonics.

Methods

This Sec. introduces the experimental methods needed for interpretation and replication of the reported data in the main part of the manuscript. Additional experimental and theoretical aspects, covering X-ray diffraction, ellipsometry measurements done in transmission, conventional backward Raman scattering, *ab initio* calculations on the native phonons behind the phonon-polaritons, are given in the course of the discussion of the corresponding data in the Supplementary Sections S2 and S3.

Sample growth and preparation. The used sample consists of a large high-quality (Zn,Mg)Se single crystal (cylinder, 3 mm in height and 8 mm in diameter) with 'pure' wurtzite structure, grown by the Bridgman method. The composition estimates from the a and c lattice constants measured by X-ray diffraction at the PSICHÉ beamline of synchrotron SOLEIL are 26.2 and 25.9 at.%Mg, respectively. Detail is given in the Supplementary Section S2. A fragment (~2.5 mm in length) of the crystal was oriented by conoscopy, using a cross-polarized microscope, so as to dispose of one pair of parallel (within 1°) faces (~0.5 mm², giving rise to hyperbolic fringes by conoscopy) with in-plane \overrightarrow{c} –axis (within 5°), plus one face perpendicular to the \overrightarrow{c} –axis (~2 mm², circular fringes). The three faces were polished to optical quality in view of polarized Raman measurements.

Ellipsometry measurements. The dispersion of the refractive index of the main non-oriented crystal measured by conventional ellipsometry (using a HORIBA UVISEL phase modulated spectroscopic ellipsometer) at a near-Brewster incidence in the visible spectral range, where operates the Raman scattering, does not reveal any sign of linear birefringence (*LB*). The measured dispersion of the refractive index, hence an effective one, noted n_{eff} , was found to obey the Cauchy's formula $n_{eff}(\lambda) = X + Y \cdot \lambda^{-2} \cdot 10^{-4} + Z \cdot \lambda^{-4} \cdot 10^{-9}$ with $X = 2.3524 \mp 0.0021$, $Y = 0.4336 \mp 0.0084$ nm^2 and $Z = 8.9110 \mp 0.1772$ nm^4 (with λ in nm). More refined ellipsometry measurements done in transmission through the small \overrightarrow{c} -containing faces of the oriented fragment at normal incidence (see the Supplementary Fig. S4), treated within the approach of the Mueller's matrix³⁶, revealed that our $Zn_{0.74}Mg_{0.26}Se$ crystal is, in fact, uniaxial positive $[n_e(\omega) > n_o(\omega)]$. However, for our use at least, the $n_e(\omega) \sim n_o(\omega)$ equivalence basically applies. More precisely, for the considered $Zn_{0.74}Mg_{0.26}Se$ crystal the linear birefringence is constant and presumably smaller than 0.020 (detail is given in the Supplementary Section S2). Whether considering that $n_e(\omega)$ is step-increased/decreased from $n_{eff}(\omega)$ by ± 0.02 throughout the visible we have checked that the 'scan' lines achieved by Raman scattering at near-normal incidence ($\theta = 0.55^{\circ}$) with the used (R) laser line polarized perpendicular to \overrightarrow{c} (the relevant refractive index is n_0 , then) superimpose exactly, *i.e.*, the variation remains within the thickness of the 'scan' line (Fig. 1a).

Near-forward Raman measurements. Near-forward Stokes ($\omega_i > \omega_s$) Raman spectra are taken by focusing the exciting laser beam at normal incidence onto the rear crystal face containing the \overrightarrow{c} – crystal axis. The scattered light originates from the focus plane of the incident lens, and is detected in the same direction as the incident laser beam, *i.e.*, normally to the front crystal face. The limiting factor to achieve the perfect forward scattering geometry ($\theta = 0^{\circ}$) is the numerical aperture of the microscope objective used to collect the scattered light, corresponding to a moderate focal length (~3.00 cm, slightly depending on the used laser line) and a significant diameter (0.40 cm). In contrast the incident laser beam has a small diameter (0.20 cm) and moreover the focal length of the incident lens is large (~15.00 cm). With this, the scattered light detected outside the sample fits into a pencil-like 3.80° solid cone, to compare with a narrower 0.35° solid cone for the exciting laser beam.

Polarized near-forward Raman spectra are taken by placing half-wave plates on each side of the crystal with their neutral axis disposed either parallel or rotated by 45° to each other and with respect to the \vec{c} -crystal axis. The scattered light is analyzed parallel to the entrance slit of the spectrometer corresponding to maximum spectrometer throughput. The as-obtained scattering geometries with parallel and crossed polarizations of the incident laser $(\vec{e_i})$ and scattered light $(\vec{e_s})$ write X(ZZ)X, X(ZY)X, X(YZ)X and X(YY)X using Porto's notation $k_i(\vec{e_i}, \vec{e_s}) k_s'$ (ref. 35). The X and Z axis of the laboratory coordinate system coincide with the directions of the incident laser $(\overrightarrow{k_i})$ and of the scattered light $(\overrightarrow{k_s})$ and with the \overrightarrow{c} – crystal axis, respectively. Both X(ZZ)X and X(YY)X consist of 'pure' A_1 -like geometries for the TO modes (the VPP's as well as their native TO's, depending on whether the analysis is placed near Γ using near-forward Raman scattering or away from it as in a backscattering Raman experiment, respectively). Nevertheless the A_1 -TO Raman signal shows up clearly only in the first geometry. It is negligible in the second one (hence not shown). In contrast the X(ZY)X and X(YZ)X geometries are of the pure E_1 type. The only difference is that in the former geometry the incident laser beam propagates as an extraordinary wave $(\vec{e_i} \parallel \vec{c})$ inside the crystal whereas as an ordinary one $(\vec{e_i} \perp \vec{c})$ in the latter geometry, the outgoing scattered light being ordinary $(\vec{e_s} \perp \vec{c})$ in both cases. When needed (Fig. 2b), the departure from the nominally perfect forward scattering geometry ($\theta = 0^{\circ}$) was operated by finely adjusting the incidence of the laser beam in the (x, y) plane, while detecting the scattered light along the fixed X direction.

The theoretical dependence of the crossed- and parallel-polarized A_1 and E_1 TO Raman intensities on the azimuth angle (α) between the incident polarization and the \overrightarrow{c} -crystal axis for a complete α -revolution at the

sample surface, calculated by using the relevant wurtzite-type Raman tensors, is reported in the Supplementary Fig. S5, for reference purpose.

Data Availability

All data regarding the work presented here including the Matlab routine for contour modeling of the Raman cross section of the *VPP* modes in their (θ, y, ω) -dependence is available upon request to the corresponding author.

References

- 1. Gramotney, D. K. & Bozhevolnyi, S. I. Plasmonics beyond the diffraction limit. Nature Photon. 4, 83-91 (2010).
- 2. Bludov, Y. V., Vasilevskiy, M. I. & Peres, N. M. R. Mechanism for graphene-based optoelectronic switches by tuning surface plasmon-polaritons in monolayer-graphene. *Europhysics Lett.* **92**, 68001-1–68001-5 (2010).
- 3. Santos, J. E., Vasilevskiy, M. I., Peres, N. M. R., Smirnov, G. & Bludov, Y. V. Renormalization of nanoparticle polarizability in the vicinity of a graphene-covered interface. *Phys. Rev. B* **90**, 235420-1–235420-9 (2014).
- 4. Stoyanov, N. S., Ward, D., Feurer, T. & Nelson, K. A. Terahertz polariton propagation in patterned materials. *Nature Mater.* 1, 95–98 (2002)
- 5. Born, M. & Huang, K. Dynamical Theory of Crystal Lattices. Chap. 2, 91. (Clarendon Press, 1954).
- Barker, A. S. & Loudon, R. Response functions in the theory of Raman scattering by vibrational and polariton modes in dielectric crystals. Rev. Mod. Phys. 44, 18–47 (1972).
- 7. Geick, R., Perry, C. H. & Rupprech, G. Normal modes in hexagonal boron nitride. Phys. Rev. 146, 543-547 (1966).
- 8. Claus, R., Merten, L. & Brandmüller, J. Light Scattering by Phonon-Polaritons. (Springer-Verlag, 1975).
- 9. Henry, C. H. & Hopfield, J. J. Raman scattering by polaritons. Phys. Rev. Lett. 15, 964-966 (1965).
- 10. Torii, K. et al. Raman scattering from phonon-polaritons in GaN. Phys. Rev. B 62, 10861-10866 (2000).
- 11. Irmer, G., Röder, C., Himcinschi, C. & Kortus, J. Phonon-polaritons in uniaxial crystals: A Raman scattering study of polaritons in α–GaN. *Phys. Rev. B* **88**, 104303-1–104303-14 (2013).
- 12. Kim, H. C. & Cheng, X. Infrared dipole antenna enhanced by surface phonon polaritons. Optics Lett. 35, 3748-3750 (2010).
- 13. Caldwell, J. D. et al. Low-loss, infrared and terhertz nanophotonics using surface phonon-polaritons. Nanophotonics 4, 44-68 (2015).
- 14. Zhao, Z.-W., Wu, H.-W. & Zhou, Y. Surface-confined edge phonon-polaritons in hexagonal boron nitride thin films and nanoribbons. *Optics Express* 24, 22930–22942 (2016).
- 15. Barnes, W. L., Dereux, A. & Ebbesen, T. W. Surface plasmon subwavelength optics. Nature 424, 824-830 (2003).
- 16. Brar, V. W., Jang, M. S., Sherrott, M., Lopez, J. J. & Atwater, H. A. Highly confined tunable mid-infrared plasmonics in graphene nanoresonators. *Nano Lett.* 13, 2541–2547 (2013).
- 17. Brar, V. W. et al. Hybrid surface-phonon-plasmon polariton modes in graphene/monolayer h-BN heterostructures. Nano Lett. 14, 3876–3880 (2014).
- 18. Tanabe, T., Suto, K., Nishizawa, J., Saito, K. & Kimura, T. Frequency-tunable terahertz wave generation via excitation of phonon-polaritons in GaP. J. Phys. D: Appl. Phys. 36, 953–957 (2003).
- 19. Bao, J. & Liang, X. X. Bulk and surface phonon-polaritons in ternary mixed crystals. J. Phys.: Condens. Matter 18, 8229-8239 (2006).
- 20. Ng, S. S., Hassan, Z. & Hassan, H. A. Surface phonon-polariton mode of wurtzite $Al_xGa_{1-x}N$ (0 < x < 1) thin films. *Appl. Phys. Lett.* **91**, 081909-1–081909-3 (2007).
- 21. Ooi, P. K., Lee, S. C., Ng, S. S., Hassan, Z. & Hassan, H. A. Theoretical studies of surface phonon polariton in wurtzite AlInN ternary alloy. *Thin Solid Films* **519**, 5481–5485 (2011).
- Hajj Hussein, R., Pagès, O., Firszt, F., Paszkowicz, W. & Maillard, A. Near-forward Raman scattering by bulk and surface phononpolaritons in the model percolation-type ZnBeSe alloy. Appl. Phys. Lett. 103, 071912-1-071912-5 (2013).
- 23. Hajj Hussein, R. et al. Percolation-type multi-phonon pattern of Zn(Se,S): Backward/forward Raman scattering and ab initio calculations. J. Alloys and Compounds 644, 704–720 (2015).
- 24. Dicko, H. *et al.* Near-forward/high-pressure-backward Raman study of Zn_{1-x}Be_xSe (x ~ 0.5) evidence for percolation behavior of the long (Zn-Se) bond. *J. Raman Spectrosc.* 47, 357–367 (2016).
- 25. Hajj Hussein, R. *et al.* Near-forward Raman study of a phonon-polariton reinforcement regime in the Zn(Se,S) alloy. *J. Appl. Phys.* **116**, 083511-1–083511-7 (2014).
- 26. Dicko, H. et al. Near-forward Raman selection rules for the phonon-polariton in (Zn,Be)Se alloys. J. Appl. Phys. 120, 185702-1-185702-8 (2016).
- 27. Fainstein, A., Jusserand, B. & André, R. Polariton effects on first-order Raman scattering in II-VI microcavities. *Phys. Rev. B* 57, R9439–R9442 (1998).
- 28. Bergman, L. et al. Raman analysis of phonon lifetimes in AlN and GaN wurtzite structure. Phys. Rev. B 59, 12977-12982 (1999).
- 29. Adachi, S. Properties of Semiconductor Alloys: Group-IV, III-V and II-VI Semiconductors. Chap. 6, 199. (John Wiley & Sons, 2009).
- 30. Wang, D., Zhang, X., Li, B., Liu, L. & Shen, D. Z. Dynamical properties and their strain-dependence of ZnSe(ZnSe:N): Zinc-blende and wurtzite. AIP Advances 4, 067138-1–067138-7 (2014).
- 31. Duman, S., Bağcı, S., Tütüncü, H. M. & Srivastava, G. P. First-principles studies of ground-state and dynamical properties of MgS, MgSe and MgTe in the rocksalt, zinc blende, wurtzite and nickel arsenide phases. *Phys. Rev. B* 73, 205201-1–205201-14 (2006).
- 32. Kozielski, M. et al. Raman scattering in Zn_{1-x}Mg_xSe mixed crystals. Acta Phys. Pol. A 90, 1040-1044 (1996).
- 33. Huang, D. et al. Crystal structure and Raman scattering in Zn_{1-x}Mg_xSe alloys. Appl. Phys. Lett. 67, 3611–3613 (1995).
- 34. Okuyama, H., Nakato, K., Miyajima, T. & Akimoto, K. Epitaxial growth of ZnMgSSe on GaAs substrate by molecular beam epitaxy. *Jpn. J. Appl. Phys.* 30, L1620–L1623 (1991).
- 35. Arguello, C. A., Rousseau, D. L. & Porto, S. P. S. First-order Raman Effect in wurtzite-type Crystals. *Phys. Rev.* 181, 1351–1363 (1969).
- 36. García-Caurel, E. et al. Advanced Mueller ellipsometry: Instrumentation and data analysis. (Losurdo, M. & Hingerls, K. eds) Ellipsometry at the Nanoscale. Chap. 2, 52 & 89 (Springer-Verlag, 2013).
- 37. Peiris, F. C., Lee, S., Bindley, U. & Furdyna, J. K. Wavelength dependence of the indices of refraction of molecular beam epitaxy-grown ZnMgSe and ZnCdSe thin films measured by two complementary techniques. *J. Appl. Phys.* 86, 918–922 (1999).
- 38. Geurts, J. Analysis of band bending at III-V semiconductor interfaces by Raman spectroscopy. Surf. Sci. Rep. 18, 1-89 (1993).
- Plazaola, F. et al. Characterization of defects in (ZnMg)Se compounds by positron annihilation and photoluminescence. J. Appl. Phys. 88, 1325–1332 (2000).

Acknowledgements

We acknowledge assistance from the PSICHÉ beamline staff of synchrotron SOLEIL for the X-ray diffraction measurements, and from the Ellipsometry core facility of LCP-A2MC (Université de Lorraine - http://lcp-a2mc.univ-lorraine.fr). We thank Mikhail Vasilevskiy for useful discussions and scientific exchanges, and Pascal Franchetti for technical assistance in the Raman measurements. This work was in part supported by National Science Centre (Poland) through Grant No. UMO-2014/13/B/ST3/04393.

Author Contributions

O.-P., H.-D. and M.-B.-S. conceived and performed the near-forward Raman experiments, together with the modeling of the Raman data using Matlab. The used crystal was grown by F.-F. and K.-S. using the Bridgman method. The crystal was polished to optical quality by A.-M. after orientation by conoscopy using a cross-polarized microscope. A.-P. and J.-P.-I. performed the X-ray diffraction measurements at the PSICHÉ beamline of the synchrotron SOLEIL, to complete preliminary measurements done at the laboratory scale by W.-P. The X-ray diffraction data were analyzed by H.-D. The transmission ellipsometry measurements throughout the small oriented crystal used for the Raman measurements were performed by Y.-B. and L.-B., with a focus on the linear birefringence and linear dichroism, treated within the Müller's matrix approach. A.E.N. performed conventional ellipsometry measurements using a large non-oriented crystal piece, in search of the dispersion of the effective refractive index. A.-V.-P. was in charge with the *ab initio* calculations, done in the native phonon regime of the phonon-polaritons by using the SIESTA code. O.-P. wrote the manuscript with A.-P., with contributions from all co-authors.

Additional Information

Supplementary information accompanies this paper at https://doi.org/10.1038/s41598-019-44273-5.

Competing Interests: The authors declare no competing interests.

Publisher's note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit https://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2019