



**HAL**  
open science

## **Self-Assembled Collagen Microparticles by Aerosol as a Versatile Platform for Injectable Anisotropic Materials**

Milena Lama, Francisco M Fernandes, Alba Marcellan, Juliette Peltzer, Marina Trouillas, Sébastien Banzet, Marion Grosbot, Clément Sanchez, Marie-madeleine Giraud-guille, Jean-jacques Lataillade, et al.

### ► **To cite this version:**

Milena Lama, Francisco M Fernandes, Alba Marcellan, Juliette Peltzer, Marina Trouillas, et al.. Self-Assembled Collagen Microparticles by Aerosol as a Versatile Platform for Injectable Anisotropic Materials. *Small*, 2020, pp.1902224. <10.1002/sml.201902224>. <hal-02432930>

**HAL Id: hal-02432930**

**<https://hal.sorbonne-universite.fr/hal-02432930v1>**

Submitted on 15 Jan 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.


L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

M. Lama, F. M. Fernandes,  
 A. Marcellan, J. Peltzer, M. Trouillas,  
 S. Banzet, M. Grosbot,  
 C. Sanchez, M.-M. Giraud-Guille,  
 J.-J. Lataillade, B. Coulomb,\*  
 C. Boissière, N. Nassif\* ..... 1902224

**Self-Assembled Collagen Microparticles  
 by Aerosol as a Versatile Platform for  
 Injectable Anisotropic Materials**



An innovative spray-processing approach enables fast and cheap production of anisotropic microparticles containing >90 wt% type I collagen. Their injection in a biological medium results in the formation of fibrils retaining innate molecular characteristics while forming ordered, organized structures at higher length scales. The encapsulation of temperature-sensitive stem-cell products demonstrates the versatility of the approach for tissue regeneration applications.

UNCORRECTED PROOF

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59

# Self-Assembled Collagen Microparticles by Aerosol as a Versatile Platform for Injectable Anisotropic Materials

Milena Lama, Francisco M. Fernandes, Alba Marcellan, Juliette Peltzer, Marina Trouillas, Sébastien Banzet, Marion Grosbot, Clément Sanchez, Marie-Madeleine Giraud-Guille, Jean-Jacques Lataillade, Bernard Coulomb,\* Cédric Boissière, and Nadine Nassif\*

Extracellular matrices (ECM) rich in type I collagen exhibit characteristic anisotropic ultrastructures. Nevertheless, working in vitro with this biomacromolecule remains challenging. When processed, denaturation of the collagen molecule is easily induced in vitro avoiding proper fibril self-assembly and further hierarchical order. Here, an innovative approach enables the production of highly concentrated injectable collagen microparticles, based on collagen molecules self-assembly, thanks to the use of spray-drying process. The versatility of the process is shown by performing encapsulation of secretion products of gingival mesenchymal stem cells (gMSCs), which are chosen as a bioactive therapeutic product for their potential efficiency in stimulating the regeneration of a damaged ECM. The injection of collagen microparticles in a cell culture medium results in a locally organized fibrillar matrix. The efficiency of this approach for making easily handleable collagen microparticles for encapsulation and injection opens perspectives in active tissue regeneration and 3D bioprinted scaffolds.

Tissue repair is a priority need of any living tissue or organ for recovering functional properties after injury. The repair process is a complex phenomenon that involves soluble mediators, blood cells and components of the extracellular matrix (ECM), especially the cells from the tissue itself such as fibroblasts. Collagen is the major insoluble fibrous protein in the ECM of connective tissue. Type I collagen being one of the most abundant, many methods have been proposed as scaffold for tissue engineering<sup>[1]</sup> and for its formulation in an attempt to control the release of active molecules.<sup>[2]</sup> Formulations of beads are mainly based on techniques of emulsion in a water/oil<sup>[3]</sup> or water/organic solvent mixture<sup>[4]</sup> under conditions in which proteins are not denatured. However, traces of oil or solvents are associated with the beads formed.<sup>[5]</sup> An alternative

technique is the thermally induced phase separation (TIPS), in which the drops of the solution are introduced into a bath of liquid nitrogen followed by a lyophilization step.<sup>[6]</sup> Complex coacervation can also be used to produce collagen beads in a controlled manner<sup>[7,8]</sup> by taking advantage of the polyelectrolyte nature of the collagen triple helix. In the cited cases, the fragility of collagen beads requires a crosslinking step to reinforce their mechanical properties, by chemical agents (such as aldehydes or carbodiimides) bringing potential toxicity. More recently, the use of microfluidic devices,<sup>[9]</sup> 3D printers<sup>[10]</sup> and even soft robotics<sup>[11]</sup> enabled the production of uncrosslinked collagen beads for encapsulation. However, the inner structure of these collagen microparticles remains porous unlike that of the ECM. Taking into account that autologous tissue grafts remain the gold standard as they possess all the properties required for new tissue growth (including composition, ultrastructure, and mechanical properties), the use of native collagen molecules to reach 3D biological-like ultrastructure appears as an important attribute to build efficient biomaterials for tissue engineering.<sup>[1,12]</sup>

Type I collagen solutions are classically obtained in vitro from living tissues (tendons, dermis) placed in acidic media. Dilute dispersions of collagen triple stranded molecules at low concentrations ( $\approx 1 \text{ mg mL}^{-1}$ ) can be further stabilized in vitro to form hydrated gels used in interaction with cells or tissues.<sup>[1]</sup> However these loose matrices neglect the fundamental

M. Lama, Dr. F. M. Fernandes, Prof. C. Sanchez, Prof. M.-M. Giraud-Guille, Prof. C. Boissière, Dr. N. Nassif  
Sorbonne Université

CNRS  
Collège de France  
Laboratoire de Chimie de la Matière Condensée de Paris  
4 Place Jussieu, F-75005 Paris, France  
E-mail: nadine.nassif@sorbonne-universite.fr

M. Lama, Dr. A. Marcellan  
Sciences et Ingénierie de la Matière Molle  
ESPCI Paris  
PSL University  
CNRS  
Sorbonne Université  
10 rue Vauquelin, F-75005 Paris, France

Dr. J. Peltzer, Dr. M. Trouillas, Prof S. Banzet, M. Grosbot  
Prof. J.-J. Lataillade, Unité mixte Inserm UMR-1197 – Institut de Recherche Biomédicale des Armées (IRBA)  
Antenne Centre de Transfusion Sanguine des Armées  
1, rue du Lieutenant Raoul Batany, F-92141 Clamart, France

Prof. B. Coulomb  
Paris Research Cardiovascular Center (PARCC)  
Institut National de la Santé et de la Recherche Médicale (INSERM) U970  
Paris-Descartes University  
56 rue Leblanc, F-75015 Paris, France  
E-mail: bernard.coulomb@inserm.fr

The ORCID identification number(s) for the author(s) of this article can be found under <https://doi.org/10.1002/sml.201902224>.

DOI: 10.1002/sml.201902224

1 structure-function relationship of connective tissues. Indeed,  
2 these conditions lead to a large volume of extrafibrillar space  
3 while type I collagen-based ECM are most often dense and  
4 organized, forming complex scaffolds providing specific func-  
5 tion to the tissue. It was shown that beyond a critical concen-  
6 tration, molecules in solution spontaneously self-organize to  
7 form ordered liquid crystalline phases.<sup>[13]</sup> A sol–gel transition  
8 is induced by a rise in pH, stabilizes the mesophase geomet-  
9 ries, ending in biomimetic fibrillar organizations.<sup>[14]</sup> Mechan-  
10 ical properties of these biomaterials allow their use without  
11 requiring any additive, rendering their application non-toxic.  
12 Besides, mimicking the 3D ECM organization could promote  
13 a more physiological response of mesenchymal stem cells  
14 (MSCs);<sup>[15]</sup> such behavior was demonstrated in particular for  
15 osteoblasts<sup>[16]</sup> and fibroblasts.<sup>[1]</sup> This shows the interest of  
16 working at higher collagen concentrations.<sup>[1]</sup>


17 Aside the scaffold, another strategy for tissue regenera-  
18 tion is the on-site delivery of bioactive products such as MSCs  
19 secretion factors.<sup>[17]</sup> The secretion of a broad range of bioac-  
20 tive molecules by MSCs, such as growth factors, cytokines  
21 and chemokines, constitutes their most biologically significant  
22 role under injury conditions. The production of active secre-  
23 tion products suited to their therapeutic use, and their delivery  
24 implies to minimize the extent of cell death in the vicinity of  
25 injured areas but also the preservation of their phenotype  
26 against possible mutations or differentiation process. Hence,  
27 conditioned medium (CM) composed of the secretion products  
28 of MSCs from gingival connective tissue (gMSCs),<sup>[18]</sup> instead  
29 of the whole cells was used as an alternative. CM of gMSCs  
30 was previously shown to have a similar effect as gMSCs on cell  
31 differentiation.<sup>[19]</sup> Gingival tissue is known to heal rapidly and  
32 without scarring; CM of gMSCs thus appears as a good candi-  
33 date to promote wound healing.

34 Based on the cited knowledge, an approach combining  
35 both strategies appears as a promising new therapeutic way  
36 for efficient tissue regeneration. Herein, we present a one-  
37 pot aerosol-assisted processing strategy leading to the easy,  
38 cheap and fast continuous production of highly concentrated  
39 (>90 wt%) type I collagen microparticles, encapsulating (or  
40 not) temperature-sensitive bioactive molecules. The spray-  
41 processing approach adopted consists in atomizing a diluted  
42 acid-soluble collagen solution in order to form a mist of very  
43 thin droplets, immediately dried by evaporation of their solvent  
44 in a controlled atmosphere (thanks to the high solution/  
45 air interface area of the droplets). The concentration in the  
46 collagen drops is high enough to induce the self-assembly of  
47 collagen molecules and a subsequent liquid crystal order, i.e.,  
48 nematic oriented domains. This strategy allows obtaining  
49 within seconds highly concentrated collagen microparticles  
50 circumventing the high increase of viscosity of type I col-  
51 lagen solutions that usually prevents fast processing of this  
52 protein, and consequently its use at biological concentration.  
53 A fine control of both formulation and processing parameters  
54 (such as the temperature) to prevent denaturation of the bio-  
55 molecules ensure the encapsulation of gMSC secretion prod-  
56 ucts for further injection, and provide evidence to consider  
57 whole-cell encapsulation. The features of the injected material  
58 resemble that of living dermis tissue, with local anisotropy and  
59 fibrils organized in bundles. The design of such new functional

cell-free capsules broadens the range of strategies available for  
biotherapy and opens perspectives for building through col-  
lagen injection<sup>[20]</sup> anisotropic 3D scaffolds with hierarchical  
order from the fibril, to bundles, to the material scale.

*Collagen Microparticles Preparation:* The spray-drying device  
available in the laboratory (see the Experimental Section) is  
commonly used for producing organic, inorganic or hybrid  
(organic/inorganic) microparticles.<sup>[21]</sup> The spray-drying set up  
(**Figure 1a**) was first optimized to obtain dense type I collagen  
microparticles; the main drawback being the risk of irrevers-  
ible thermal denaturation of collagen into gelatin as mentioned  
above. For this purpose the following parameters: solution flow,  
air flow, aspiration and temperature were chosen as follows.  
The spraying step was conducted using initial concentrations  
of acid soluble collagen between 0.7 and 5 mg mL<sup>-1</sup> to limit  
the solution viscosity and promote a steady flow. Indeed a  
high concentration of collagen in solution can even lead to the  
formation of a physical gel<sup>[22]</sup> that could hinder both flow and  
formation of droplets. The drying step is strongly dependent  
on the solvent evaporation time, which is in turn related to  
both the temperature of dry air injected in the chamber and  
the aspiration rate. The dry air and nozzle temperature were  
fixed at 35 ± 1 °C. This temperature range is low enough to  
prevent protein denaturation but high enough to induce the  
solvent (acetic acid in water) evaporation in the droplets and  
reach the cyclone particle collector in dry form. Overall, the  
drying process takes no more than 4 s. **Figure 1b,c** illustrates  
the collected collagen microparticles obtained from different  
initial concentrations of type I collagen solutions as observed by  
scanning electron microscopy (SEM) (see also **Figure S1**, Sup-  
porting Information). The observation shows that the selected  
processing conditions lead to the precipitation of micron-sized  
collagen particles. Each droplet of solution leading to one dry  
microparticle, the initial concentration of the collagen solution  
appears to influence the size of the microparticles and the poly-  
dispersity, both increasing at higher concentrations. This trend  
was confirmed by performing laser granulometry (**Figure 1d**).  
The diameter distribution reveals two main populations in  
counts for the lowest and highest investigated concentrations,  
the first one at 0.6 ± 0.3 and 0.6 ± 0.1 μm, respectively, and the  
second one at 0.9 ± 0.2 and 1.3 ± 0.6 μm, respectively. A third  
population appears at 5.2 ± 0.5 μm for the highest concentra-  
tion only. This range of diameters is consistent with works in  
the literature where microparticles were obtained by spray-  
drying chitosan.<sup>[23]</sup> We identified the importance of the initial  
collagen concentration, emphasizing the versatility of the pro-  
cess for targeting different uses where the bead size may play  
an important role in adjusting release kinetics, as in drug or  
biomolecules controlled release systems.

*Ultrastructure of the Collagen Beads:* Type I collagen possess  
lyotropic properties in vitro in acidic conditions characterized  
by the occurrence of mesophases above 40 mg mL<sup>-1</sup>.<sup>[24]</sup> As a  
consequence of the collagen concentration during solvent  
evaporation, self-organization of the molecules may occur in  
the droplets during the drying step. Polarized light micros-  
copy (PLM) observations (**Figure 1e** and **Figure S2**, Supporting  
Information) show optical birefringence of the collagen micro-  
particles suggesting a local ordering of the collagen molecules  
or fibrils. The resolution of the PLM being in the same order



**Figure 1.** a) Schematics of the spray-processing of a collagen solution. b,c) Scanning electron microscopy images of pure collagen beads from spray-dried collagen solutions at 0.7 and 5.0 mg mL<sup>-1</sup>, respectively. d) Normalized diameter distribution in counts of collagen microparticles from spray-dried collagen solutions at 0.7 mg mL<sup>-1</sup> (upper graph) and 5.0 mg mL<sup>-1</sup> (lower graph). e) Under crossed polarizers, collagen microparticles display birefringence and dark domains (along the direction of the polarizers: 0 and 90°) inside and on their surface e') that turn to bright after a 45° rotation of polarizers. f) Ultrathin stained transmission electron microscopy image of pure collagen beads. g) Circular dichroism of a collagen solution (dashed line) and of a solution made of dissolved collagen beads (solid line) at the same concentration and in the same solvent (acetic acid at 0.5 M). h) Average ellipticity at 221 nm (upper graph) and 197 nm (lower graph). The difference between the peak values of the two solutions at low temperature can be attributed to slight differences in pH.<sup>[36]</sup>

of magnitude than that of the diameter of the microparticles, it is difficult to identify a specific birefringence texture. Nevertheless, after a 45° rotation of the polarizers (Figure 1e'), extinction of light occurs in areas where the collagen molecules lie parallel to the direction of the polarizers indicating a probable nematic alignment all over the surface of the largest microparticles (see the inset). SEM observations at higher magnification provided no evidence of fibrillogenesis in vitro (Figure S3a, Supporting Information). Thus we investigated transmission electron microscopy (TEM) (Figure 1f) to conclude on the fibrillar nature of the microparticles and on their possible local organization. Local order at such scale is considered as possible since it was previously reported for spray-dried chitin-silica particles where chitin possesses as well liquid crystal properties.<sup>[25]</sup> In our case, fibrils are not observed (Figure 1f and Figure S3b, Supporting Information), even though the high collagen concentration in the microparticles can induce the formation of few collagen fibrils.<sup>[26]</sup> However, their observation is only possible if the main axis of the fibril is oriented along the section plane. As collagen molecules are evenly distributed all throughout the microparticles (no detection of hollow microparticles), the presence of some small fibrils cannot be totally excluded. Finally, although it remains difficult to assess precisely the local molecular order in the microparticles (diameter of the beads versus resolution of the optical microscope), it seems that the molecules assembly, preferentially driven by thermodynamics, is limited by the fast drying kinetics. Indeed, in addition to the size of the domains (restricted by the dimensions of droplets), the fast solvent evaporation may prevent the formation of higher ordered mesophases (such as cholesteric phase).


**Physico-Chemical Characterization of the Collagen Microparticles:** To assess the water content of the pure collagen beads, we performed dynamic vapor sorption (DVS) experiments. A typical isothermal curve<sup>[27]</sup> was obtained with reduced hysteresis (Figure S4, Supporting Information). At ambient temperature and humidity conditions, 25 °C and 40%RH respectively, the microparticles contain less than 10 wt% water (thus more than 90 wt% type I collagen). Differential scanning calorimetry (DSC) experiments performed on the initial collagen solution and on the dissolved collagen microparticles in acetic acid at  $500 \times 10^{-3}$  M show the same endothermic peak at 40 °C (Figure S5, Supporting Information). At this temperature, collagen denaturation into gelatin occurs through the irreversible unfolding of the triple helix.<sup>[28]</sup> In addition, circular dichroism (CD) experiments (Figure 1g,h) show typical sigmoidal-shaped curves<sup>[29]</sup> with a large negative peak around 221 nm and a smaller positive peak around 200 nm characteristic of triple-helix conformation.<sup>[30]</sup> These results confirm that the non-fibrillar collagen microparticles observed by TEM (Figure 1f) is indeed made of collagen molecules and not gelatin, which is also in agreement with the observation of birefringence by PLM (Figure 1e,e').

Overall, these results prove that the process is compatible with the use of thermo-sensitive biomolecules. The suitability of dense collagen microparticles for encapsulation was then investigated.

**Encapsulation of gMSCs Secretion Factors in Collagen Microparticles:** In order to minimize the number of synthesis steps, we adapted our preparation strategy to obtain simultaneous

aerosolization of collagen solution and CM composed of the secretion products of gMSCs. A first limitation is related to the risk to induce the thermal denaturation of the CM components during spray-drying. However, given the gMSCs culture conditions (i.e., 37 °C) it is reasonable to assume that the secretome will not be denatured since the previously established collagen processing conditions lie below this temperature. In addition to the temperature, a limitation was the difference in pH of the CM (pH ≈ 7) with the collagen solution (pH ≈ 3.5). It is worth mentioning that such a low pH should not interfere with the biomolecules activity since it is described to be involved in the promotion of wound healing.<sup>[31]</sup> Yet, in order to limit the pH stress for the secretome, we adapted the atomization process by using a three-fluid nozzle (able to mix two solutions at the extreme tip of the nozzle and to atomize it at the same time) to limit the contact time between the two solutions (Figure 2a,a' and see the Experimental Section). The use of a coaxial nozzle to produce particles from two liquids simultaneously allows the control of the average composition of the produced particles. However, we needed to ensure that each particle was composed of both components; the CM could be found only at the surface of the collagen particle (which would limit the intended effect) or not interacting at all with collagen. Microparticles issued from two different collagen:CM volume ratios were produced (1:1 and 1:3) (Table 1). Observations by SEM (Figure 2b,c) show that the particles display the same morphology as those previously obtained from collagen only. When imaged under the confocal microscope, collagen:CM particles present extensive colocalization of signal intensity of both fluorescence channels, which confirms the effective encapsulation of CM within the collagen particles (Figure 2d–g). The profile integration (Figure 2e'–g') of three individual particles, chosen according to the individual channel intensity confirm the presence of both fluorophores in each of the analyzed individual particle. The shape of the profile does not indicate any particular segregation between the two components, suggesting the CM to be evenly distributed within each microparticle. This indicates that i) there is no macroscopic phase segregation between collagen and the CM and ii) the encapsulated medium does not destabilize the collagen packing.

Therapeutic applications through cell-free administration of secretome remain challenging.<sup>[15]</sup> In order to assess the capacity of the loaded microparticles to release bioactive factors in a physiological environment, the microparticles were suspended in a phosphate buffer at 37 °C and collected at different timespans. Two molecules of interest were targeted for their potential efficiency in ECM regeneration: HGF (hepatocyte growth factor) and VEGF (vascular endothelial growth factor).<sup>[32]</sup> The kinetics of the release was characterized by performing an ELISA test, and shows an increasing release rate until 6 h for both HGF (Figure 2h) and VEGF (Figure 2i) and a decrease until 24 h, with the complete release of VEGF within the explored timespan. Such kinetics could help better tissue repair by recruiting and activating host cells during the healing process. The coupling of collagen microparticles and gMSCs secretion products, both with central roles in the healing process, was successful. This led us to investigate the possibility to use them as an injectable suspension since administration



**Figure 2.** a) Coaxial nozzle spray-drying of acid soluble FITC-tagged collagen solution (Rh-Coll) and gMSC derived fluorescein-tagged conditioned medium (FITC-CM). a') Solutions are mixed upon air shearing at the tip of the nozzle. b,c) SEM images of Coll/Coll-CM beads obtained at 1:1 and 3:1 volume ratio, respectively. d) Confocal microscopy images of Rh-Coll/FITC-CM particles with sum z-projection of red and green channels of 52 image planes. e–g) Detail of selected particles and profile line analyzed. e'–g') Red and green channel plot profiles of particles depicted in (e)–(g), respectively. (h) and (i) release kinetics of growth factors of interest from encapsulated conditioned medium in collagen microparticles (respectively, HGF and VEGF) in a phosphate buffer after 10 min, 1, 6, or 24 h at 37  $^{\circ}\text{C}$ .

**Table 1.** Spray drying conditions of Coll/CM mixtures.

Volume ratios	[Rh-Coll] [mg mL <sup>-1</sup> ]	[FITC-CM] [mg mL <sup>-1</sup> ]	T [°C]	Q <sub>coll</sub> /Q <sub>CM</sub>	m <sub>coll</sub> /m <sub>CM</sub>	CM [wt%]
1:1	1	5.6 × 10 <sup>-3</sup>	34–36	1	178	0.56
3:1	1	5.6 × 10 <sup>-3</sup>	35–37	3	535	0.18

and dissemination of cell therapy derived products in sites of interest are determinant for efficient therapeutic applications.

**Injectable Collagen Suspension:** To assess to which extent these systems could be used to fabricate organized 3D shapes, collagen:CM particles were directly suspended in DMEM to mimic the biological environment of the ECM. The pH of DMEM being close to physiological pH, suspension of collagen microparticles in such medium will simultaneously solvate the collagen molecules and induce their self-assembly into a fibrillar collagen gel. Indeed, a dense fibrillar matrix is obtained (Figure S6, Supporting Information), indicating that the fibrillogenesis process of collagen is not destabilized by the encapsulated secretion products. In an attempt to reach higher hierarchical order (i.e., 2D alignment), collagen microbeads were suspended in aqueous solvent and immediately injected in phenol-red free DMEM (Figure 3a, and Video S1, Supporting Information). A final high collagen concentration of 80 mg mL<sup>-1</sup> was successfully injected through a 26G needle, which is comparable to the needles used for fillers. The injection produced strands of fibrillar collagen as characterized by SEM (Figure 3b) and confirmed by TEM (inset in Figure 3b). A drop of collagen hydrogel hanging at the needle end after injection is depicted in Figure S7 (Supporting Information). Collagen fibrils appear more organized on the outer part of the strand than in the inner part, which may be a consequence of the extrusion process (i.e., shearing) as showed by PLM (Figure 3c,c’). Birefringent textures are seen and follow the extrusion direction (orange domains) after inducing a first order retardation with a gamma plate (Figure 3c’). Noticeably, our material is processed in aqueous solvents which induces a swelling phenomenon of the collagen strands (from 260 μm diameter at the tip of the needle to about 400 μm after one week in DMEM). As observed by SEM, fibrils diameter appears homogeneous in size. This characteristic together with the fibrils alignment reminds those of biological dermis tissue (Figure 3d) where the collagen bundles are locally oriented in the same direction under PLM (nematic birefringence texture shown in Figure 3d’) as observed in our material at higher magnification (Figure 3e). Such biological features differ from other 2D oriented collagen materials found in the literature, using larger diameter needles for extrusion<sup>[33]</sup> or electrospinning,<sup>[34]</sup> enlarging the field of applications for injectable anisotropic collagen-based materials.

The advantages of the spray-drying approach for the formation of dense anisotropic collagen microparticles include synthesis in sterile conditions, continuous processing and easy scalability to mass production. The versatility and the robustness of the encapsulation process by aerosol open ways for encapsulating a broad range of biomolecules whose activity requires further evaluation by in vitro and in vivo models for regenerative tissue repair. Injection of the microparticles leads to materials made of 2D oriented collagen fibrils with

tunable structure over several length-scales and composition (e.g., hierarchical organic/inorganic scaffold). The fact that the size of the needle can be adapted to the size of the defect and to the type of tissue without altering the patient’s comfort opens perspectives in collagen-based biomaterials. One step further, these 2D building blocks may serve in 3D-bioprinting to produce oriented collagen fibrils over several centimeters forming biomimetic collagen scaffolds with desired shape.

## Experimental Section


**Processing of Pure Collagen Microparticles:** Collagen solutions were prepared following a procedure described elsewhere<sup>[35]</sup> and the concentration of the sprayed collagen solutions was adjusted to 0.7, 2.1, 3.6, or 5.0 mg mL<sup>-1</sup> by dilution with 0.5 M acetic acid. The beads were formed by using a Büchi 290 mini spray-dryer. Solution flows between 0.3 and 1.5 mL min<sup>-1</sup> were used to reach different final beads sizes. Air flow was set at 414 L h<sup>-1</sup> and aspiration rate at 20 m<sup>3</sup> h<sup>-1</sup>. The inlet temperature was set at 30 °C, measured inlet temperature at 35 ± 1 °C and measured outlet temperature at 21 ± 3 °C. The resulting material consists of a white powder which was collected in a flask at the bottom of the cyclone for characterization.

**Production of CM:** The CM was composed of the secretion products of gMSCs. The gMSCs were isolated from gingiva (surgical stomatology residues collected from healthy subjects). This study was conducted in accordance with ethical principles stated in the declaration of Helsinki. An informed, written consent was obtained from the donors, prior approval by an Institutional Review Board was not required. gMSCs were isolated and cultivated as previously described.<sup>[18]</sup> Briefly, primary explant cultures were amplified in DMEM, fetal calf serum (20%), penicillin (100 μg mL<sup>-1</sup>), streptomycin (100 μg mL<sup>-1</sup>), amphotericin B (2 ng mL<sup>-1</sup>) until they reached confluence. gMSCs were cultivated until 60% confluence, washed three times in PBS and incubated in serum- and antibiotic-free medium for 48 h and frozen at -80 °C. Gingival MSCs’ CM was dialyzed against carbonate buffer (Spectrum® dialysis membrane, 3 kDa) and tagged with FITC before being equilibrated in PBS. For ELISA test, a second dialysis with a sterile solution of polyethylene glycol (PEG, 35 kDa, Fluka) dissolved in milliQ water was performed (see Material and Methods section, Supporting Information). Collagen was tagged using RITC in slightly basic pH and subsequently dissolved in 0.5 M acetic acid. Two different collagen:CM volume ratios were produced (1:1 and 3:1).

**Processing of Collagen Microparticles Containing Bioactive Molecules:** The same spray-drier was used with slight differences as follows. The collagen concentration was kept at 1 wt% and the CM concentration in the final solid particles varied between 0.18 and 0.56 wt% (see Table 1 for details). To limit the pH stress for the secretome we have recurred to a three fluid nozzle (two liquids + air) enabling the contact of the collagen solution and the secretome only at the end of concentric channels at the nozzle tip.

To assess the release kinetics of bioactive factors, 2–3 mg of the resulting powder was mixed with 600 μL of sterile PBS 1X. The resulting suspension was placed at 37 °C in order to mimic a physiological environment. The supernatants were analyzed by ELISA (R&D Systems) at different time points (10 min, 1, 6, and 24 h).

**Injection of Pure Collagen Microparticles in Cell Culture Medium:** Pure collagen beads made from a collagen solution (3.6 mg mL<sup>-1</sup>) were mixed with an aqueous solvent (200 μL) to reach a final concentration of 80 mg mL<sup>-1</sup>. The mixture was quickly transferred to a 1 mL syringe equipped with a 26G1/2” needle. The mixture was injected right after in phenol red-free DMEM in a transparent 5 mL UV cuvette at ambient temperature. After injection the cuvette was hermetically covered with



**Figure 3.** a) Sequence of still images taken from the video of collagen beads ( $80 \text{ mg mL}^{-1}$ ) suspended in aqueous solvent being injected in DMEM medium (phenol red free). b) SEM microscopy image of the final collagen matrix displaying fibrillar organizations and local alignments with the typical cross-striated pattern of type I collagen fibrils as evidenced by TEM (in inset, scale bar  $50 \text{ nm}$ ). c–c'') PLM images of injected fibrillar collagen strands in hydrated state containing birefringent patterns on the surface evidenced by rotating the polarizers from  $45^\circ$ – $135^\circ$  (c') to  $0^\circ$ – $90^\circ$  (c''), typical of alignment domains. c''') PLM image after inducing a first-order retardation with a gamma plate with polarizers at  $0^\circ$ – $90^\circ$ . d) Histology section of rat dermis as observed under the Microscope and d') displaying nematic birefringent textures when observed under crossed polarizers. e) High magnification of the inset in (c'').

1 parafilm and kept for a week at 4 °C before analysis of the injected  
2 material.

3 *Characterization of Collagen Materials:* More information about  
4 Differential scanning calorimetry, laser granulometry, scanning electron  
5 microscopy, circular dichroism, dynamic vapor sorption, confocal  
6 microscopy, TEM samples preparation and observations, release kinetics  
7 of HGF and VEGF can be found in the Supporting Information.

## 8 9 Supporting Information

10 Supporting Information is available from the Wiley Online Library or  
11 from the author.

## 12 13 Acknowledgements

14 M.L. and F.M.F. contributed equally to this work. The authors thank  
15 Bernard Haye and Dr. Carole Aimé for help in the TEM preparation and  
16 CD experiments, respectively. Patrick Le Griel and Dr. Chakib Djediat  
17 are thanked for helping with TEM observations. The authors thank Muriel  
18 Nivet for helping in cell culture. Dr. Cléo Parisi and Camila Bussola  
19 Tovani are warmly thanked for fruitful discussions. This work was  
20 supported by French state funds managed both by the Agence Nationale  
21 de la Recherche (ANR) under reference ANR- 2010-RFCS-0006 and  
22 within the Investissements d'Avenir programme under reference ANR-  
23 11-IDEX-0004-02, more specifically within the framework of the Cluster  
24 of Excellence MATISSE led by Sorbonne Universités. C.S. and N.N.  
25 acknowledge Fondation Collège de France and Fondation EDF.

## 26 27 Conflict of Interest

28 The authors declare no conflict of interest.

## 29 30 Keywords

31 biomaterials, collagen, encapsulation, self-assembly, spray-drying

32 Received: May 2, 2019

33 Revised: November 1, 2019

34 Published online:

- 35  
36  
37  
38  
39  
40  
41  
42  
43 [1] M. M. Giraud Guille, N. Nassif, F. M. Fernandes, *Materials Design*  
44 *Inspired by Nature: Function Through Inner Architecture* **2013**, p. 107.  
45 [2] W. Friess, *Eur. J. Pharm. Biopharm.* **1998**, *45*, 113.  
46 [3] F. Yin Hsu, S. C. Chueh, Y. Jiin Wang, *Biomaterials* **1999**, *20*, 1931.  
47 [4] Miyata, **1986**.  
48 [5] V. Gupta, Y. Khan, C. J. Berkland, C. T. Laurencin, M. Detamore,  
49 *Annu. Rev. Biomed. Eng.* **2017**, *19*, 135.  
50 [6] H. Keshaw, N. Thapar, A. J. Burns, N. Mordan, J. C. Knowles,  
51 A. Forbes, R. M. Day, *Acta Biomater.* **2010**, *6*, 1158.  
52 [7] W. Shao, K. W. Leong, *J. Biomater. Sci., Polym. Ed.* **1996**, *7*, 389.

- 53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000