



HAL
open science

Asynchronous Gathering in a Torus

Sayaka Kamei, Anissa Lamani, Fukuhito Ooshita, Sébastien Tixeuil, Koichi Wada

► **To cite this version:**

Sayaka Kamei, Anissa Lamani, Fukuhito Ooshita, Sébastien Tixeuil, Koichi Wada. Asynchronous Gathering in a Torus. 2021. hal-03112017

HAL Id: hal-03112017

<https://hal.sorbonne-universite.fr/hal-03112017v1>

Preprint submitted on 15 Jan 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Asynchronous Gathering in a Torus

Sayaka Kamei¹, Anissa Lamani², Fukuhito Ooshita³, Sébastien Tixeuil⁴, and Koichi Wada⁵

¹ Graduate School of Advanced Science and Engineering, Hiroshima University, Japan

² University of Strasbourg, ICube, France

³ Graduate School of Science and Technology, Nara Institute of Science and Technology, Japan.

⁴ Sorbonne University, CNRS, LIP6, France.

⁵ Faculty of Science and Engineering, Hosei University, Japan.

Abstract. We consider the gathering problem for asynchronous and oblivious robots that cannot communicate explicitly with each other, but are endowed with visibility sensors that allow them to see the positions of the other robots. Most of the investigations on the gathering problem on the discrete universe are done on ring shaped networks due to the number of symmetric configurations. We extend in this paper the study of the gathering problem on torus shaped networks assuming robots endowed with local weak multiplicity detection. That is, robots cannot make the difference between nodes occupied by only one robot from those occupied by more than one robots unless it is their current node. As a consequence, solutions based on creating a single multiplicity node as a landmark for the gathering cannot be used. We present in this paper a deterministic algorithm that solves the gathering problem starting from any rigid configuration on an asymmetric unoriented torus shaped network.

1 Introduction

We consider autonomous robots [21] that are endowed with visibility sensors and motion actuators, yet are unable to communicate explicitly. They evolve in a discrete environment, *i.e.*, their space is partitioned into a finite number of locations, conveniently represented by a graph, where the nodes represent the possible locations that a robot can be, and the edges denote the possibility for a robot to move from one location to another.

Those robots must collaborate to solve a collective task despite being limited with respect to computing capabilities, inputs from the environment, etc. In particular, the robots we consider are anonymous, uniform, yet they can sense their environment and take decisions according to their own ego-centered view. In addition, they are oblivious, *i.e.*, they do not remember their past actions. Robots operate in *cycles* that include three phases: *Look*, *Compute*, and *Move* (LCM for short). The Look phase consists in taking a snapshot of the other robots positions using a robot’s visibility sensors. During the Compute phase, a robot computes a target destination based on its previous observation. The Move phase simply consists in moving toward the computed destination using motion actuators. Using LCM cycles, three execution models have been considered in the literature, capturing the various degrees of synchrony between robots. According to current taxonomy [11], they are denoted FSYNC, SSYNC, and ASYNC, from the stronger to the weaker. FSYNC stands for *fully synchronous*. In this model, all robots execute the LCM cycle synchronously and atomically. In the SSYNC (*semi-synchronous*) model, robots are asynchronously activated to perform cycles, yet at each activation, a robot executes one cycle atomically. With the weaker model, ASYNC (*asynchronous*), robots execute LCM in a completely independent manner. Of course, the ASYNC model is the most realistic.

In the context of robots evolving on graphs, the two benchmarking tasks are *exploration* [13] and *gathering* [4]. In this paper, we address the *gathering* problem, which requires that robots eventually all meet at a single node, not known beforehand, and terminate upon completion.

We focus on the case where the network is an *anonymous unoriented torus* (or simply *torus*, for short). The terms *anonymous* and *unoriented* mean that no robot has access to any kind external information (*e.g.*, node identifiers, oracle, local edge labeling, etc.) allowing to identify nodes or to determine any (global or local) direction, such as North-South/East-West. Torus networks were previously investigated for the purpose of exploration by Devismes et al.[9].

Related Works. Mobile robot gathering on graphs was first considered for ring-shaped graphs. Klasing *et al.* [18,17], who proposed gathering algorithms for rings with *global-weak* multiplicity detection. Global-weak multiplicity detection enables a robot to detect whether the number of robots on each node is one, or more than one. However, the exact number of robots on a given node remains unknown if there is more than one robot on the node. Then, Izumi *et al.* [14] provided a gathering algorithm for rings with *local-weak* multiplicity detection under the assumption that the initial configurations are non-symmetric and non-periodic, and that the number of robots is less than half the number of nodes. Local-weak multiplicity detection enables a robot to detect whether the number of robots on its *current* node is one, or more than one. This condition was slightly relaxed by Kamei *et al.* [15]. D’Angelo *et al.* [6] proposed unified ring gathering algorithms for most of the solvable initial configurations, using local-weak multiplicity detection. Overall, for rings, relatively few open cases remain [1], as algorithm synthesis was demonstrated feasible [19].

The case of gathering in tree-shaped networks was investigated by D’Angelo *et al.* [7] and by Di Stefano *et al.* [20]. Hypercubes were the focus of Bose *et al.* [2]. Complete and complete bipartite graphs were outlined by Cicerone *et al.* [5], and regular bipartite by Guilbault *et al.* [12]. Finite grids were studied by D’Angelo *et al.* [7], Das *et al.* [8], and Castenow *et al.* [3], while infinite grids were considered by Di Stefano *et al.* [20], and by Durjoy *et al.* [10]. Results on grids and infinite grids do not naturally extend to tori. On the one hand, the proof arguments for impossibility results on the grid can be extended for the torus, since their indistinguishability criterium remains valid. So, if a torus admits an edge symmetry (the robot positions are mirrored over an axial symmetry traversing an edge), or is periodic (a non-trivial translation leaves the robot positions unchanged), gathering is impossible on a torus. On the other hand, both the finite and the infinite grid allow algorithmic tricks to be implemented. For example, the finite grid has three classes of nodes: corners (of degree 2), borders (of degree 3), and inner nodes (of degree 4), and those three classes permit the robots to obtain some sense of direction. By contrast, the infinite grid makes a difference between two locations: the inner space (the set of nodes within the convex hull formed by the robot positions) and the outer space (the rest of the infinite grid), which also give some sense of direction. Now, every node in a torus has degree 4, and no notion of inner/outer space can be defined. To our knowledge, torus-shaped networks were never considered before for the gathering problem. The aforementioned work by Devismes *et al.* [9] only considers the exploration task.

Our contribution. We consider the problem of gathering on torus-shaped networks. In more details, for initial configurations that are *rigid* (i.e. neither symmetric nor periodic), we propose a distributed algorithm that gather all robots to a single node, not known beforehand. We only make use of local-weak multiplicity detection: robots may only know whether at least one other robot is currently hosted at their hosting node, but cannot know the exact number, and are also unable to retrieve multiplicity information from other nodes. Furthermore, robots have no common notion of North, and no common notion of handedness. Finally, robots operate in the most general and realistic ASYNC execution model.

2 Model

In this paper, we consider a distributed system that consists of a collection of $\mathcal{K} \geq 3$ robots evolving on a non-oriented and anonymous (ℓ, L) -torus (or simply torus for short) of n nodes. Values ℓ and L are two integers such that (definition borrowed from Devismes *et al.* [9]):

1. $n = \ell \times L$
2. Let E be a finite set of edges. There exists an ordering v_1, \dots, v_n of the nodes of the torus such that $\forall i \in \{1, \dots, n\}$:
 - if $i + \ell \leq n$, then $\{i, (i + \ell)\} \in E$, else $\{i, (i + \ell) \bmod n\} \in E$.
 - if $i \bmod \ell \neq 0$, then $\{i, i + 1\} \in E$, else $\{i, i - \ell + 1\} \in E$.

Given the previous ordering v_1, \dots, v_n , for every $j \in \{0, \dots, L - 1\}$, the sequence $v_{1+j \times \ell}, v_{2+j \times \ell}, \dots, v_{\ell+j \times \ell}$ is called an ℓ -ring. Similarly, for every $k \in \{1, \dots, \ell\}$, $v_k, v_{k+\ell}, v_{k+2 \times \ell}, \dots, v_{k+(L-1) \times \ell}$ is called an L -ring. In the sequel, we use the term *ring* to designate an ℓ -ring or an L -ring.

On the torus operate $\mathcal{K} \geq 3$ identical robots, i.e., they all execute the same algorithm using no local parameters and one cannot distinguish them using their appearance. In addition, they are oblivious, i.e.,




Fig. 1. Instance of a symmetric configuration and a periodic configuration

they cannot remember the operations performed before. No direct communication is allowed between robots however, we assume that each robot is endowed with visibility sensors that allow him to see the position of the other robots on the torus. Robots operate in cycles that comprise three phases: *Look*, *Compute* and *Move*. During the first phase (*Look*), each robot takes a snapshot to see the positions of the other robots on the torus. In the second phase (*Compute*), they decide to either stay idle or move. In the case they decide to move, a neighboring destination is computed. Finally, in the last phase (*Move*), they move to the computed destination (if any).

At each instant t , a subset of robots is activated for the execution by an external entity known as the *scheduler*. We assume that the scheduler is fair, i.e., all robots must be activated infinitely many times. The model considered in this paper is the asynchronous model (ASYNC) also known as the *CORDA* model. In this model, the time between *Look*, *Compute* and *Move* phases, is finite but not bounded. In our case, we add a constraint that is the move operation is instantaneous, i.e., when a robot performs a look operation, it sees all the robots on nodes and never on edges. However, note that even under this constraint, each robot may move according to an outdated view, i.e., the robot takes a snapshot to see the positions of the other robots, but when it decides to move, some other robots may have moved already.

In this paper, we refer by $v_{i,j}$ to the j^{th} node located on ℓ_i . By $d_{i,j}(t)$ we denote the number of robots on node $v_{i,j}$ at time t . We say that $v_{i,j}$ is empty if $d_{i,j}(t) = 0$. Otherwise, $v_{i,j}$ is said to be occupied. In the case where $d_{i,j}(t) = 1$, we say that there is a single robot on $v_{i,j}$. By contrast, if $d_{i,j}(t) \geq 2$, we say that there is a multiplicity on $v_{i,j}$. In this paper, we assume that robots have a local weak multiplicity detection, that is, for any robot r , located at node u , r can only detect a multiplicity on its current node u (local). Moreover, r cannot be aware of the exact number of robots part of the multiplicity (weak).

During the process, some robots move and occupy at any time some nodes of the torus, their positions form the configuration of the system at that time. At instant $t = 0$, we assume that each node is occupied by at most one robot, i.e., the initial configuration contains no multiplicities.

In the following, we assume that for any occupied node $v_{i,j}$, independently of the number of robots on $v_{i,j}$, $d_{i,j}(t) = 1$. For any $i, j \geq 0$, let $\delta_{i,j}^+(t)$ denote the sequence $\langle d_{i,j}(t), d_{i,j+1}(t), \dots, d_{i,j+\ell-1}(t) \rangle$, and let $\delta_{i,j}^-(t)$ denote the sequence $\langle d_{i,j}(t), d_{i,j-1}(t), \dots, d_{i,j-(\ell-1)}(t) \rangle$. Similarly, let $\Delta_{i,j}^{+s}(t)$ be the sequence $\langle \delta_{i,j}^s(t), \delta_{i+1,j}^s(t), \dots, \delta_{i+(L-1),j}^s(t) \rangle$ and $\Delta_{i,j}^{-s}(t)$ to be the sequence $\langle \delta_{i,j}^s(t), \delta_{i-1,j}^s(t), \dots, \delta_{i-(L-1),j}^s(t) \rangle$ with $s \in \{+, -\}$.

The view of a given robot r located on node $v_{i,j}$ at time t is defined as the pair $view_r(t) = (\mathcal{V}_{i,j}(t), m_j)$ where $\mathcal{V}_{i,j}(t)$ consists of the four sequences $\Delta_{i,j}^{++}, \Delta_{i,j}^{+-}, \Delta_{i,j}^{-+}, \Delta_{i,j}^{--}$ ordered in the lexicographical order and $m_j = 1$ if v_j hosts a multiplicity and $m_j = 0$ otherwise.

By $view_r(t)(1)$, we refer to $\mathcal{V}_{i,j}(t)$ in $view_r(t)$. Let r and r' be two robots satisfying $view_r(t)(1) > view_{r'}(t)(1)$. Robot r is said in this case to have a larger view than r' . Similarly, r is said to have the largest view at time t , if for any robots $r' \neq r$, not located on the same node as r , $view_r(t)(1) > view_{r'}(t)(1)$ holds.

A configuration is said to be rigid at time t , if for any two robots r and r' , located on two different nodes of the torus, $view_r(t)(1) \neq view_{r'}(t)(1)$ holds.




Fig. 2. Instance of two adjacent/ neighboring ℓ -rings

A configuration is said to be periodic at time t if there exist two integers i and j such that $i \neq j$, $i \neq 0 \pmod{\ell}$, $j \neq 0 \pmod{L}$, and for every robot $r_{(x,w)}$ located on ℓ_x at node $v_{x,w}$, $view_{r_{(x,w)}}(t)(1) = view_{r_{(x+i,w+j)}}(t)(1)$ (An example is given in Fig. 1).

As defined by D'Angelo et al. [7], a configuration is said to be symmetric at time t , if the configuration is invariant after a reflexion with respect to either a vertical or a horizontal axis. This axis is called axis of symmetry (An example is given in Fig. 1).

In this paper, we consider asymmetric (ℓ, L) -torus, i.e., $\ell \neq L$. We assume without loss of generality that $L < \ell$. In this case, we can differentiate two sides of the torus. We denote by $nb_{\ell_i}(C)$ the number of occupied nodes on ℓ -ring ℓ_i , in configuration C . An ℓ -ring ℓ_i is said to be maximal in C if $\forall j \in \{1, \dots, \ell\} \setminus \{i\}$, $nb_{\ell_j}(C) \leq nb_{\ell_i}(C)$.

Given a configuration C and two ℓ -rings ℓ_i and ℓ_j . We say that ℓ_j is adjacent to ℓ_i if $|i - j| = 1 \pmod{L}$ holds. Similarly, we say that ℓ_j is neighbor of ℓ_i in configuration C if $nb_{\ell_j}(C) > 0$ and $nb_{\ell_k}(C) = 0$ for any $k \in \{i + 1, i + 2, \dots, j - 1\}$ or $k \in \{i - 1, i - 2, \dots, j + 1\}$. For instance, in Figure 2, ℓ_1 and ℓ_2 are adjacent while ℓ_2 and ℓ_3 are neighbors.

We also define $dis(x_i, x_j)$ to be a function which returns the shortest distance, in terms of hops, between x_i and x_j where x_i and x_j are two nodes of the torus. We sometimes write $x_i = r_i$ where r_i is a robot. In this case, x_i refers to the node that hosts r_i . Finally, we use the notion of d .block to refer to a sequence of consecutive nodes in which there are occupied nodes each d hops (distance).

3 Algorithm

We describe in the following our strategy to solve the gathering problem in the predefined settings. Before explaining our algorithm in details, let us first define an important set configurations.

A configuration C is called C_{target} if there are three ℓ -rings ℓ_{max} , $\ell_{secondary}$ and ℓ_{target} satisfying following properties:

1. ℓ_{max} is the unique maximal ℓ -ring in C .
2. $\ell_{secondary}$ and ℓ_{target} are adjacent to ℓ_{max} .
3. $nb_{\ell_{secondary}}(C) = 0$.
4. ℓ_{target} satisfies exactly one of the following conditions:
 - (a) $nb_{\ell_{target}}(C) = 1$. We refer to the occupied node on ℓ_{target} by v_{target} .
 - (b) $nb_{\ell_{target}}(C) = 2$. Let us refer to the robots on ℓ_{target} by r_1 and r_2 respectively. Then, r_1 and r_2 are at distance 2 from each other. We refer to the node that has two adjacent occupied nodes on ℓ_{target} by v_{target} .
 - (c) $nb_{\ell_{target}}(C) = 3$. In this case, there is three consecutive occupied nodes on ℓ_{target} . By v_{target} , we refer to the unique node on ℓ_{target} that has two adjacent nodes on ℓ_{target} .

Some instances of C_{target} configurations are presented in Figure 3. We call v_{target} *target node*.




Fig. 3. Three instances of \mathcal{C}_{target} configurations

Let \mathcal{C}_{target} be the set of all \mathcal{C}_{target} configurations. Our algorithm consists of two phases as explained in the following:

1. **Preparation Phase.** This phase starts from an arbitrary rigid configuration C_0 in which there is at most one robot on each node, i.e., no node contains a multiplicity. The aim of this phase is to reach a configuration $C \in \mathcal{C}_{target}$.
2. **Gathering Phase.** Starting from a configuration $C \in \mathcal{C}_{target}$ configuration, robots perform the gathering task in such a way that at the end of this phase, all robots are, and remain, on the same node, i.e., the gathering is achieved.

Let us refer by \mathcal{C}_{p_1} (respectively \mathcal{C}_{p_2}) to the set of configurations that appear during the Preparation (respectively the Gathering) phase. Let C be the current configuration, robots execute Protocol 1.

Protocol 1 Main protocol

if $C \in \mathcal{C}_{p_2}$ **then**
 Execute **Gathering phase**
else
 Execute **Preparation phase**
end if

Observe that $\mathcal{C}_{p_1} \cap \mathcal{C}_{p_2} = \emptyset$ and $\mathcal{C}_{target} \subset \mathcal{C}_{p_2}$.

We also define the following predicates on a given configuration C :

- **Unique**(C): There exists a unique $i \in \{1, 2, \dots, L\}$ such that $\forall j \in \{1, \dots, L\} \setminus \{i\}, nb_{\ell_j}(C) < nb_{\ell_i}(C)$.
- **Empty**(C): $(C \in \mathcal{C}_{target}) \wedge (\forall i \in \{1, \dots, L\}, \text{such that } \ell_i \neq \ell_{target} \text{ and } \ell_i \neq \ell_{max}, nb_{\ell_i}(C) = 0)$.
- **Partial**(C): $(C \in \mathcal{C}_{target}) \wedge (\exists i \in \{1, \dots, L\}, \text{such that } \ell_i \neq \ell_{target} \text{ and } \ell_i \neq \ell_{max}, nb_{\ell_i}(C) \neq 0)$.

Given a configuration C , **Unique**(C) indicates that C contains a unique maximal ℓ -ring ℓ_{max} . **Empty**(C) indicates that all the ℓ -rings in C , except for ℓ_{max} and ℓ_{target} , are empty. By contrast, **Partial**(C) indicates that there is at least one ℓ -ring besides ℓ_{max} and ℓ_{target} that is occupied (has at least one occupied node).

3.1 Procedure Align

Let us present a procedure referred to by **Align**(ℓ_i, ℓ_k) which is called by our algorithm to align robots on ℓ_i with respect to robots positions on ℓ_k . The procedure is only called when the following properties hold on both ℓ_i and ℓ_k :

1. $nb_{\ell_i}(C) = j$ with $j \in \{2, \dots, 5\}$, i.e., there are at least two and at most five robots on ℓ_i .

2. $nb_{\ell_i}(C) > nb_{\ell_k}(C)$ holds, and either (1) $nb_{\ell_k}(C) = 1$ or (2) $nb_{\ell_k}(C) = 2$ and ℓ_k contains a 2.block or (3) $nb_{\ell_k}(C) = 3$ and ℓ_k contains a 1.block of size 3. Let u_{mark} be the node on ℓ_k that is
 - occupied if $nb_{\ell_k}(C) = 1$.
 - empty in the 2.block if $nb_{\ell_k}(C) = 2$.
 - occupied in the middle of the 1.block if $nb_{\ell_k}(C) = 3$.

Let u_1, u_2, u_3, u_4 and u_5 be five consecutive nodes on ℓ_i such that u_3 is on the same L -ring as u_{mark} . This notation is used for explanation purposes only, recall that the nodes are anonymous. The purpose of procedure **Align**(ℓ_i, ℓ_k) is to align robots on ℓ_i with respect to the robots on ℓ_k . Depending on the number of robots on ℓ_i and ℓ_k , the following cases are possible:

- a) $nb_{\ell_i}(C) = 2$. In this case, **Align**(ℓ_i, ℓ_k) is only called when $nb_{\ell_k}(C) = 1$. The aim is to create a 2.block on ℓ_i whose middle node is on the same L -ring as u_{mark} (refer to Figure 4). Let r_1 and r_2 be the two robots on ℓ_i . The aim is to make the robots on ℓ_i move to reach a configuration in which both u_2 and u_4 are occupied. Observe that in the desired configuration, robots r_1 and r_2 form a 2.block whose unique middle node is u_3 .
 - If u_3 is occupied and without loss of generality it hosts r_1 . Robot r_1 is the one allowed to move. If both u_2 and u_4 are empty and without loss of generality $dist(r_2, u_2) < dist(r_2, u_4)$ then r_1 moves to u_4 . If $dist(r_2, u_2) = dist(r_2, u_4)$, then r_1 moves to either u_2 or u_4 (the adversary chooses a node to which r_1 moves to).
 - If u_3 is empty then assume without loss of generality that the path on ℓ_i between r_1 (respectively r_2) and u_2 (respectively u_4) is empty. If u_2 (respectively u_4) is an empty node then r_1 (respectively r_2) moves on its adjacent empty node on the empty path toward u_2 (respectively u_4).




Fig. 4. **Align**(ℓ_i, ℓ_k) when $nb_{\ell_i}(C) = 2$

- b) $nb_{\ell_i}(C) = 3$. The aim of **Align**(ℓ_i, ℓ_k) is to create a 1.block of size 3 whose middle occupied node is on u_3 (refer to Figure 5). To this end, the robots behave as follows: Let r_1, r_2 and r_3 be the three robots on ℓ_i .
 - If u_3 is occupied (assume without loss of generality that r_1 is on u_3) then r_2 and r_3 are both allowed to move. Assume without loss of generality that there is an empty path on ℓ_i between r_2 and u_2 respectively r_3 and u_4 . The destination of r_2 (resp. r_3) is its adjacent node on ℓ_i toward u_2 (resp. u_4).
 - If u_3 is empty, then the aim of the robots is to make u_3 occupied without creating a tower. To this end, we identify two special cases $c1$ and $c2$.
 - In Case $c1$: r_1, r_2 and r_3 form a 1.block and the two extremities of the 1.block are equidistant to u_3 (Assume without loss of generality that r_1 and r_3 are at the ones at the borders of the 1.block, refer to Figure 6). Both r_1 and r_3 are allowed to move. Their respective destination is their adjacent node on ℓ_i outside the 1.block they belong to.
 - In Case $c2$: without loss of generality, r_1 and r_2 form a 1.block while r_3 is at distance 2 from r_2 . Moreover, $dis(r_1, u_3) = dis(r_3, u_3) + 1$ (refer to Figure 6). Robot r_1 is the only one allowed to move, its destination is its adjacent empty node. Observe that Case $c2$ can be reached from Case $c1$ when a unique robot moves outside the block it belongs to. Case $c2$ ensures that the second robot that was supposed to move, also moves.

Finally, if neither Case $c1$ nor Case $c2$ hold then, let R_m be the set of robots that are the closest to u_3 . If $|R_m| = 2$ then the third robot (not in R_m), say r_2 , is used to break the symmetry, i.e., the

robot that is allowed to move is the one that is the closest to r_2 . Its destination is its adjacent empty node on ℓ_i on the empty path toward u_3 . If r_2 is equidistant from both robots in R_m then r_2 first moves to one of its adjacent empty nodes on ℓ_i (the choice is made by the adversary), the symmetry is then broken. If $|R_m| = 1$, then the unique robot on R_m moves to its adjacent empty node on its current ℓ -ring taking the shortest path to u_3 .




Fig. 5. $\text{Align}(\ell_i, \ell_k)$ when $nb_{\ell_i}(C) = 3$




Fig. 6. Special cases $c1$ and $c2$

c) $nb_{\ell_i}(C) = 4$. The aim of $\mathbf{Align}(\ell_i, \ell_k)$ is to create two 1.blocks of size 2 being at distance 2 from each other in such a way that the unique empty node between the two 1.blocks is on the same L -ring as u_{mark} (refer to Figure 7). Let r_1, r_2, r_3 and r_4 be the four robots on ℓ_i , we distinguish the following two cases:

- (a) Node u_3 is empty. Let \rightarrow and \leftarrow be two directions of the ℓ -ring starting from u_3 . Let $r_1 \leq r_2 \leq r_3 \leq r_4$ be the ordering of robots according to their distance to u_3 with respect to a given direction \rightarrow , i.e., r_1 is the closest to u_3 with respect to \rightarrow while r_4 is the farthest one. Observe that the order of the robots according to their distance to u_3 with respect \leftarrow is $r_4 \leq r_3 \leq r_2 \leq r_1$. If u_2 (respectively u_4) is empty then r_1 (respectively r_4) moves toward u_3 with respect to the direction \rightarrow (respectively \leftarrow). If u_2 is occupied while u_1 is empty (respectively u_4 is occupied while u_5 is empty) then r_2 (respectively r_3) moves toward u_1 (respectively u_5) with respect to the direction \rightarrow (respectively \leftarrow).
- (b) Note u_3 is occupied. (i) If both u_2 and u_4 are empty then, the robots on u_3 moves to one of its adjacent nodes on ℓ_i (either u_2 or u_4 , the choice is made by the scheduler). (ii) if without loss of

generality, u_2 is empty while u_4 is occupied then the robot on u_3 moves to u_2 . Finally, (iii) if both u_2 and u_4 are occupied then since $nb_{\ell_i}(C) = 4$, we are sure that either u_1 or u_5 is empty. If without loss of generality, if only u_1 is empty then the robot on u_2 moves to u_1 . If both u_1 and u_5 are empty then assume that r_1 is the robot not part of the 1.block of size 3 on ℓ_i . If $dis(u_1, r_1) = dis(u_5, r_1)$ then r_1 moves to one of its adjacent empty node on ℓ_i (the choice is made by the adversary). By contrast, if without loss of generality, $dis(u_1, r_1) < dis(u_5, r_1)$, then r_1 moves to its adjacent empty node toward u_1 .




Fig. 7. $Align(\ell_i, \ell_k)$ when $nb_{\ell_i}(C) = 4$

d) $nb_{\ell_i}(C) = 5$. The aim of $\mathbf{Align}(\ell_i, \ell_k)$ is to create a 1.block of size 5 whose middle robot is on the same L -ring as u_{mark} . Let \rightarrow and \leftarrow be two directions of the ℓ -ring starting from u_3 . Let $r_1 \leq r_2 \leq r_3 \leq r_4 \leq r_5$ be the ordering of robots according to their distance to u_3 with respect to a given direction \rightarrow , i.e., r_1 is the closest to u_3 with respect to \rightarrow while r_5 is the farthest one.

- If u_3 is occupied, then u_3 hosts r_1 by assumption. If u_2 (respectively u_5) is empty then r_2 (respectively r_5) is allowed to move. Its destination is its adjacent node on ℓ_i towards u_2 (respectively u_4) taking the empty path. If u_2 (respectively u_4) is occupied then robot r_3 (respectively r_4) is allowed to move. Its destination is its adjacent node on ℓ_i toward u_2 (respectively u_4) taking the empty path.
- If u_3 is empty, then as for the case in which $nb_{\ell_i}(C) = 3$, robots need to be careful not to create a tower. We first distinguish some special configurations that help us deal with robot with potentially outdated view. These cases are presented in Figures 8 and 9 along with the robots to move. If robots are not in any of these special cases then they proceed as follows: Let R be the set of the robots on ℓ_i which are the closest to u_3 . If $|R| = 1$ then the unique robot in R moves to its adjacent empty node toward u_3 taking the shortest path. By contrast, if $|R| = 2$ then by assumption r_1 and r_5 are equidistant from u_3 . To choose the one to move, the two robots compare $dist(r_1, r_3)$ and $dist(r_5, r_3)$. If $dist(r_1, r_2) = dist(r_5, r_4)$ then r_3 moves to one of its adjacent empty node on ℓ_i (Observe that the case in which there is no such empty node is handled by the special configurations identified in Figures 8 and 9). Finally, if without loss of generality, r_3 is closer to r_1 than r_5 , then r_1 is the one to move.




Fig. 8. $\text{Align}(\ell_i, \ell_k)$ when $nb_{\ell_i}(C) = 5$




Fig. 9. $\text{Align}(\ell_i, \ell_k)$ when $nb_{\ell_i}(C) = 5$

3.2 Preparation phase

Let $C \in \mathcal{C}_{p1}$. The main purpose of this phase is to reach a configuration $C' \in \mathcal{C}_{target}$ from C . For this aim, robots first decrease the number of maximal ℓ -rings to reach a configuration C'' in which $\text{Unique}(C'')$ is true. From C'' , a configuration $C' \in \mathcal{C}_{target}$ is then created. In the case in which $\text{Unique}(C)$ is true, we refer to the unique maximal ℓ -ring in C by ℓ_{max} and to the two adjacent ℓ -rings of ℓ_{max} by respectively ℓ_k and ℓ_i . To ease the description of our this phase, we distinguish five main sets of configurations when **Unique(C) is true**:

1. Set \mathcal{C}_{Empty} : $C \in \mathcal{C}_{Empty}$ if $nb_{\ell_i}(C) = nb_{\ell_k}(C) = 0$.
2. Set $\mathcal{C}_{Semi-Empty}$: $C \in \mathcal{C}_{Semi-Empty}$ if without loss of generality $nb_{\ell_i}(C) = 0$ and $nb_{\ell_k}(C) > 1$.
3. Set $\mathcal{C}_{Oriented}$: $C \in \mathcal{C}_{Oriented}$ if without loss of generality $nb_{\ell_i}(C) = 1$ and $nb_{\ell_k}(C) > 1$. Set $\mathcal{C}_{Oriented}$ includes:
 - (a) $\mathcal{C}_{Oriented-1}$. In this case either (i) $nb_{\ell_k}(C) = 3$ and ℓ_k contains a 1.block of size 3 whose middle robot is on the same L -ring as the unique occupied node on ℓ_i . (ii) $nb_{\ell_k}(C) = 2$ and ℓ_k contains a 2.block. Moreover, the unique empty node in the 2.block is on the same L -ring as the unique robot on ℓ_i .
 - (b) $\mathcal{C}_{Oriented-2}$. Contains all the configuration in $\mathcal{C}_{Oriented}$ that are not in $\mathcal{C}_{Oriented-1}$. That is, $\mathcal{C}_{Oriented-2} = \mathcal{C}_{Oriented} - \mathcal{C}_{Oriented-1}$.
4. Set $\mathcal{C}_{Semi-Oriented}$: $C \in \mathcal{C}_{Semi-Oriented}$ if without loss of generality $nb_{\ell_i}(C) = 1$ and $nb_{\ell_k}(C) = 1$.
5. Set $\mathcal{C}_{Undefined}$: $C \in \mathcal{C}_{Undefined}$ if $nb_{\ell_i}(C) > 1$ and $nb_{\ell_k}(C) > 1$.

Robots behavior We describe in the following robots behavior during the preparation phase. Let C be the current configuration. Recall that if $\text{Unique}(C)$ is false then robots first aim at decreasing the number of maximal ℓ -rings to reach a configuration C' in which $\text{Unique}(C')$ is true. From there, robots create a configuration $C'' \in \mathcal{C}_{target}$. That is, we distinguish the following two cases:

1. **Unique(C) is false.** The idea of the algorithm is to reduce the number of maximal ℓ -rings while keeping the configuration rigid. We distinguish two cases:
 - (a) $nb_{\ell_{max}}(C) = \ell$. Using the rigidity of C , a single maximal ℓ -ring is selected and a single robot on this ℓ -ring is selected to move. Its destination is its adjacent occupied node on its current ℓ -ring. The robot to move is the one that keeps the configuration rigid (the existence of such a robot is proven in Lemma 2).
 - (b) $nb_{\ell_{max}}(C) < \ell$. As there is at least one empty node on each maximal ℓ -ring, the idea is to fill exactly one of these nodes. Let R be the set of robots that are the closest to an empty node on a maximal ℓ -ring. Under some conditions, using the rigidity of C , one robot of R , say r , is elected to move. Its destination is its adjacent empty node toward the closest empty node on a maximal ℓ -ring, say u , taking the shortest path. Among robots in the set R , the robot to move is the one that does not create a symmetric configuration. If no such robot exists in R then, some extra steps are taken to make sure that the configuration remains rigid. We discuss the various cases in what follows :
 - Assume that C contains exactly two occupied ℓ -rings. This means that C contains two maximal ℓ -rings and r belongs to a maximal ℓ -ring. Using the rigidity of C , one robot is elected to move, its destination is its adjacent empty node on an empty ℓ -ring.
 - If C contains more than two occupied ℓ -rings then the robots proceed as follows: let r be the robot in R with the largest view. By u and target- ℓ we refer to respectively the closest empty node on a maximal ℓ -ring to r and the ℓ -ring including u . If by moving, r does not create a symmetric configuration then r simply moves to its adjacent node toward u taking the shortest path. By contrast, if by moving r creates a symmetric configuration then let C' be the configuration reached once r moves. Using configuration C' that each robot can compute without r moving, a robot in C is selected to move. We show later on that a symmetric configuration can only be reached when r joins an empty node on the same L -ring as u for the first time or when it joins u . For the other cases, the configuration remains rigid (refer to Lemma 4, Claims 1 and 2). Hence, we only consider the following two cases:




Fig. 10. On the left, r is suppose to move but by moving, it creates a symmetric configuration C' shown in the middle. The robot on target- ℓ on the same L -ring as r moves to u .

- i. Robot r joins an empty node on the same L -ring as u for the first time in C' . In this case, in C , the robot that is on target- ℓ being on the same L -ring as r moves to u (refer to Figure 10).
- ii. Robot r joins u in C' . If in C' there are only two occupied ℓ -rings then using the rigidity of C , one robot from a maximal ℓ -ring is elected to move. Its destination is its adjacent empty node on an empty ℓ -ring. By contrast, if there are more than two occupied ℓ -rings in C' then robots proceed as follows:
 - If the axes of symmetry lies on the unique ℓ_{max} in C' then we are sure that there are two ℓ -rings which are maximal in C and that are symmetric with respect to the unique maximal ℓ -ring in C' . Using the rigidity of C , one robot from such an ℓ -ring is allowed to move. Its destination is its adjacent empty node on its current ℓ -ring.
 - If the axes of symmetry is perpendicular to the unique maximal ℓ -ring in C' then let T be the set of occupied ℓ -rings in C without target- ℓ . If there is an ℓ -ring in T which does not contain two 1.blocks separated by a single empty node on each side then using the rigidity of C , a single robot on such an ℓ -ring which is the closest to the biggest 1.block is elected to move. Its destination is the closest 1.block. If there no such ℓ -ring in T (all ℓ -rings contains two 1.blocks separated by a unique empty node, then using the rigidity of C , one robot being on an ℓ -ring of T who has an empty node as a neighbor on its ℓ -ring is elected to move. Its destinations is its adjacent empty node on its current ℓ -ring.

Note that we only discussed the cases in which the reached configuration is either rigid and symmetric. We will show in the correctness proof that when r moves, it cannot create a periodic configuration. This is mainly due to the fact that in C' there is a unique maximal ℓ -ring and C is assumed to be rigid.

2. **Unique(C) is true.** From C , robots aim to create a configuration $C' \in \mathcal{C}_{target}$. Let ℓ_{max} be the unique maximal ℓ -ring and let ℓ_i and ℓ_k be the two adjacent ℓ -rings of ℓ_{max} . We use the set of configurations defined previously to describe robots behavior:
 - (a) $C \in \mathcal{C}_{Empty}$. Let ℓ_{n_i} and ℓ_{n_k} be the two neighboring ℓ -rings of ℓ_{max} (one neighboring ℓ -ring from each direction of the torus). Observe that in the case where $\ell_{n_i} = \ell_{n_k} = \ell_{max}$, then C contains a single ℓ -ring that is occupied. Using the rigidity of C , one robot from C is selected to move to its adjacent empty node outside its ℓ -ring (the scheduler chooses the direction to take: move toward ℓ_i or ℓ_k). Otherwise, let R_m be the set of robots which are the closest to either ℓ_i or ℓ_k . If $|R_m| = 1$ then, the unique robot in R_m , referred to by r , is the one allowed to move. Assume without loss of generality that r is the closest to ℓ_i . The destination of r is its adjacent empty node outside its current ℓ -ring on the shortest empty path toward ℓ_i . If r is the closest to both ℓ_i and ℓ_k then the scheduler chooses the direction to take (it moves either toward ℓ_i or ℓ_k). In the case where $|R_m| > 1$ (R_m contains more than one robot) then, by using the rigidity of C , one robot r is selected to move. Its behavior is the same as r in the case where $|R_m| = 1$.
 - (b) $C \in \mathcal{C}_{Semi-Empty}$. Without loss of generality $nb_{\ell_k}(C) > 1$ and $nb_{\ell_i}(C) = 0$. We distinguish two cases as follows:
 - i. $nb_{\ell_k}(C) > 3$ or $nb_{\ell_k}(C) = 2$. Recall that $C \notin \mathcal{C}_{target}$. Let " \uparrow " be the direction defined from ℓ_{max} to ℓ_k taking the shortest path and let ℓ_n be the ℓ -ring that is neighbor of ℓ_i . Observe that $\ell_n = \ell_k$ is possible (in the case where only two ℓ -rings are occupied in C). Using the rigidity

- of configuration C , one robot from ℓ_n is elected. This robot is the one allowed to move, its destination is its adjacent node outside ℓ_n and towards ℓ_i with respect to the direction \uparrow .
- ii. $nb_{\ell_k}(C) = 3$. Again, recall that $C \notin \mathcal{C}_{target}$. The aim is to make the three robots form a single 1.block. To this end, if the configuration contains a single d .block of size 3 with $d > 1$ then the robot in the middle of the d .block moves to its adjacent node on ℓ_k (the scheduler chooses the direction to take). By contrast, if the configuration contains a single d .block of size 2 ($d \geq 1$) then the robot not part of the d .block moves towards its adjacent empty node towards the d .block taking the shortest empty path.
- (c) $C \in \mathcal{C}_{Oriented}$. Let r_i be the single robot on ℓ_i . Recall that two sub-sets of configurations are defined in this case:
- i. $C \in \mathcal{C}_{Oriented-1}$. If $nb_{max}(C) > 4$ then the unique robot on ℓ_i moves to its adjacent node on ℓ_{max} . Otherwise, let u be the node on ℓ_{max} which is adjacent to the unique robot on ℓ_i .
 - If $nb_{max}(C) = 3$ and the robots form a 1.block of size 3 whose middle robot is adjacent to u then the unique robot on ℓ_i moves to its adjacent node on ℓ_{max} . Otherwise, robots on ℓ_{max} execute **Align**(ℓ_{max}, ℓ_i).
 - If $nb_{max}(C) = 4$ and u is empty, then the unique robot on ℓ_i moves to u . Otherwise (u is occupied), then let r be the robot on u .
 - If r has an adjacent empty node on ℓ_{max} then r moves to one of its adjacent nodes (the scheduler chooses the node to move to in case of symmetry).
 - If r does not have an adjacent empty node on ℓ_{max} , then let r' be the robot on ℓ_{max} which is adjacent to r and which does not have a neighboring robot on ℓ_{max} at distance $\lfloor \ell/2 \rfloor$. Robot r' is the one allowed to move. Its destination is its adjacent empty node on ℓ_{max} .
 - ii. $C \in \mathcal{C}_{Oriented-2}$. If $nb_{\ell_k}(C) = 2$ or $nb_{\ell_k}(C) = 3$ then **Align**(ℓ_k, ℓ_i) is executed. Otherwise, if $nb_{\ell_k}(C) > 3$ then, $nb_{\ell_k}(C) - 2$ robots gather on the node u_k located on ℓ_k and which is on the same L -ring as the unique occupied node on ℓ_i . For this purpose, the robot on ℓ_k which is the closest to u_k with the largest view is the one allowed to move. Its destination is its adjacent node on ℓ_k toward u_k .
- (d) $C \in \mathcal{C}_{Semi-Oriented}$. Let ℓ_{n_i} and ℓ_{n_k} be the two neighboring ℓ -rings of ℓ_i and ℓ_k respectively.
- If without loss of generality, $\ell_i = \ell_{n_k}$ (and hence $\ell_k = \ell_{n_i}$). Then configuration C contains only 3 occupied ℓ -rings ℓ_i , ℓ_{max} and ℓ_j . Using the rigidity of C , one robot from either ℓ_{n_i} or ℓ_{n_k} (not both) is selected to move. Its destination is its adjacent empty node outside its current ℓ -ring in the opposite direction of ℓ_{max} .
 - In the case where $\ell_i \neq \ell_{n_k}$ (and hence $\ell_k \neq \ell_{n_i}$) then, again, by using the rigidity of C , a unique robot is selected from either ℓ_{n_i} or either ℓ_{n_k} (not both) to move. Its destination is its adjacent empty node outside its current ℓ -ring toward ℓ_i (respectively ℓ_k) if the robot was elected from ℓ_{n_i} (respectively ℓ_{n_k}). If $\ell_{n_i} = \ell_{n_k}$ then the direction of the selected robot is chosen by the adversary.
- (e) $C \in \mathcal{C}_{Undefined}$. Depending on the number of robots on ℓ_i and ℓ_k , we distinguish the following two cases:
- i. $nb_{\ell_i}(C) < nb_{\ell_k}(C)$. The idea is to make robots on ℓ_i gather on a single node on ℓ_i . We define in the following a configuration, denoted $\Gamma(C)$, built from C ignoring some ℓ -rings and that will be used in order to identify a single node on ℓ_i on which all robots on ℓ_i will gather. In the case in which there are at least four occupied ℓ -rings in C then $\Gamma(C)$ is the configuration built from C ignoring both ℓ_i and ℓ_k . By contrast, if there are only three occupied ℓ -rings then $\Gamma(C)$ is the configuration built from C ignoring only ℓ_i . The following cases are possible:
 - A. Configuration $\Gamma(C)$ is rigid. Using the rigidity of $\Gamma(C)$, one node on ℓ_i is elected as the gathering node. Let us refer to such a node by u . Robots on ℓ_i moves to join u starting from the closest ones and taking the shortest path.
 - B. Configuration $\Gamma(C)$ has exactly one axes of symmetry. In this case the axes of symmetry of $\Gamma(C)$ either intersects with ℓ_i on a single node (edge-node symmetric), or on two nodes (node-node symmetric) or only on edges (edge-edge symmetric). We discuss in the following each of the mentioned cases:
 - $\Gamma(C)$ is node-edge symmetric: The single node on ℓ_i that is on the axes of symmetry of Γ is identified as the gathering node. Robots on ℓ_i move to join this node starting from the closest robots and taking the shortest path.

- $\Gamma(C)$ is node-node symmetric: Let u_1 and u_2 be the two nodes on ℓ_i on which the axes of symmetry passes through. If both nodes are occupied, then using the rigidity of C , exactly one of the two nodes is elected. Assume without loss of generality that u_1 is elected. Robots on u_1 move to their adjacent node. If both u_1 and u_2 are empty then let R be the set of robots on ℓ_i that are at the smallest distance from either u_1 or u_2 . If $|R| = 1$ (Let r be the robot in R and assume without loss generality that r is the closest to u_1) then, r moves to its adjacent node on its current ℓ -ring toward u_1 taking the shortest path. By contrast, if $|R| > 1$ then using the rigidity of C , exactly one robot of R is elected to move. Its destination is its adjacent node on its current ℓ -ring toward the closest node being on the axes of symmetry of $\Gamma(C)$, taking the shortest path.
- $\Gamma(C)$ is edge-edge symmetric. Without loss of generality, assume that the axes of symmetry of $\Gamma(C)$ passes through ℓ_i on the following two edges $e_1 = (u_1, u_2)$ and $e_1 = (u_3, u_4)$ with u_1 and u_3 being on the same side. Let $U = \{u_j, j \in [1 - 4]\}$. We distinguish the following cases:
 - For all $u \in U$, u is occupied. Using the rigidity of C , a single node $u \in U$ is elected. Robots on u move to their adjacent node $u' \in U$ (refer to Figure 11, (A)).
 - Three nodes of U are occupied. Assume without loss of generality that u_1 is the empty node of U . If there are robots on ℓ_i which are located on the same side as u_1 and u_3 with respect to the axes of symmetry of $\Gamma(C)$ then the robots among these which are the closest to u_3 are the ones to move. Their destination is their adjacent node on their current ℓ -ring toward u_3 (refer to Figure (refer to Figure 11, (B)). By contrast, if there are no robots on ℓ_i which are on the same side of u_1 and u_3 then robots on u_2 are the ones allowed to move. Their destination is their adjacent node in the opposite direction of u_1 (refer to Figure 11, (C)).




Fig. 11. $\Gamma(C)$ is edge-edge symmetric - Part 1

- Two nodes of U are occupied. First, assume without loss of generality that u_1 and u_2 are occupied (the case where the two nodes are neighbors). If all robots on ℓ_i are on the same side of the axes of symmetry (assume without loss of generality that they are at the same side as u_1). Robots on u_2 are the ones allowed to move. Their destination is their u_1 (refer to Figure 12, (A)). By contrast, if there are robots on both sides of the axes of symmetry of $\Gamma(C)$ then let U' be the set of occupied nodes on ℓ_i which are the farthest from the occupied node of U which is on the side (of the axes of symmetry). If there are two of such nodes (one at each side), as C is rigid, the scheduler elects exactly one of these two nodes. Let us refer to the elected node by u . Robots on u are the ones allowed to move. Their destination is their adjacent node on their current ℓ -ring towards the occupied node of U which is on their side (refer to Figure 12, (B)). By contrast if there is only one node in U' then, robots on the other

side of the axes of symmetry are the ones allowed to move starting from the robots that are the closest to the occupied node of U which is on their side. Their destination is their adjacent node on their current ℓ -ring toward the occupied node of U on their side (refer to Figure 12, (C)). Finally, if there are no robots on both side of the axes of symmetry, then using the rigidity of C , one occupied node of U is elected. Robots on the elected node are the ones allowed to move. Their destination is their adjacent occupied node in U .

Next, assume without loss of generality that u_1 and u_3 are occupied (the two node of U are not neighbors but are at the same side of $\Gamma(C)$'s axes of symmetry). Robots on a node of U with the largest view are the ones allowed to move. Their destination is their adjacent node in the opposite direction of a node of U (refer to Figure 12, (D)). Finally, assume without loss of generality that u_1 and u_4 are occupied (the two nodes of U are not neighbors and are in opposite sides of the axes of symmetry). Robots on a node of U with the largest view are the ones allowed to move. Their destination is their adjacent node in the opposite direction of their adjacent node in U (refer to Figure 12, (A)).




Fig. 12. $\Gamma(C)$ is edge-edge symmetric - Part 2

- There is only one node of U that is occupied. Assume without loss of generality that u_1 is occupied. If all robots on ℓ_i are on the same side of the axes of symmetry as u_1 then the closest robots to u_1 on ℓ_i is allowed to move. Its destination is its adjacent node towards u_1 taking the shortest path. By contrast, if all robots on ℓ_i are in the opposite side of the axes of symmetry of u_1 then robots on u_1 are the ones to move. Their destination is u_2 . Finally, if robots on ℓ_i are on both sides of the axes of symmetry then the closest robots to u_1 which are on the same side of the axes of symmetry as u_1 are the ones allowed to move. Their destination is their adjacent node on ℓ_i towards u_1 taking the shortest path.
 - All nodes of U are empty. Let d be the smallest distance between a node of $u \in U$ and a robot being on the same side of the axes of symmetry as u . Let R be the set of robots that are at distance d from a node $u \in U$. If $|R| = 1$ then the unique robot in R moves towards the closest node $u \in U$. By contrast, if $|R| > 1$ then, using the rigidity of C , a unique robot in R is selected to move. Its destination is its adjacent node toward the closest node $u \in U$.
- C. Configuration $\Gamma(C)$ has more than one axes of symmetry. Using the rigidity of C , a single robot from $\Gamma(C)$ is elected to move. Its destination is its adjacent empty node on its current ℓ -ring. This reduces the number of axes of symmetries to either 1 or 0 (Please refer to Lemma7).

ii. $nb_{\ell_i}(C) = nb_{\ell_k}(C)$. Let ℓ'_i and ℓ'_k be the two ℓ -rings that are adjacent to respectively ℓ_i and ℓ_k . Assume without loss of generality that ℓ'_i is empty while ℓ'_k hosts at least one robot. Using the rigidity of C , one robot from ℓ_i is elected to move. Its destination is its adjacent empty node on ℓ'_i . In the case in which both ℓ'_i and ℓ'_k are empty, using the rigidity of C , one robot is elected to move. Assume without loss of generality that the elected robot is on ℓ_i . The destination of the elected robot is its adjacent empty node on ℓ'_i . By contrast, if neither ℓ'_i nor ℓ'_k is empty then, as for the case in which $nb_{\ell_i}(C) < nb_{\ell_k}(C)$, we use configuration $\Gamma(C)$ to elect the robot to move. Recall that $\Gamma(C)$ is defined as the configuration in which both ℓ_i and ℓ_k are ignored (the set of ℓ -ring without ℓ_i and ℓ_k). Robots proceed as follows:

A. Configuration $\Gamma(C)$ is rigid. Using the rigidity of $\Gamma(C)$, a unique node u is elected on either ℓ_i or ℓ_k . Assume without loss of generality that u is elected on ℓ_i . If u is empty and $nb_{\ell_i}(C) = \ell - 1$ then the robot on ℓ_i that is adjacent to u and is not part of a multiplicity moves to u . Otherwise, robots on ℓ_i which are the closest to u move to their adjacent node toward u taking the shortest path.

B. Configuration $\Gamma(C)$ contains one axes of symmetry. We distinguish the following cases:

- $\Gamma(C)$ is node-edge symmetric. Let u and u' be the nodes on respectively ℓ_i and ℓ_k on which the axes of symmetry of $\Gamma(C)$ passes through. If, without loss of generality, only u is occupied then the closest robot to u on ℓ_i is the one allowed to move. Its destination is its adjacent node towards u taking the shortest path. If there are two such robots, one is elected using the rigidity of C . On another hand, if both u and u' are occupied then using the rigidity of C one closest robot to either u or u' is elected. Assume that the elected robot r is on ℓ_i . The destination of r is its adjacent node on its current ℓ -ring towards u taking the shortest path. Finally, if both u and u' are empty then the idea is to make either u or u' occupied. Let $R_1(C)$ (respectively $R_2(C)$) be the set of robots on ℓ_i (respectively ℓ_k) which are not on u (respectively u') but are the closest u (respectively u'). Let $R(C) = R_1(C) \cup R_2(C)$. If $|R(C)| > 1$ then using the rigidity of C a unique robot of $R(C)$ is elected to move otherwise, the unique robot in $R(C)$ is the one allowed to move. Let us refer to such a robot by r and assume without loss of generality that r is on ℓ_i . Robot r is the only one allowed to move. Its destination is its adjacent empty node on its current ℓ -ring toward u taking the shortest path.
- $\Gamma(C)$ is node-node symmetric. Let u_i and u'_i (respectively u_k and u'_k) be the two nodes on ℓ_i (respectively ℓ_k) on which the axes of symmetry of $\Gamma(C)$ passes through. First assume that $\forall u \in \{u_i, u'_i, u_k, u'_k\}$, u is occupied. Let $U \subseteq \{u_i, u'_i, u_k, u'_k\}$ be the set of nodes that have an occupied adjacent node on their ℓ -ring. If $|U| \geq 1$ then, using the rigidity of C a single node in U is elected. Assume without loss of generality that this node is u_i . The robot on u_i is the one allowed to move. Its destination is its adjacent occupied node on its ℓ -ring. By contrast, if $|U| = 0$. Again, using the rigidity of C , one node of $u \in \{u_i, u'_i, u_k, u'_k\}$ is elected. The robot on node u is the one allowed to move. Its destination is its adjacent empty node on its current ℓ -ring (the scheduler chooses the direction to take). Next, let us consider the case in which $\exists u \in \{u_i, u'_i, u_k, u'_k\}$ such that u is empty. Several cases are possible depending on the nodes that are occupied. If there is a unique node $u \in \{u_i, u'_i, u_k, u'_k\}$ which is occupied then the closest robot to u on the same ℓ -ring as u moves to its adjacent node toward u . By contrast, if there are three nodes in $\{u_i, u'_i, u_k, u'_k\}$ which are occupied then assume without loss of generality that u'_i is the empty node. Robots on ℓ_i which are the closest to u_i are the only ones allowed to move. Their destination is their adjacent node towards u_i . Finally, if there are two nodes of $\{u_i, u'_i, u_k, u'_k\}$ which are occupied then, if the two nodes are part of the same ℓ -ring (assume without loss of generality that these two nodes are u_i and u'_i) then using the rigidity of C one node among u_i and u'_i is elected. The robot on the elected node is the one allowed to move. Its destination is its adjacent node on its current ℓ -ring (the direction is chosen by the scheduler). If the two occupied nodes are on two different ℓ -rings then let $R(C)$ be the set of robots on ℓ_i and ℓ_k which are the closest to the occupied node of $\{u_i, u'_i, u_k, u'_k\}$ on their ℓ -ring. Using the rigidity of

C , one robot from $R(C)$ is elected to move. Its destination is its adjacent node on its current ℓ -ring toward the occupied node of $\{u_i, u'_i, u_k, u'_k\}$ which is on its ℓ -ring.

- $\Gamma(C)$ is edge-edge symmetric. Assume without loss of generality that the axes of symmetry of $\Gamma(C)$ passes through respectively $e_1 = (u_1, u_2)$ and $e_2 = (u_3, u_4)$ on ℓ_i and $e'_1 = (u'_1, u'_2)$ and $e'_2 = (u'_3, u'_4)$ on ℓ_k and that u_1 and u_3 (respectively u'_1 and u'_3) are on the same side of $\Gamma(C)$'s axes of symmetry on ℓ_i (respectively ℓ_k). Let $\mathcal{L} = \{\ell_i, \ell_k\}$, $U_i = \{u_1, u_2, u_3, u_4\}$, $U_k = \{u'_1, u'_2, u'_3, u'_4\}$ and $U = U_i \cup U_k$. The main idea is to gather all robots on either ℓ_i or ℓ_k . For this purpose, the number of occupied nodes is decreased in exactly one of the two ℓ -rings of \mathcal{L} so that we can reach a configuration C' in which $nb_{\ell_i}(C') \neq nb_{\ell_k}(C')$ and hence use the strategy explained previously. That is, a single ℓ -ring $\ell_r \in \mathcal{L}$ needs to be selected. Robots on the selected ℓ -ring, ℓ_r behaves in the same manner as in the case in which $nb_{\ell_i}(C) \neq nb_{\ell_k}(C)$. That is, we describe in the following how a unique ℓ -ring in \mathcal{L} is selected.

Given two nodes u and u' of U located on the same side of $\Gamma(C)$'s axes of symmetry and being on the same ℓ -ring ℓ_j , we refer by $Free(u, u')$ to the predicate that is equal to true is there is no robot on the shortest sequence of nodes between u and u' (excluding u and u') on ℓ_j . In the case where $Free(u, u')$ is true for a given ℓ -ring ℓ_j , we say that ℓ_j has an empty side. Otherwise, we say that ℓ_j has an occupied side. Observe that each ℓ -ring of \mathcal{L} have at most two empty sides. In order to select a unique ℓ -ring in \mathcal{L} , robots checks if the following properties hold in this order and decide accordingly:

- First, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i , in which: $|U_i| = 2$ with the two occupied nodes of U_i being adjacent to each other (Assume without loss of generality that u_1 and u_2 are the occupied node of U_i), $Free(u_2, u_4) \wedge Free(u_1, u_3)$ holds. Observe that since C is rigid and $\Gamma(C)$ is symmetric, on ℓ_k , if $|U_k| = 2$ then the two occupied nodes of U_k cannot be neighbors. That is, ℓ_k cannot satisfy the same properties at the same time in C . In this case ℓ_i is the one that is selected. As this case is not considered in a configuration C' in which $nb_{\ell_i}(C') \neq nb_{\ell_k}(C')$, in addition to the selection process, we describe robots behavior: the robot that is on a node of U_i with the largest view is the one allowed to move. Its destination is u_1 .

- Next, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i , in which: $|U_i| = 1$ (Assume without loss of generality that u_1 is the occupied node of U_i), $Free(u_2, u_4) \wedge \neg Free(u_1, u_3)$ holds. In this case, if ℓ_k does not satisfy the same properties then ℓ_i is elected. Otherwise, assume without loss of generality that u'_1 is the occupied node in U_k . Let d_i (respectively d_k) be the smallest distance between a robot on ℓ_i (respectively ℓ_k) and u_1 (respectively u'_1). If $d_i \neq d_k$ (assume without loss of generality that $d_i < d_k$) then ℓ_i is elected. Otherwise (i.e., $d_i = d_k$), let r (respectively r') be the robot on ℓ_i (respectively ℓ_k) which is at distance d_i from u_1 (respectively u'_1). If $view_r(t)(1) > view_{r'}(t)(1)$ then ℓ_i is elected. Otherwise, ℓ_k is elected.

- Next, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i , in which: $|U_i| = 2$ with the two occupied nodes of U_i being neighbors (let these two nodes be respectively u_1 and u_2), $Free(u_1, u_3) \vee Free(u_2, u_4)$ holds. If ℓ_k does not satisfy the same properties as ℓ_i then, ℓ_i is the one that is selected. Otherwise, the ℓ -ring that hosts a robot located on a node of U with the largest view is the one that is selected.

- Next, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i , in which: $|U_i| = 2$ with the two occupied nodes of U_i being on the same side of $\Gamma(C)$'s axes of symmetry (let these robots be respectively u_1 and u_3), $Free(u_2, u_4)$ and $\neg Free(u_1, u_3)$ holds. If ℓ_k does not satisfy the same properties as ℓ_i then, ℓ_i is the one that is selected. Otherwise, the ℓ -ring of \mathcal{L} that hosts a robot on a node of U with the largest view is the one to be selected.

- Next, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i , in which: $|U_i| = 3$ (let u_1 be the unique empty node in U_i) and $Free(u_1, u_3)$ holds. If ℓ_k does not satisfy the same properties then, ℓ_i is selected. Otherwise, the ℓ -ring that hosts a robot on a node of U with the largest view is the one to be elected.

For all the remaining cases, if, without loss of generality, $|U_i| < |U_k|$ then ℓ_i is the selected. Otherwise, in the case where $|U_i| = |U_k|$ then, the selection is achieved as follows:

- $|U_i| = 4$. Let R be the set of robots on a node of U . The ℓ -ring that hosts the robots of R with the largest view is the one to be selected (Recall that C is rigid).
 - $|U_i| = 3$. Assume without loss of generality that u_1 and u'_1 are the empty nodes on ℓ_i and ℓ_k respectively. Observe that $\neg Free(u_1, u_3)$ and $\neg Free(u'_1, u'_3)$ holds. Let R_i (respectively R_k) be the set of robots on ℓ_i (respectively ℓ_k) being on the same side of the axes of symmetry as u_1 (respectively u'_1). Let $R = R_i \cup R_k$. If without loss of generality $|R_i| < |R_k|$ then, ℓ_i is elected. By contrast, if $|R_i| = |R_k|$ then, let r_1 (respectively r'_1) be the robot on ℓ_i (respectively ℓ_k) which is the closest to u_3 (respectively u'_3). If without loss of generality $dist(r_1, u_3) < dist(r'_1, u'_3)$ then ℓ_i is selected. Otherwise, if $dist(r_1, u_3) = dist(r'_1, u'_3)$ then the views of r_1 and r'_1 are used for the selection. Assume without loss of generality that $view_{r_1}(t)(1) > view_{r'_1}(t)(1)$. Then, ℓ_i is selected.
 - $|U_i| = 2$. Three cases are possible on each ℓ -ring of \mathcal{L} depending on the nodes of U that are occupied: *Case(I)* the two nodes are neighbors, *Case(II)* the two nodes are on the same side of $\Gamma(C)$'s axes of symmetry. *Case(III)* the two nodes are not neighbors and are on different sides of $\Gamma(C)$'s axes of symmetry. We set: $Case(I) > Case(II) > Case(III)$ where $Case(a) > Case(b)$ means that $Case(a)$ has a higher priority than $Case(b)$. That is, if ℓ_i and ℓ_k have two different priorities then, the ℓ -ring with the largest priority is elected. By contrast, if the two ℓ -rings have the same priority (they belong to the same case), the selection is done in the following manner: if both ℓ_i and ℓ_k belongs to *Case(I)* (assume without loss of generality that u_1, u_2 are the two nodes of U_i which are occupied and u'_1 and u'_2 are the two occupied nodes of U_k). Let F_1, F_2 (respectively F'_1, F'_2) be the number of robots on ℓ_i (respectively ℓ_k) being on each side of $\Gamma(C)$'s axes of symmetry. Let $F = \min(F_1, F_2, F'_1, F'_2)$. The ℓ -ring that has a side with F robots is selected. If both ℓ -rings has a side with F robots, we use the distance to break the symmetry. That is, let d be the smallest distance between a robot on an ℓ -ring of \mathcal{L} and the occupied node of U on the same ℓ -ring. The ℓ -ring that hosts a robot at distance d from a node of U is elected. Again, if both ℓ -rings satisfy the property, the ℓ -ring hosting the robot at distance d from a node of U with the largest view is elected. Lastly, if both ℓ -ring of \mathcal{L} belong to *Case(II)* or if they both belong to *Case(III)* then, let r (respectively r') be the robot allowed to move on ℓ_i (respectively ℓ_k) with respect to our algorithm. If $view_r(t)(1) > view_{r'}(t)(1)$ then ℓ_i is elected. Otherwise, ℓ_k is selected.
 - $|U_i| = 1$. let d be the smallest distance between a robot on an ℓ -ring of \mathcal{L} and a node of U located on the same ℓ -ring. The ℓ -ring that hosts a robot at distance d from a node of U with the largest view is the one that is elected (this is possible as C is rigid).
 - $|U_i| = 0$. Let d be the smallest distance between a robot on an ℓ -ring of \mathcal{L} and a node of U on its ℓ -ring. The ℓ -ring that hosts a robot at distance d from a node of U with the largest view is the one that is elected.
- $\Gamma(C)$ has more than one axes of symmetry. Using the rigidity of C , a single robot of $\Gamma(C)$ is elected to move to its adjacent node on its current ℓ -ring. By doing so, the number of axes of symmetry is reduced to either 1 or 0 (Please refer to Lemma7).

3.3 Gathering Phase

Recall that this phase starts from a configuration $C \in \mathcal{C}_{target}$. From C , an orientation of the torus can be defined (from ℓ_{target} to ℓ_{max}). The idea is to make all robots that are neither on ℓ_{target} nor ℓ_{max} move

to join v_{target} following the predefined orientation. Then, some robots on ℓ_{max} move to join v_{target} while the other are aligned with respect to v_{target} to finally gather all on one node.

To ease the description of our algorithm, we first identify a set of configurations that can appear in this phase and then present for each of them the behavior of the robots.

Set of configurations. Three sets are identified as follows:

1. Set C_{sp} which includes the following four sub-sets:
 - (a) SubSet C_{sp-1} : $C \in C_{sp-1}$ if there are exactly two occupied ℓ -rings in C . Let these two ℓ -rings be ℓ_i and ℓ_j respectively. The following conditions are verified: (1) ℓ_i and ℓ_j are adjacent. (2) $nb_{\ell_j}(C) < nb_{\ell_i}(C)$ (3) either :
 - $nb_{\ell_i}(C) = 4$ and ℓ_i contains two 1.blocks of size 2 being at distance 2 from each other. Let u be the unique node between the two 1.blocks on ℓ_i .
 - $nb_{\ell_i}(C) = 3$ and ℓ_i contains a 1.block of size 3. Let u be the middle node of the 1.block of size 3.
 - $nb_{\ell_i}(C) = 5$ and ℓ_i contains a 1.block of size 5. Let u be the middle node of the 1.block of size 5.
 - (4) Either $nb_{\ell_j}(C) = 3$ and ℓ_j contains a 1.block of size 3 whose middle node is adjacent to u or $nb_{\ell_j}(C) = 2$ and ℓ_j contains either a 2.block of size 2 whose middle node is adjacent to u or a 1.block of size 2 having one extremity adjacent to u (refer to Figure 13 for some examples).
 - (b) SubSet C_{sp-2} : $C \in C_{sp-2}$ if $C \in C_{target}$ and $nb_{\ell_{target}}(C) = 1$. In addition either one of the following conditions are verified: (1) $nb_{\ell_{max}}(C) = 4$ and on ℓ_{max} there are two 1.blocks of size 2 being at distance 2 from each other. Let u be the unique node between the two 1.blocks then u is adjacent to v_{target} . (2) $nb_{\ell_{max}} = 5$ and on ℓ_{max} there is a 1.block of size 5 whose middle robot is adjacent to v_{target} . (3) $nb_{\ell_{max}}(C) = 4$ and on ℓ_{max} there is a 1.block of size 3 having a unique occupied node at distance 2. Let u be the unique empty node between the 1.block of size 3 and the 1.block of size 1. Then u is adjacent to v_{target} (refer to Figure 13).




Fig. 13. Subsets C_{sp-1} and C_{sp-2}

- (c) SubSet C_{sp-3} : $C \in C_{sp-3}$ if $C \in C_{target}$, $Empty(C)$ is true, $nb_{\ell_{target}}(C) = 1$ and one of the two following conditions holds: (1) $nb_{\ell_{max}}(C) = 3$ and ℓ_{max} contains an 1.block of size 3 whose middle robot is adjacent to v_{target} . (2) $nb_{\ell_{max}}(C) = 2$ and the two robots form a 2.block on ℓ_{max} . Let u be the unique empty node between the two robots on ℓ_{max} , then u is adjacent to v_{target} (refer to Figure 14).




Fig. 14. Subsets \mathcal{C}_{sp-3} and \mathcal{C}_{sp-4}

- (d) SubSet \mathcal{C}_{sp-4} : $C \in \mathcal{C}_{sp-4}$ if there is a unique ℓ -ring that is occupied and on this ℓ -ring there are either two or three occupied nodes that form a 1.block (refer to Figure 14).
2. Set \mathcal{C}_{pr} : $C \in \mathcal{C}_{pr}$ if $C \in \mathcal{C}_{target}$ and $Partial(C)$ is true. That is, $\exists i \in \{1, \dots, L\}$ such that $\ell_i \neq \ell_{max}$ and $\ell_i \neq \ell_{target}$ and $nb_{\ell_i}(C) > 0$. Note that we are sure that $C \notin \mathcal{C}_{sp}$.
 3. Set \mathcal{C}_{ls} : $C \in \mathcal{C}_{ls}$ if $C \in \mathcal{C}_{target}$ and $C \notin \mathcal{C}_{sp}$ and $Empty(C)$. In other words, there are only two ℓ -rings that are occupied: ℓ_{max} and ℓ_{target} .

Robots behavior. We present now the behavior of robots during the gathering phase. If the current configuration $C \in \mathcal{C}_{target}$ then we define \uparrow as the direction from ℓ_{target} to ℓ_{max} taking the shortest path. Observe that \uparrow can be computed by all robots and in addition, \uparrow is unique (recall that ℓ_{max} is unique and $\forall C \in \mathcal{C}_{target}$, $nb_{\ell_{target}}(C) \neq nb_{\ell_{secondary}}(C)$). Using Direction \uparrow , we define a total order on the ℓ -rings of the torus such that $\ell_i \leq \ell_j$ if ℓ_i is not further to ℓ_{target} than ℓ_j with respect to Direction \uparrow .

Note that $\mathcal{C}_{p2} = \mathcal{C}_{pr} \cup \mathcal{C}_{ls} \cup \mathcal{C}_{sp}$. Let C be the current configuration, we present robots behavior for each defined set:

1. $C \in \mathcal{C}_{pr}$. Let us refer by ℓ_i to the ℓ -ring that is adjacent to ℓ_{target} such that $\ell_i \neq \ell_{max}$. Depending on the number of robots on ℓ_i , two cases are possible as follows:
 - (a) $nb_{\ell_i}(C) > 0$. Let R_m be the set of robots on ℓ_i that are the closest to v_{target} . We distinguish the following cases:
 - i. There is an occupied node on ℓ_i that is adjacent to v_{target} . Let us refer to such a node by u_i . Robots on u_i are the ones allowed to move. Their destination is their adjacent node on ℓ_{target} i.e., they move to v_{target} .
 - ii. There is no robots on ℓ_i that is adjacent to v_{target} and $nb_{\ell_i}(C) < \ell - 1$. In this case, robots in R_m are the ones allowed to move, their destination is their adjacent empty node on ℓ_i on the empty path toward v_{target} .
 - iii. There is no robots on ℓ_i that is adjacent to v_{target} and $nb_{\ell_i}(C) = \ell - 1$. In this case, let $R_{m'}$ be the set of robots that share a hole with u_i where u_i is the node on ℓ_i that is adjacent to v_{target} . Robots in $R_{m'}$ are allowed to move only if they are not part of a multiplicity. Their destination is their adjacent empty node towards u_i taking the empty path.
 - (b) $nb_{\ell_i}(C) = 0$. Let ℓ_k be the closest neighboring ℓ -ring of ℓ_{target} with respect to \uparrow . Let R_m be the set of robots on ℓ_k that are the closest to v_{target} . Robots on R_m are the ones allowed to move, their destination is their adjacent node outside ℓ_k and toward ℓ_{target} with respect to \uparrow .

2. $C \in \mathcal{C}_{ls}$. The aim for the robots is to reach a configuration $C' \in \mathcal{C}_{sp}$.
 If $nb_{\ell_{max}}(C) \leq 5$, robots on ℓ_{max} execute **Align**($\ell_{max}, \ell_{target}$). Otherwise, robots behave as follows:
 Let u_1, u_2, u_3, u_4 and u_5 be a sequence of five consecutive nodes on ℓ_{max} such that u_3 is adjacent to v_{target} . If u_3 is occupied and has exactly one adjacent occupied node on ℓ_{max} (assume without loss of generality that this node is u_2) then the robot on u_2 is the one allowed to move. Its destination is u_3 . By contrast, if u_3 has either no adjacent occupied nodes on ℓ_{max} or two adjacent occupied nodes on ℓ_{max} then robots on u_3 are the ones allowed to move. Their destination is v_{target} . Finally, if u_3 is empty then let R be the set of robots that are on ℓ_{max} which are the closest to u_3 . If $|R| = 2$ then both robots in R are allowed to move. Their destination is their adjacent node on ℓ_{max} toward u_3 . By contrast, if $|R| = 1$ then first assume that the distance between the robot in the set R and u_3 is d . If there is a robot on ℓ_{max} which shares a hole with u_3 and which is at distance $d+1$ from u_3 then this robot is the one allowed to move. Its destination is its adjacent empty node towards u_3 taking the shortest path. If no such robot exists then the robot in the set R is the one allowed to move. Its destination is its adjacent node toward u_3 taking the shortest path.
3. $C \in \mathcal{C}_{sp}$. We distinguish:
 - (a) $C \in \mathcal{C}_{sp-1}$. If $C \in \mathcal{C}_{target}$ then the robots on ℓ_{target} that are at the extremities of the 1.block or the 2.block are the ones allowed to move. Their destination is their adjacent occupied node on ℓ_{max} . By contrast, if $C \notin \mathcal{C}_{target}$ then the robot not on ℓ_{max} which has two adjacent occupied nodes is the one allowed to move. Its destination is its adjacent node on ℓ_{max} .
 - (b) $C \in \mathcal{C}_{sp-2}$. Recall that three cases are possible as follows: If there is a 1.block of size 3 on ℓ_{max} then the robots that are in the middle of the 1.block of size 3 moves to their adjacent occupied node that has one robot at distance 2. If ℓ_{max} contains a 1.block of size 5 then the robots on ℓ_{max} that are adjacent of the extremities of the 1.block move on ℓ_{max} in the opposite direction of the extremities of the 1.block. Finally, if ℓ_{max} contains two 1.blocks of size 2 then the robots that share a hole of size 1 move toward each other.
 - (c) $C \in \mathcal{C}_{sp-3}$. In this case, robots on v_{target} are the ones that are allowed to move (note that v_{target} can be occupied by either a single robot or a tower). Their destination is their adjacent node on ℓ_{max} .
 - (d) $C \in \mathcal{C}_{sp-4}$. If C contains a 1.block of size 3 then the robots that are at the extremities of the 1.block are the ones allowed to move. Their destination is their adjacent occupied node. By contrast, if C contains a 1.block of size 2 then the robot that is not part of a tower moves to its adjacent occupied node (As it will be shown later, the proposed solution ensures that in this case, one node hosts a tower while the other one hosts only one robot).

4 Proof of correctness

Let us first show the correctness of Procedure *Align*(ℓ_i, ℓ_k). For this purpose, we define the set of configurations to which we refer to by *Aligned*(ℓ_i, ℓ_k). A configuration C is said to be *Aligned*(ℓ_i, ℓ_k) if the following conditions hold on ℓ_i and ℓ_k :

1. $nb_{\ell_i}(C) = 2$ and robots on ℓ_i form a 2.block of size 2. By u , we refer to the empty node which is the middle of the 2.block on ℓ_i . Or $nb_{\ell_i}(C) = 3$ (respectively $nb_{\ell_i}(C) = 5$) and robots on ℓ_i form a 1.block of size 3 (respectively of size 5). By u , we refer to the occupied node which is in the middle of the 1.block on ℓ_i . Or, $nb_{\ell_i}(C) = 2$ and robots on ℓ_i form two 1.blocks of size 2 being at distance 2 from each other. Let u be the unique empty node between the two 1.blocks.
2. $nb_{\ell_i}(C) > nb_{\ell_k}(C)$ holds, and either (1) $nb_{\ell_k}(C) = 1$ or (2) $nb_{\ell_k}(C) = 2$ and ℓ_k contains a 2.block or (3) $nb_{\ell_k}(C) = 3$ and ℓ_k contains a 1.block of size 3. Let u_{mark} be the node on ℓ_k that is
 - occupied if $nb_{\ell_k}(C) = 1$.
 - empty in the 2.block if $nb_{\ell_k}(C) = 2$.
 - occupied in the middle of the 1.block if $nb_{\ell_k}(C) = 3$.
3. Nodes u and u_{mark} are on the same L -ring.

Lemma 1. *Starting from a configuration in which *Align*(ℓ_i, ℓ_k) is called with no robots with outdated views, an *Aligned*(ℓ_i, ℓ_k) configuration is eventually reached.*

Proof. As $\text{Align}(\ell_i, \ell_k)$ is called only when the second property of $\text{Aligned}(\ell_i, \ell_k)$ is verified and as no robot is allowed to move on ℓ_k when executing $\text{Align}(\ell_i, \ell_k)$, we only focus in this proof on robots which are on ℓ_i . Let u_1, u_2, u_3, u_4 and u_5 be five consecutive nodes on ℓ_i such that u_3 is on the same ℓ -ring as ℓ_k . Let r_1, r_2, \dots, r_j be the robots that are located on ℓ_i in the case where $nb_{\ell_i}(C) = j$. Depending on the number of robots on ℓ_i , procedure $\text{Align}(\ell_i, \ell_k)$ considers the following cases:

1. $nb_{\ell_i}(C) = 2$. Assume without loss of generality that there is no robot between r_1 and u_2 on ℓ_i . By procedure $\text{Align}(\ell_i, \ell_k)$, if u_2 (respectively u_4) is empty then r_1 (respectively r_2) is allowed to move. Its destination is its adjacent empty node on ℓ_i toward u_2 (respectively u_4). By doing so, the robot gets even more closer to u_2 (respectively u_4) and hence it is still allowed to move, eventually u_2 (respectively u_4) becomes occupied and the Lemma holds.
2. $nb_{\ell_i}(C) = 3$. If u_3 is occupied then as for case 1, we can deduce that eventually u_2 and u_4 become occupied. That is, we only focus in the following in the case in which u_3 is empty. As the scheduler is asynchronous, we need to be careful not to create a tower. If there is a unique robot, say r_1 which is the closest to u_3 then by procedure Align , r_1 is the only one allowed to move. Its destination is its adjacent empty node on its current ℓ -ring towards u_3 . That is, eventually u_3 becomes occupied. By contrast if there are two robots which are the closest to u_3 (assume that these two robots are r_1 and r_2) then procedure Align uses r_3 to break the symmetry. Two special cases are identified to deal with robots with potential outdated views: the case in which $\text{dist}(r_1, r_3) = \text{dist}(r_2, r_3)$ and r_1 and r_2 are part of the same 1.block (refer to Figure 5). By procedure Align , both r_1 and r_2 are allowed to move. Their destination is their adjacent empty node in the opposite direction of r_3 . If only one of the two robots move (assume without loss of generality that this robot is r_1) then a configuration in which there is a 1.block of size 2 on ℓ_i with $\text{dist}(r_1, r_3) = \text{dist}(r_2, r_3) + 1$ is reached. This situation corresponds the second special case (c2) (refer to Figure 5). In this case, by procedure Align , robot r_2 is the only one allowed. That is, eventually r_2 moves to its adjacent empty node in the opposite direction of r_3 . That is, we are sure that in the configuration reached none of the robots on ℓ_i has an outdated view. Now note that, in the case where $\text{dist}(r_1, r_3) = \text{dist}(r_2, r_3)$ with r_1 and r_2 not part of the same 1.block, then r_3 is the one allowed to move, its destination is its adjacent empty node on its current ℓ -ring (the scheduler chooses the direction to take), that is eventually $\text{dist}(r_1, r_3) < \text{dist}(r_2, r_3)$ or $\text{dist}(r_1, r_3) > \text{dist}(r_2, r_3)$. Finally, if without loss of generality $\text{dist}(r_1, r_3) < \text{dist}(r_2, r_3)$, then r_1 is the only one allowed to move. Its destination is its adjacent node on its current ℓ -ring towards u_3 . By moving, r_1 becomes the only one which is the closest u_3 and as discussed previously u_3 becomes occupied eventually. We can thus deduce that the lemma holds.
3. $nb_{\ell_i}(C) = 4$. If node u_3 is occupied and either u_2 or u_4 is empty. Then by procedure Align , robot on u_3 is the one allowed to move. Its destination is its adjacent empty node (in case of symmetry, the scheduler chooses the direction to take). By contrast, if both u_2 and u_4 are occupied then since $nb_{\ell_i}(C) = 4$ then either u_1 or u_5 is empty. Assume without loss of generality that u_1 is the node that is empty. In this case, by procedure Align , the robot on u_2 is the one allowed to move, its destination is its adjacent empty node in the opposite direction of u_3 . Hence, we can deduce that u_3 becomes eventually empty. Let us now consider the case in which u_3 is empty. By procedure align , an order on robots is defined according to the robots distance from u_3 and a given orientation of the ring ℓ_i . Assume that $r_1 \leq r_2 \leq r_3 \leq r_4$. Robot r_1 's (respectively r_4 's) destination is u_2 (respectively u_4). Similarly r_2 's (respectively r_3 's) destination is u_1 (respectively u_5). As they move to their respective target node starting from the ones which are the closest, we can deduce that in this case too the Lemma holds.
4. $nb_{\ell_i}(C) = 5$. If u_3 is occupied, then as for the case in which $nb_{\ell_i}(C) = 4$ with u_3 empty (robots not on u_3 have the same behavior), we can easily show that eventually u_1, u_2, u_4 and u_5 become occupied which makes the lemma hold. By contrast, if u_3 is empty then given an orientation of the ring, assume that $r_1 \leq r_2 \leq r_3 \leq r_4 \leq r_5$ holds where $r \leq r'$ means that r is closer to u_3 than r' with respect to the chosen orientation. If there is a unique robot which is the closest to u_3 , by procedure Align , this robot is the only one allowed to move. Its destination is its adjacent empty node towards u_3 taking the shortest path. By moving, the robot either joins u_3 or becomes even closer. In the later case, the same robot remains the only one allowed to move. That is eventually, u_3 becomes occupied. If there are more than one robot that is the closest to u_3 (by hypothesis, these two robots are r_1 and r_5), then procedure Align identifies some special configurations to deal with robots with possible

outdated views (refer to Figures 8 and 9): if all robots are part of a single 1.block with $\text{distance}(r_1, u_3) = \text{distance}(r_5, u_3)$ then Align makes r_1 and r_5 moves on their ℓ -ring outside the 1.block they belong to. If the scheduler activates only one robot (say r_1) then in the reached configuration, by procedure Align, the robot that was supposed to move previously is the only one allowed to move. That is, a configuration in which both r_1 and r_5 have moved is eventually reached. Now, if $\text{dist}(r_1, r_2) = \text{dist}(r_5, r_4)$ with r_2 and r_5 being on the same 1.block then by procedure Align, r_2 and r_4 are the only one allowed to move, their destination is their adjacent empty node toward respectively r_1 and r_5 . If only one of the two robots moves, in the reached configuration the robot that was supposed to move is the only one allowed to move. That is a configuration in which both r_2 and r_4 have moved is reached. For all the other cases in which $\text{distance}(r_1, u_3) = \text{distance}(r_5, u_3)$, robot r_3 is used to break the symmetry. That is, if without loss of generality $\text{dist}(r_1, r_3) = \text{dist}(r_5, r_3)$ then r_3 moves to one of its adjacent empty node on ℓ_i . By contrast, if without loss of generality, $\text{dist}(r_1, r_3) < \text{dist}(r_5, r_3)$, then r_1 is the one allowed to move. Its destination is its adjacent empty node on ℓ_i taking the shortest path. By moving, r_1 either joins u_3 or becomes the only robot that is the closest to u_3 . Hence, eventually u_3 becomes occupied and we can deduce that the lemma holds.

From the cases above, we can deduce that starting from a configuration in which $\text{Align}(\ell_i, \ell_k)$ is called, an $\text{Aligned}(\ell_i, \ell_k)$ configuration is eventually reached. Hence the lemma holds.

Let us now focus on the correctness of the Preparation phase. Let $|\ell_{max}|(C)$ be the number of maximal ℓ -rings in configuration C .

Lemma 2. *Let C be a rigid configuration in which $|\ell_{max}|_C > 1$ and $nb_{\ell_{max}}(C) = \ell$. On each maximal ℓ -ring on C there exists at least one robot r such that if r moves to one of its adjacent occupied node on its current ℓ -ring, the configuration reached C' , is rigid and $|\ell_{max}|_C > |\ell_{max}|_{C'}$.*

Proof. We proceed by contradiction. Assume that for every robot r located on a maximal ℓ -ring in C , if r moves to its adjacent occupied node on its current ℓ -ring in C , then the configuration reached C' is either symmetric or $|\ell_{max}|_C \leq |\ell_{max}|_{C'}$. Let r be one robot on a given ℓ_{max} . When r moves to its adjacent occupied node on its current ℓ -ring that we denote ℓ_m , since initially there is one robot on each node, $nb_{\ell_m}(C') = \ell - 1$. Since by assumption no other robot is allowed to move, $|\ell_{max}|_C > |\ell_{max}|_{C'}$. Hence, we deduce that C' is either symmetric or periodic. We first show the following claim:

Claim 1. On each maximal ℓ -ring ℓ_m , there exists at most one robot r such that if r moves to one of its adjacent nodes on ℓ , a periodic configuration is reached.

Proof of Claim 1. Assume by contradiction that the claim does not hold. That is, there exists at least 2 robots on each maximal ℓ -rings ℓ_m such that if they move to their adjacent node on ℓ_m , a periodic configuration is reached.

Let r be such a robot and let C' be the periodic configuration reached. First, observe that when r moves, as there is a single empty node on ℓ_m , there exists no sequence of ℓ -rings $L_0, L_1, L_2, \dots, L_k$ which is repeated at least twice. Since C' is periodic, we can deduce that, instead, there exists a sequence of ℓ -rings $\ell_0, \ell_1, \dots, \ell_k$ with $k > 1$ which is repeated t times with $t > 1$. Assume without loss of generality that ℓ_i ($0 \leq i \leq k$) is the ℓ -ring in C' that hosts r ($\ell_i = \ell_m$). Configuration C' can be expressed as $(p_0, \ell_i, p_1)^t$ where $p_0 = \ell_0, \ell_1, \dots, \ell_{i-1}$ and $p_1 = \ell_{i+1}, \ell_{i+2}, \dots, \ell_k$.

By assumption, there is another robot r' on the same ℓ -ring as r such that if r' moves to one of its adjacent node on its current ℓ -ring, a periodic configuration C'' is reached. Let us consider the case in which r' moves. As for the previous case, we can deduce that there exists a sequence of ℓ -rings $\ell'_0, \ell'_1, \dots, \ell'_{k'}$ with $k' > 1$ which is repeated t' times with $t' > 1$. Assume without loss of generality that ℓ'_i is the ℓ -ring that hosts r' ($\ell'_i = \ell_m$). Recall that $\ell_i = \ell'_i$. Since r' is the only robot that has moved in C , configuration C'' can be expressed as $(p_0, \ell_i, p_1)^{t-1}(p_0, \ell'_i, p_1)$. That is, if C' is periodic then $r = r'$ which is a contradiction.

We can now assume that each robot $r' \neq r$ on ℓ_m when it moves, it creates a symmetric configuration. Let A be one of the axes of symmetry in C' . We prove some properties of A

Claim 2. A is horizontal to ℓ_m .

Proof of Claim 2. Suppose by contradiction that A is perpendicular to ℓ_m . Since ℓ contains a single empty node in C' (the node that became empty once r moved), A must intersect with ℓ_m on this empty node. Since C' is symmetric, C is also symmetric. Contradiction.

Claim 3. A does not lay on ℓ_m .

Proof of Claim 3. Since r' moved on ℓ on its adjacent node which is on the axes of symmetry in C' then C was also symmetric. Contradiction.

Claim 4. Let $r'' \neq r$ be another robot on ℓ_m in C . If r'' moves to its adjacent occupied node on ℓ_m in C then if C'' is the configuration reached once r'' moves and if C'' is symmetric then the axes of symmetry in C'' are different from the axes of symmetry in C' .

Proof of Claim 4. Let X and X' be the axes of symmetry in respectively C' and C'' such that $X = X'$. By Claim 3, there exists another ℓ -ring ℓ'_m that is symmetric to ℓ_m with respect to X and X' . Since r' and r'' are located on two different nodes in C , there are two empty nodes on ℓ'_m which is a contradiction.

Since we consider an asymmetric torus with $L < \ell$, by Claims 3 and 4 we can deduce a contradiction. Thus the lemma holds.

From Lemma 2, we can deduce:

Lemma 3. *Starting from a rigid configuration C in which $\text{Unique}(C)$ is false and $\text{nb}_{\ell_{\max}}(C) = \ell$, a rigid configuration C' with no outdated robots and in which $\text{Unique}(C)$ is true is eventually reached. Moreover, for any ℓ_i with $i \in \{1, 2, \dots, \ell\}$ in C' , if ℓ_i hosts a multiplicity node then the following three conditions are verified: (1) $\text{nb}_{\ell_i}(C') = \ell - 1$, (2) the multiplicity node hosts exactly two robots and (3) the multiplicity node is at a border of a 1.block of size $\ell - 1$.*

Lemma 4. *Starting from a rigid configuration C in which $|\text{nb}_{\ell_{\max}}|_C > 1$ and $\text{nb}_{\ell_{\max}}(C) < \ell$, by executing our algorithm, a rigid configuration C' with no outdated robots and in which $\text{Unique}(C')$ is true is eventually reached. Moreover, for any ℓ_i with $i \in \{1, 2, \dots, \ell\}$ in C' , ℓ_i does not host a multiplicity node.*

Proof. By our algorithm, the robot with the largest view in the set $R(C)$ is supposed to move. As C is rigid and initially no node hosts a multiplicity, a unique robot is allowed to move. Let us first state and prove some important claims:

Claim 1. Assume that r moves on its current ℓ -ring and its new position is not on the same L -ring as u . Then, the configuration C' reached once r moves is rigid. Moreover $r \in R(C')$ and $|R(C')| = 1$.

Proof of Claim 1. Assume by contradiction that the claim does not hold. That is either C' is symmetric or r is not the only closest robot to an empty node on ℓ -max in C' . In both cases, this means that there is another robot r' in C which was even closer to an empty node on ℓ -max. Contradiction.

Claim 2. Assume that r moves outside its ℓ -ring but does not join a maximal ℓ -ring in C . Then, the configuration C' reached once r moves is rigid. Moreover $r \in R(C')$ and $|R(C')| = 1$.

Proof of Claim 2. Assume by contradiction that the claim does not hold. That is either C' is symmetric or r is not the closest robot to an empty node on ℓ -max in C' . In both cases, this means that there is another robot r' in C which was even closer to an empty node on ℓ -max. Contradiction.

By Claims 1 and 2, we know that as long as r does not join a maximal ℓ -ring or a node that is on the same L -ring as u (for the first time), the configuration reached remains rigid. Note that by moving r remains the only robot allowed to move as it becomes the only closest robot to an empty node on a maximal ℓ -ring. At some time, r has either to join an empty node in the same L -ring as u or join u . If the

configuration remains rigid at each time then a rigid configuration C' in which there is a unique maximal ℓ -ring is reached and the lemma holds.

Let us consider the case in which a symmetric configuration C' can be reached when r moves to join either a node that is on the same L -ring as u or u . Recall that by our algorithm, r does not move in this case but C' is computed by all robots to elect one robot to move in C .

Two cases are possible:

1. Robot r joins an empty node on the same L -ring as u for the first time. Note that in this case, the axes of symmetry in C' lies on the L -ring containing r . Let $d1$ and $d2$ be the two 1.blocks that has u as a neighbor on ℓ -target. Since C' is symmetric, the size of $d1$ is equal to the size of $d2$. By our algorithm, r' , the robot which is on target- ℓ which is on the same L -ring as r in C is the one allowed to move. Its destination is u (Note that we are sure of the existence of such a robot since otherwise r will be supposed to move on its current L -ring instead of its current ℓ -ring). In the case where $\ell_{max}(C) = \ell - 1$, by moving, r' does not create a symmetric configuration as there is at least another maximal ℓ -rings in C whose unique empty node is not on the same L -ring as r . In the other cases, assume by contradiction that when r' moves, the configuration reached C'' is also symmetric. As previously stated, the axes of symmetry lies on the L -ring that contains r (otherwise C contains a robot which was closer to an empty node on a maximal ℓ -ring than r). Assume without loss of generality that r' moved toward $d1$. Note that the size of $d1$ in C'' has increased by one while the size of $d2$ has decreased by one. That is, $d1$ and $d2$ cannot be symmetric which is a contradiction. We can thus conclude that the reached configuration once r' moves is rigid. Robot r is now on the same L -ring as u . By Claim 2, we know that as long as r moves toward u without joining u , the configuration remains rigid. Once r becomes adjacent to u , if by joining u the configuration remains rigid then the lemma holds. Otherwise, we retrieve Case 2.
2. Robot r joins u . Let ℓ_m and ℓ_i be respectively the ℓ -ring that hosts u and r . Let ℓ_k be the other ℓ -ring that is adjacent to ℓ_m . If the reached configuration C' is rigid then the lemma holds. Let us focus on the case in which C' is symmetric. First assume that the axes of symmetry in C' lies on the unique maximal ℓ -ring (i.e., it lies on ℓ_m). Note that since C' is symmetric, on ℓ_k there is no robot on the same L -ring as r in C . Since initially, $Unique(C)$ is false, there are two ℓ -rings which were maximal in C and that are symmetric in C' with respect to the unique maximal ℓ -ring ℓ_m . Let us refer to such ℓ -rings by respectively ℓ_s and $\ell_{s'}$. In the following, in a given configuration, we say that $\ell_i == \ell_{i'}$ (for any i and i') if given an orientation of the torus, the position of the occupied nodes in ℓ_i is the exactly the same as in $\ell_{i'}$. Note that $\ell_s == \ell_{s'}$ in C' . We write $\ell_i! = \ell_{i'}$ if $\ell_i == \ell_{i'}$ does not hold. If $\ell_i == \ell_{i'}$ then $r == r'$ holds if r' has the same position on $\ell_{i'}$ as r on ℓ_i . We now state some important observations. Since C' is symmetric, we can deduce that the number of ℓ -rings ℓ_r satisfying the following properties is odd in C : (i) $\ell_r == \ell_m$, (ii) if $\ell_{i'}$ and $\ell_{k'}$ are adjacent to ℓ_r then without loss of generality $\ell_i == \ell_{i'}$ and $\ell_k == \ell_{k'}$. Let R be the set of such ℓ -ring. For any ℓ -ring $\ell_r \notin R$, their number is even in C .

By our algorithm, using the rigidity of C , one robot on either ℓ_s or $\ell_{s'}$ moves to its adjacent empty node on its current ℓ -ring. Assume without loss of generality that this robot was selected from ℓ_s . Let us refer to the reached configuration after such a move by C'' . We first show by contradiction that C'' is rigid. Note that, because of ℓ_s and $\ell_{s'}$, we are sure that there is no axes of symmetry that is perpendicular to ℓ_m in C'' and in addition, ℓ_m cannot be an axes of symmetry in C'' . That is, the axes of symmetry in C'' lies on another ℓ -ring that we denote by ℓ_{axes} . First assume that, for any ℓ -ring ℓ_r in C , $\ell_{axes} == \ell_r$ does not hold. That is, the number of ℓ -ring $\ell_r \in R$ remains odd in C'' . This means that C'' is rigid. A contradiction. Next, assume that for any ℓ -ring $\ell_r \in R$, $\ell_{axes}! = \ell_r$ but there exists an ℓ -ring ℓ'_r in C such that $\ell_r == \ell_{axes}$. As the number of such ℓ -rings was even in C , their number becomes odd in C'' . Similarly to the previous case, the number of ℓ -ring R remains also odd. Hence, C'' is rigid. A contradiction. Lastly, assume that for an ℓ -ring $\ell_r \in R$ $\ell_r == \ell_{axes}$. Let $\ell_{i'}$ and $\ell_{k'}$ be the two ℓ -rings adjacent to ℓ_{axes} . Assume without loss of generality that $\ell_i == \ell_{i'}$. Let r' be the robot on $\ell_{i'}$ such that $r' == r$. As C'' is symmetric and ℓ_{axes} is on the axes of symmetry, the node that is on $\ell_{k'}$ which is on the same L -ring as r' is occupied. A contradiction. We can thus deduce that C'' is rigid.

Observe that, in the new configuration C'' , another robot might become the closest to an empty node on a maximal ℓ -ring with a the largest view, if by moving, the configuration is rigid then the robot can move, otherwise, we are sure that there is at least one robot in $R(C'')$ which is r that can move and join u without reaching a symmetric configuration (recall that the priority is to choose a robot that keeps the configuration rigid). Now, assume by contrast that the axes of symmetry is perpendicular to the unique maximal ℓ -ring in C' . The axes of symmetry in this case cannot be on the same L -ring as u otherwise C is also symmetric. Since C' is symmetric then each ℓ -ring in the configuration, except maybe for target- ℓ and the ℓ -ring hosting r , has at least one axes of symmetry in C (considering the ℓ -rings individually). Moreover, they all share at least one axes of symmetry. By our algorithm, if there is an ℓ -ring in $T(C)$ (the set of all none empty ℓ -rings except for target- ℓ) that does not contain exactly two 1.blocks at distance 2 from each other from each side then using the rigidity of C , one robot on such an ℓ -ring is elected to move. The elected robot has to be the closest to the largest 1.block on its current ℓ -ring. By r' and ℓ , let us refer to respectively the elected robot to move and its current ℓ -ring in C . If by moving, r' does not join the biggest 1.block then r' is the only closest robot to a largest 1.block and hence ℓ does not contain any axes of symmetry. That is, the reached configuration is rigid. Moreover, r can join u without reaching a symmetric configuration. By contrast, if r' joins the largest 1.block, we show in the following that C' cannot be symmetric. Assume by contradiction, that C' , is symmetric. Two cases are possible:

- (a) the 1.block that r' joined is on the axes of symmetry in C' . In this case, let $d1$ and $d2$ be two 1.blocks of C that are symmetric with respect to the axes of symmetry in C' and which are the closest to it. In this case, r' was part either of $d1$ or $d2$ in C . Assume without loss of generality that r' was part of $d1$. Recall that by our algorithm, the size of $d1$ is less or equal to the size of $d2$. When r' moves, the size of $d1$ has decreased by one while the size of $d2$ did not change. That is, there is no axes of symmetry in ℓ (recall that the unique largest 1.block has to be on the axes of symmetry). Contradiction.
- (b) Otherwise. Let B be the size of the largest 1.block in C . By our algorithm, the robot r' to move is the one that is in the smallest 1.block in C which is the closest to a 1.block of size B . When r' moves, if r' do not join a 1.block of size B then r' is the only robot that is the closest to a 1.block of size B and hence the configuration reached is rigid. By contrast, if r' joins a 1.block of size B then in the configuration reached C'' , there is a unique largest 1.block on ℓ . Its size is $B + 1$. By *Biggest* (respectively *Block*) the largest 1.block in C'' (respectively to 1.block to which r' belonged in C). If *Block* contained more than one robot in C then *Block* still exists in C'' and its size decreased by one. As by assumption C'' is also symmetry, *Biggest* is on the axes of symmetry. That is, *Block* is symmetric to another 1.block which shares a hole with *Biggest*. This means that the size of this block is smaller then the size of *Block* in C . Hence r' was not enabled to move. Contradiction. Now, let us consider the case in which the size of *Block* is equal to 1 in C (r' is an isolated robot). When r' moves, as C' is supposed to be symmetric, the number of 1.blocks of size B with an isolated robot at distance 2 is odd. Hence the configuration is rigid. Contradiction.

Finally, if all ℓ -rings in $T(C)$ contains only two 1.blocks separated by exactly one empty node on each side then they either share exactly one axes of symmetry or all the axes (Observe that the axes of symmetry either crosses an ℓ -ring on an empty node or in the middle of a 1.block. By our algorithm, using the rigidity of C , one robot at the border of the smallest 1.block moves outside the 1.block it belongs to. By doing so, it joins the largest 1.block creating a new axes of symmetry which not shared by the other ℓ -ring in $T(C)$. Thus the configuration that is reached is rigid. moreover, when r moves to join u , the configuration remains rigid.

From the cases above, we can deduce that the lemma holds.

From Lemmas 3 and 4 we can deduce the following Corollaries :

Corollary 1. *Starting from a rigid configuration C in which $Unique(C)$ is false, a rigid configuration C' in which $Unique(C')$ is true, is eventually reached.*

Corollary 2. *Let C be the first configuration in which $Unique(C)$ is true. Then, for any ℓ_i with $i \in \{1, 2, \dots, \ell\}$, there is at most one multiplicity node. Moreover, if ℓ_i hosts a multiplicity node then the three*

following conditions hold: (1) $nb_{\ell_i}(C') = \ell - 1$, (2) the multiplicity node hosts exactly two robots and (3) the multiplicity node is at a border of a 1.block of size $\ell - 1$.

We now focus on configurations $C \in \mathcal{C}_{p_1}$ in which $Unique(C)$ is true and show that eventually a configuration $C' \in \mathcal{C}_{p_2}$ is reached.

Lemma 5. *Let $C \in \mathcal{C}_{Undefined}$ be a rigid configuration in which the following conditions hold:*

- C does not contain outdated robots
- $nb_{\ell_i}(C) < nb_{\ell_k}(C)$
- $\Gamma(C)$ is either rigid or contains a single axes of symmetry

From C , a configuration $C' \in \mathcal{C}_{oriented}$ with no outdated robots is eventually reached.

Proof. From corollary 1, we know that C do not contain an outdated robot. We consider the following cases:

1. $\Gamma(C)$ is rigid. As by our algorithm, no robot on an ℓ -ring $\ell_r \neq \ell_i$ moves, $\Gamma(C)$ remains rigid. That is, a unique node on ℓ_i can be uniquely identified. Let us refer to such a node by u . By our algorithm, robots on ℓ_i which are the closest to u are the ones to move. their destination is their adjacent empty node on their current ℓ -ring toward u . As the robots join u one by one, the number of robots on ℓ_i decreases to eventually be equal to 1. That is, eventually a configuration C' in which $nb_{\ell_i}(C') = 1$ is reached. Observe that once the robots join u they are not allowed to move anymore. That is in C' there are no outdated robots. Hence the lemma holds in this case.
2. $\Gamma(C)$ is symmetric. First note that by definition, whatever the position of the robots on ℓ_i , $\Gamma(C)$ remains symmetric with the same axes of symmetry. Depending on how the axes of symmetry crosses ℓ_i , we consider the following cases:
 - (a) The axes of symmetry of $\Gamma(C)$ crosses ℓ_i on a single node ($\Gamma(C)$ is node-edge symmetric). Let us refer to this node by u . By our algorithm, u is identified as a target node for all robots on ℓ_i . The closest ones first move to join u taking the empty path. That is, eventually all robots join u and a configuration C' in which which $nb_{\ell_i}(C') = 1$ is reached.
 - (b) The axes of symmetry crosses ℓ_i on two nodes ($\Gamma(C)$ is node-node symmetric). Let us refer to these nodes by u and u' respectively. By our algorithm, using the rigidity of C , one robot on either u or u' is elected to move. Its destination is its adjacent node on its current ℓ -ring. Since $nb_{\ell_i}(C) < nb_{\ell_k}(C)$, we are sure that neither u nor u' contains a tower (recall that a tower is only created to reduce the number of maximal ℓ -rings when each of their nodes is occupied). As for case in which the axes of symmetry crosses a single node on ℓ_i , a configuration C' in which $nb_{\ell_i}(C') = 1$ is reached.
 - (c) The axes of symmetry crosses ℓ_i on edges ($\Gamma(C)$ is edge-edge symmetric). Assume without loss of generality that the axes of symmetry crosses ℓ_i on the edges $e_1 = (u_1, u_2)$ and $e_2 = (u_3, u_4)$ and that u_1 and u_3 are on the same side of the axes of symmetry. Let $U = \{u_j, j \in \{1, \dots, 4\}\}$. The following cases are distinguished by our algorithm:
 - i. $\forall u \in U$, u is occupied. By our algorithm, using the rigidity of C , one of these nodes is elected. Assume without loss of generality that u_1 is elected. Robots on u_1 are the ones to move. their destination is u_2 . Note that if u_1 hosts more than one robot and that the scheduler activates only a subset of robots then robots on u_1 remain the only ones allowed to move. That is, eventually, u_1 becomes empty and no robot has an outdated view. Also, thanks to both ℓ_i and ℓ_{max} , the configuration reached is rigid. We retrieve the case 2(c)ii.
 - ii. Three nodes of U are occupied. Assume without loss of generality that u_1 is empty. By our algorithm, robots on ℓ_i which are on on the side of u_3 and u_1 and are the closest to u_3 are the ones allowed to move. Their destination is their adjacent node toward u_3 taking the shortest path. As long as there are robots between u_3 and u_1 , these robots are the only one allowed to move. That is, eventually, the side between u_3 and u_1 becomes empty. Once such a configuration is reached, by our algorithm, robots on u_2 are now the ones allowed to move. Their destination is their adjacent node in the opposite direction of u_1 . Observe that as long as u_2 is occupied, robots on u_2 remain the only ones allowed to move. That is, eventually, u_2

becomes empty and we retrieve Case 2(c)iii with a rigid configuration (there is at least one occupied node on the side of u_4 and u_2 and no robots on the other side) in which u_3 and u_4 are occupied. We retrieve Case 2(c)iii.

- iii. Two nodes of U are occupied. Several scenarios are considered depending on the nodes that are occupied: first (i) assume without loss of generality that u_1 and u_2 are occupied (the case in which the two nodes are neighbors). By our algorithm, if there is no other occupied node on ℓ_i then using the rigidity of C , a node of U is elected. Assume without loss of generality that this node is u_1 . Robots on u_1 are the ones allowed to move. Their destination is u_2 . Note that as long as there are robots on u_1 , robots on u_1 remain the only ones allowed to move. That is, eventually, u_1 becomes empty. Thanks to ℓ_i , we can deduce that the configuration reached is rigid. That is, we retrieve Case 2(c)iv. By contrast, if all robots which are not on a node of U are on the same side of the axes of symmetry of $\Gamma(C)$ (assume without loss of generality that they are on the same side as u_1) then, robots on u_2 are the ones allowed to move. Their destination is u_1 . Observe that as long as there are robots on u_2 , these robots are the only ones allowed to move. That is, eventually u_2 becomes empty and no robot has an outdated view. Observe that since robots are on only one side of the axes of symmetry of $\Gamma(C)$ the configuration reached is rigid. Thus, we retrieve Case 2(c)iv. By contrast, if robots are on both sides of the axes of symmetry then, by our algorithm, one robot remains idle to play the role of a landmark. This robot is the one that is on ℓ_i which is the farthest from the an occupied node of U being on the same side of the axes of symmetry of $\Gamma(C)$. That is, if there are two robots that are the farthest to an occupied node of U (there is one robot on each side) then, since C is rigid, one robot is elected to move. Its destination is its adjacent node towards the occupied node of U being on the same side. By doing so, a configuration in which there is only one occupied node, u , which is the farthest from the occupied node of U is reached. This robot (occupied node) is the landmark. Assume without loss of generality that u is on the same side as u_1 . By our algorithm, robots that are on the opposite side of u_1 which are the closest to u_2 moves on their current ℓ -ring to join u_2 . As robots join u one by one, eventually, a configuration in which robots occupy only one side of the axes of symmetry is reached. This case was discussed earlier. Hence, we can deduce that we retrieve Case 2(c)iv. Next, (ii) let us now consider the case in which u_1 and u_3 are occupied (the case in which the two nodes of u are on the same side of the axes of symmetry). By our algorithm, robots on the node of U with the largest view are the ones allowed to move. Since C is rigid, robots on exactly one node of U are elected to move. Assume without loss of generality that robots on u_1 are the ones allowed to move. Their destination is their adjacent node in the opposite direction of u_2 . Observe that as long as u_1 is occupied, robots on u_1 are the only ones allowed to move. That is, eventually, u_1 becomes empty and no robot has an outdated view. We thus, retrieve Case 2(c)iv.

Finally, (iii) assume without loss of generality that u_1 and u_4 are occupied (the case when the two nodes of U are not neighbors and at different sides of the axes of symmetry of $\Gamma(C)$). By our algorithm, robots with the largest view on either u_1 or u_4 are allowed to move. Their destination is their adjacent node on ℓ_i which is not in the set U . Assume without loss of generality that robots on u_1 are the ones that are elected. Note that as long as u_1 is occupied, robots on u_1 remain the only ones to move. That is, eventually u_1 becomes empty. Thanks to ℓ_i the reached configuration is rigid. Thus, we retrieve Case 2(c)iv.

- iv. Exactly one node of U are occupied. Assume without loss of generality that u_1 is the node of U which is occupied. By our algorithm, if all robots on ℓ_i are on the same side as u_1 , then the closest robots on ℓ_i to u_1 moves to their adjacent node on their current ℓ -ring towards u_1 . That is eventually, all robots on ℓ_i join u_1 and no robot has an outdated view. Hence, a configuration $C' \in \mathcal{C}_{oriented}$ is eventually reached. By contrast, if all robots on ℓ_i are on the opposite side of u_1 then by our algorithm robots on u_1 are the ones to move. Their destination is their adjacent node of U . That is either we remain in Case 2(c)iv with u_2 the only node of U which is occupied and all robots on ℓ_i being on the same side as u_2 or a configuration in which there are exactly two nodes of U (u_1 and u_2) which are occupied and neighbors. Note that in the later case, robots on u_1 remain the only ones allowed to move as there is

no robot on the same side as u_1 . Their destination remains also the same (they move toward u_2). Hence we can deduce that a configuration $C' \in \mathcal{C}_{oriented}$ is eventually reached. Finally, if there are robots on both sides of the axes of symmetry of $\Gamma(C)$ then by our algorithm, robots that are on the same side as u_1 which are the closest to u_1 are the ones allowed to move. Their destination is their adjacent node on their current ℓ -ring towards u_1 . That is eventually, the side of u_1 becomes empty and as discussed previously a configuration in which all robots on ℓ_i join the same node of U is eventually reached.

- v. $\forall u \in U$, u is empty. By our algorithm, the closest robot on ℓ_i to a node of U being on the same side of the axes of symmetry is the one allowed to move. Its destination is its adjacent node toward a node of U . In the case in which there are more than one such robot, as C is rigid, robots on exactly one node are elected to move. that is, we retrieve Case 2(c)iv.

From the case above, we can deduce that eventually, all robots on ℓ_i gather on a unique node of U . Moreover, no robot has an outdated view as they have all moved and once they are on the same node, they are no more allowed to move. Hence, a configuration $C' \in \mathcal{C}_{oriented}$ with no outdated robots is eventually reached and the lemma holds.

Lemma 6. *Let $C \in \mathcal{C}_{Undefined}$ be a rigid configuration in which the following conditions hold:*

- C has no outdated robots.
- $nb_{\ell_i}(C) = nb_{\ell_k}(C)$.
- $\Gamma(C)$ is either rigid or contains a single axes of symmetry.

From C , a configuration $C' \in \mathcal{C}_{oriented}$ with no outdated robots is eventually reached.

Proof. By Corollary 2, we know that an ℓ -ring ℓ' can host a multiplicity in C only if $nb_{\ell'}(C) = \ell - 1$. Moreover, the multiplicity is adjacent to an empty node in ℓ' . That is, whenever $nb_{\ell'}(C) < \ell - 1$, we are sure that each node of ℓ' hosts one robot. Hence, by moving, no new maximal ℓ -ring is created. Depending on $\Gamma(C)$, robots behavior is different. Our algorithm distinguish the following cases:

1. $\Gamma(C)$ is rigid. Using the rigidity of $\Gamma(C)$, a unique node, u is selected from either ℓ_i or ℓ_k . Assume without loss of generality that the selected node u is on ℓ_i . Note that since C does not contain any outdated robots and since no robot of $\Gamma(C)$ is allowed to move, u keeps being identified. By our algorithm, two cases are possible: (i) u is empty and $nb_{\ell_i}(C) = \ell - 1$ and (ii) all the other cases. In case (i), by our algorithm, the robot r on ℓ_i that is adjacent to u which is not part of a multiplicity moves to u . By Corollary 2, we are sure that such a robot exists. By moving u becomes occupied. Note that since r was not part of a multiplicity, by moving no new maximal ℓ -ring is created. That is, we retrieve Case (ii). In case (ii), by our algorithms, robots on ℓ_i move to join the selected node starting from the closest ones. That is, eventually, one robot will join u and a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ is reached. Robots on u are not allowed to move anymore. If C' is rigid and does not contain outdated robots then by Lemma 5, we can deduce that the lemma holds. Otherwise, as u is identified in a unique manner, the target node of the robots on ℓ_i remains node u . That is eventually, all robots on ℓ_i join u and the lemma holds in this case.
2. $\Gamma(C)$ is node-edge symmetric. Let u (respectively u') be the node on ℓ_i (respectively ℓ_k) which is on the axes of symmetry of $\Gamma(C)$. Assume without loss of generality that u is occupied while u' is empty. By our algorithm, the robot that is on ℓ_i which is the closest to u is the one allowed to move. If there are more than one robot, using the rigidity of C only one robot is elected to move. By moving, either it becomes the only closest robot to u or it joins u . In the first case, by our algorithm the robot that has moved remains the only one allowed to move. Its destination is its adjacent empty node toward u . That is eventually it joins u . As there is only one robot that was allowed to move. When the robot joins u , the configuration does not contain any outdated robot. In the reached configuration C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ holds. By our algorithm, robots on u are not allowed to move anymore. That is, if C' is rigid then by Lemma 5 we can deduce that the lemma holds. By contrast if C' is symmetric, then as no robot moved from $\Gamma(C)$, the only possible axes of symmetry in C' is the one that lies on the axes of $\Gamma(C)$. By our algorithm, in this case, robots on ℓ_i move to join u taking the shortest path and starting from the closest robots. That is, eventually, all robots on ℓ_i are located on u . A configuration $C'' \in \mathcal{C}_{oriented}$ is reached. As robots are not allowed to move anymore once on

u , C'' does not contain outdated robots. Hence, the lemma holds. Now assume that both u and u' are occupied. Let R_i (respectively R_k) be the closest robot to u (respectively u') on ℓ_i (respectively ℓ_k). By our algorithm, since C is rigid, exactly one robot is selected from either R_i or R_k . Assume without loss of generality that the selected robot is in R_i . This robot is the one allowed to move. Its destination is its adjacent empty node on its current ℓ -ring toward u . By moving, the robot either joins u and we retrieve the case in which $nb_{\ell_i}(C) < nb_{\ell_k}(C')$ discussed earlier or the robot remains the only closest robot to u and hence it is the only one allowed to move. That is, eventually, the robot joins u and we can deduce that the lemma holds. Finally, assume that both u and u' are empty. Observe that in this case $nb_{\ell_i}(C) \neq \ell - 1$ (otherwise C is symmetric and not rigid). That is, by Corollary 2 neither ℓ_i nor ℓ_k contain a multiplicity. Let R_i (respectively R_k) be the closest robot to u (respectively u') on ℓ_i (respectively ℓ_k). By our algorithm, since C is rigid, exactly one robot is selected from either R_i or R_k . Assume without loss of generality that the selected robot is in R_i . This robot is the one allowed to move. Its destination is its adjacent empty node toward u . By moving, the robot either joins u or it becomes the only robot allowed to move (as it is the only closest robot to u). That is eventually, the robot joins u . If the reached configuration is rigid then we retrieve the previous discussed case. Otherwise, thanks to the unique ℓ_{max} , both ℓ_i and ℓ_k can still be identify, the same for u as no robot from $\Gamma(C)$ has moved. By our algorithm, the closest robots to u on ℓ_i are the ones allowed to move, their destination is their adjacent node towards u . That is, all robots eventually move to join u . Since they are no more allowed to move, we can deduce that the lemma holds in this case.

3. $\Gamma(C)$ is node-node symmetric. Let u_i and u'_i (respectively u_k and u'_k) be the two nodes on ℓ_i (respectively ℓ_k) on which the axes of symmetry of $\Gamma(C)$ passes through. We consider the following two cases:

(a) $\forall u \in \{u_i, u'_i, u_k, u'_k\}$, u is occupied. Let $U \subseteq \{u_i, u'_i, u_k, u'_k\}$ be the set of nodes that have an occupied adjacent node on their ℓ -ring. By our algorithm, if $|U| \geq 1$ then by our algorithm, using the rigidity of C a single node in U is elected. Assume without loss of generality that this node is u_i . Robots on u_i are the ones allowed to move. Their destination is their adjacent occupied node on their ℓ -ring. Observe that if u_i hosts a multiplicity then by Corollary 2, there are only 2 robots part of the multiplicity. If the scheduler activates only one robot, as the destination node is occupied, the robot on u_i that were supposed to move remains the only one allowed to move. Its destination remains the same. That is, by moving, we reach a configuration in which $\exists u \in \{u_i, u'_i, u_k, u'_k\}$ such that u is empty. We retrieve Case 3b. By contrast, if $|U| = 0$, by our algorithm, using the rigidity of C , one node of $u \in \{u_i, u'_i, u_k, u'_k\}$ is elected. The robot on u node moves to one of its adjacent occupied node (the scheduler chooses the direction to take). Assume without loss of generality that $u = u'_i$. From Corollary 2, we are sure that u does not contain a multiplicity (A multiplicity exists only in the case where $nb_{\ell_i}(C) = \ell - 1$). By moving, u'_i becomes empty and we retrieve Case 3b.

(b) $\exists u \in \{u_i, u'_i, u_k, u'_k\}$ such that u is empty. If there is a unique node $u \in \{u_i, u'_i, u_k, u'_k\}$ which is occupied then the closest robot to u on the same ℓ -ring as u moves to their adjacent empty node toward u . Assume without loss of generality that $u = u_i$. Once one robot joins u_i , a configuration $C' \in \mathcal{C}_{Undefined}$ with $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ and no outdated robots is reached. By contrast, let us consider now the case in which there are three node in $\{u_i, u'_i, u_k, u'_k\}$ which are occupied. Assume without loss of generality that u'_i is the empty node. By our algorithm, robots on ℓ_i which are the closest to u_i are the only one allowed to move. By moving they keep being the closest ones. That is eventually, one robot on ℓ_i joins u_i , a configuration $C' \in \mathcal{C}_{Undefined}$ with $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ is then reached. Finally, if there are two nodes of $\{u_i, u'_i, u_k, u'_k\}$ which are occupied then first note that $nb_{\ell_i}(C) < \ell - 1$ (otherwise three nodes of the set $\{u_i, u'_i, u_k, u'_k\}$ should have been occupied). That is, by Corollary 2, neither ℓ_i nor ℓ_k contain a multiplicity. If the two occupied nodes of $\{u_i, u'_i, u_k, u'_k\}$ are part of the same ℓ -ring (assume without loss of generality that these two nodes are u_i and u'_i) then by our algorithm, using the rigidity of C one node among u_i and u'_i is elected. The robot on the elected node is the one allowed to move. Its destination is its adjacent node on its current ℓ -ring. By moving a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ is reached. By contrast, if the two occupied nodes are on two different ℓ -rings then let $R(C)$ be the set of robots on ℓ_i and ℓ_k which are the closest to the occupied node of $\{u_i, u'_i, u_k, u'_k\}$ on their ℓ -ring. One robot from $R(C)$ is elected to move. Its destination is its adjacent node on its current ℓ -ring toward the closest occupied node of $\{u_i, u'_i, u_k, u'_k\}$ which is on its ℓ -ring. By moving it either

joins the node or becomes the unique closest robot. In the latter case, the robot remains the only one allowed to move. That is eventually, a configuration $C' \in \mathcal{C}_{Undefined}$ with $nb_{\ell_i}(C') < b_{\ell_k}(C')$ is eventually reached.

Once a configuration $C' \in \mathcal{C}_{Undefined}$ in which $nb_{\ell_i}(C') < b_{\ell_k}(C')$ is reached then if C' is rigid then by Lemma 5 we can deduce that the lemma holds. By contrast, if C' is symmetric then the axes of symmetry of C' lies on the axis of symmetry of $\Gamma(C)$. By our algorithm, the robots on ℓ_i which are the closest to u_i are the ones allowed to move. Their destination is their adjacent empty node on their current ℓ -ring. That is, eventually all robots on ℓ_i joins u_i . A configuration $C'' \in \mathcal{C}_{oriented}$ is then reached. As robot on u_i are not allowed to move we can deduce that the lemma holds.

4. $\Gamma(C)$ is edge-edge symmetric. Assume without loss of generality that:
 - the axes of symmetry of $\Gamma(C)$ passes through respectively $e_1 = (u_1, u_2)$ and $e_2 = (u_3, u_4)$ on ℓ_i and $e'_1 = (u'_1, u'_2)$ and $e'_2 = (u'_3, u'_4)$ on ℓ_k .
 - nodes u_1 and u_3 (respectively u'_1 and u'_3) are the same side of the axes of symmetry on ℓ_i (respectively ℓ_k).

Let $\mathcal{L} = \{\ell_i, \ell_k\}$, $U_i = \{u_1, u_2, u_3, u_4\}$, $U_k = \{u'_1, u'_2, u'_3, u'_4\}$ and $U = U_i \cup U_k$. By our algorithm, a single ℓ -ring is selected and robots that are on the selected ℓ -ring behave exactly in the same manner as in the case in which $nb_{\ell_i}(C) \neq nb_{\ell_k}(C)$. To determine which ℓ -ring to select, robots check if a given number of properties are verified in a given order:

- (a) There exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be, without loss of generality ℓ_i , in which $|U_i| = 2$ with the two nodes of U_i being neighbors to reach other and $Free(u_1, u_3) \wedge Free(u_2, u_4)$ holds. As C is rigid and $\Gamma(C)$ is symmetric, we are sure that if $|U_k| = 2$, the the two nodes of U_k cannot be neighbors (Otherwise C is symmetric). By our algorithm, ℓ_i is the one that is selected. The robot to move is the one that is on an occupied node of U_i with the largest view. Its destination is adjacent occupied node. That is, the robot moves to an occupied node of U_i . By moving, a configuration C' in which $nb_{\ell_i}(C') = 1$ is reached. As no other robot is allowed to move and since all robots that were allowed to move have moved, we can deduce deduce that there are no outdated robots. Hence, we can deduce that the lemma holds.
- (b) There exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i in which $|U_i| = 1$ (Assume that u_1 is the occupied node of U_i), $Free(u_2, u_4) \wedge \neg Free(u_1, u_3)$ holds. If ℓ_k does not satisfy the same properties then ℓ_i is the one that is selected. The robot to move is the one that is on ℓ_i which the closest to u_1 . Note that since $nb_{\ell_i}(C) \neq \ell - 1$, by Corollary 2, we are sure that the robot to move is not part of a multiplicity. That is, by moving, it either joins u_1 or becomes the only robot that is the closest to u_1 . In the latter case, this robot remains the only one a allowed to move. Its destination is its adjacent node toward u_1 . Hence, eventually it joins u_1 . By joining u_1 , a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$. Since there is no other robot that was allowed to move, in C' , we are sure that there is no robot with an outdated view. If $nb_{\ell_i}(C') = 1$ then the lemma holds. By contrast, if $nb_{\ell_i}(C') > 1$ then, since $\Gamma(C) = \Gamma(C')$ and there are robots only on one side of $\Gamma(C')$'s axes of symmetry, C' is rigid. Moreover, robots on u_1 are not allowed to move anymore, the robots that are on ℓ_i which are the closest to u_1 are the ones to move. Their destination is their adjacent node on their ℓ -ring toward u_1 . That is, eventually all robots on ℓ_i joins u_1 . Thus, lemma holds.

Now assume that ℓ_k verify the same properties as ℓ_i . That is, $|U_k| = 1$ (Assume without loss of generality that u'_1 is the occupied node of U_k), $Free(u'_2, u'_4) \wedge \neg Free(u'_1, u'_3)$. In this case, by our algorithm, the selection is done with respect to distance of a robot to the occupied node of U located on its ℓ -ring. More precisely, let d_i (respectively d_k) be the smallest distance between a robot on ℓ_i (respectively ℓ_k) from u_1 (respectively u'_1). Assume without loss of generality that $d_i < d_k$. In this case, the robot on ℓ_i which is the closest to u_1 is the one allowed to move (let us refer to this robot by r). The destination of r is its adjacent node on its ℓ -ring toward u_1 . By moving, r either joins u_1 or becomes the only closest robot to u_1 . That is, in the configuration reached d_i remains smaller than d_k and hence ℓ_i keeps being the only ℓ -ring to be selected. Note this holds until r joins u_1 . When r joins u_1 as discussed previously, we can deduce that the lemma holds. Finally, in the case in which $d_i = d_k$ then the ℓ -ring that hosts a robot which is at distance d_i from the occupied node of U being on its current ℓ -ring, with the largest view is the one which

is selected. Note that this is possible as C is rigid. By moving, the robot either joins the occupied node of U or becomes the only closest robot to an occupied node of U which has been already discussed. Thus, We can deduce that the Lemma holds.

- (c) Next, there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i in which $|U_i| = 2$ and the two occupied nodes of U_i are neighbors (let these two nodes be respectively u_1 and u_2), $Free(u_1, u_3) \vee Free(u_2, u_4)$ holds. Note that both $Free(u_1, u_3) \wedge Free(u_2, u_4)$ does not hold otherwise we are in Case 4a. By our algorithm, if ℓ_k does not satisfy the same properties then, ℓ_i is selected. Otherwise, let the two occupied nodes of U_k be respectively u'_1 and u'_2 and let r and r' be the robots located on respectively u_2 and u'_2 . By our algorithm, $view_r(t)(1) < view_{r'}(t)(1)$ then ℓ_i is selected. Otherwise ℓ_k is selected (Recall that since C is rigid, we are sure that $view_r(t)(1) \neq view_{r'}(t)(1)$). Assume without loss of generality that ℓ_i is selected. By our algorithm, if $Free(u_1, u_3)$ holds then the robot on u_1 is the one to move. Its destination is u_2 . By contrast, if $Free(u_2, u_4)$, then the robot on u_2 is the the one allowed to move. Its destination is u_1 . By moving, u_2 becomes empty. As u_1 was occupied, in the configuration reached C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C)$. Moreover, as there is one side of ℓ_i which is occupied, we are sure that the configuration reached C' is rigid. Robots on u_1 are no more allowed to move as robots being on the same side as u_1 are the ones that move, starting from the ones that are the closest to u_1 , toward u_1 . That is, eventually, all robots on ℓ_i join u_1 and we can deduce that the lemma holds.
- (d) There exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be, without loss of generality ℓ_i , in which $|U_i| = 2$ and the two occupied nodes of U_i are on the same side of $\Gamma(C)$'s axes of symmetry (let these robots be respectively u_1 and u_3), $Free(u_2, u_4)$ and $\neg Free(u_1, u_3)$. By our algorithm, if ℓ_k does not satisfy the same properties then, ℓ_i is selected. Otherwise, the ℓ -ring that hosts a robot of U with the largest view is the one to be elected (note that this is possible as C is rigid). Assume without loss of generality that ℓ_i is elected. Let r and r' be the robots on respectively u_1 and u_3 . If $view_r(t)(1) < view_{r'}(t)(1)$ then robot r' is the one allowed to move. Its destination is its adjacent node on its ℓ -ring in the opposite direction of u_4 . By moving u_3 becomes empty. If r' moved to an empty node, as $Free(u_2, u_4)$ holds, we retrieve Case 4b. Otherwise (r' moves to an occupied node), a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ is reached. By our algorithm, robots that are the closest to u_1 , are the ones allowed to move. Their destination is their adjacent node toward u_1 . Observe that if r' is the closest to u_1 , as it is part of a multiplicity of size 2, by moving, we can reach alternatively a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ and a configuration C'' in which $nb_{\ell_i}(C'') = nb_{\ell_k}(C'')$. However, since in both configurations, robots keep the same destination (recall that $|U_i| = 1$ and $Free(u_2, u_4)$ holds) then eventually, they will join u_1 and we can deduce that the lemma holds.
- (e) there exists an ℓ -ring in \mathcal{L} , let this ℓ -ring be without loss of generality ℓ_i in which $|U_i| = 3$ (let u_1 be the unique empty node in U_i) and $Free(u_1, u_3)$. By our algorithm, if ℓ_k does not satisfy the same properties then, ℓ_i is elected. Otherwise, assume loss of generality that the empty node on ℓ_k is u'_1 . Let r and r' be the two robots located on respectively u_2 and u'_2 . By our algorithm, if $view_r(t)(1) > view_{r'}(t)(1)$ then, ℓ_i is elected (recall that C is rigid and hence we are sure that $view_r(t)(1) \neq view_{r'}(t)(1)$). Otherwise ℓ_k is selected. Assume without loss of generality that ℓ_i is the elected ℓ -ring. The robot, r on u_2 is the one allowed to move. Its destination is its adjacent node in the opposite direction of u_1 . If r moves to an empty node then, since $Free(u_1, u_3)$ holds, we retrieve Case 4c. By contrast, if it moves to an occupied node then, a configuration C' in which $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ is reached. Again, as $Free(u_1, u_3)$ holds, the robot on u_3 is the one that is allowed to move. Its destination is u_2 . By moving, a configuration C'' in which the only node of U_i to be occupied is u_4 . Moreover, $nb_{\ell_i}(C'') < nb_{\ell_k}(C'') - 1$. That is, when r moves toward u_4 , as it is part of a multiplicity of size 2, the scheduler can break the multiplicity. However, as $nb_{\ell_i}(C'') < nb_{\ell_k}(C'') - 1$, ℓ_i remains the one to be elected and u_4 remains the target of the robots on ℓ_i . That is, eventually, all robots join u_4 and the lemma holds.
- (f) Non of the cases above is verified. Assume without loss of generality that $|U_i| \leq |U_k|$. The following cases are possible:
- i. $|U_i| = 4$. Observe that in this case $|U_i| = |U_k|$. Let R be the set of robots on a node of U . The ℓ -ring that hosts the robot of R with the largest view is the elected ℓ -ring (Recall that this is possible as C is rigid). Assume without loss of generality that ℓ_i is selected. By our algorithm, using the rigidity of C , a unique robot, say r , on a node of U_i is selected to move. Assume

without loss of generality that r is located on u_1 . The destination of r is u_2 . By Corollary 2, u_1 hosts no more than 2 robots in C . If u_1 hosts a multiplicity and the scheduler activates only one robot on u_1 , as the robot moves to an occupied node, the configuration remains the same and hence, the robot that was supposed to move is the only one allowed to move. That is eventually, u_1 becomes empty and u_2 hosts at least 2 and at most 3 robots (3 robots in the case in which $nb_{\ell_i}(C) = \ell - 1$. In the configuration reached C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$).

Let us first discuss the case in which u_2 hosts a multiplicity of size 3. Since $Free(u_1, u_3)$ does not hold (recall that $nb_{\ell_i}(C) = \ell - 1$). By our algorithm, the robot that is on the same side as u_1 which is the closest to u_3 is the one allowed to move. Its destination is its adjacent node toward u_3 . That is, eventually, $Free(u_1, u_3)$ becomes true. Robots on u_2 are then allowed to move as we retrieve Case 4e. Note that, in every configuration reached C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ (even if the scheduler activates only a subset of robots, as by moving they add at most one occupied node) and hence ℓ_i is uniquely identified. When u_2 becomes empty, robots that are on u_3 are the one toward u_4 . As long as u_4 is occupied, the configuration remains the same and hence only robots on u_3 are allowed to move. Eventually, u_3 becomes empty and in the configuration reached $|U_i| = 1$ and $Free(u_1, u_3)$ holds. As discussed previously, all robots on ℓ_i move to join u_4 starting from the closest ones. Eventually, a configuration C'' in which $nb_{\ell_i}(C'') = 1$ is reached. Hence the lemma holds.

Lastly, let us consider the case in which u_2 hosts two robots. If $Free(u_1, u_3)$ does not hold then robots located on ℓ_i which are on the same side as u_1 move to join u_3 starting from the closest one. That is, as for the case in which u_2 hosts a multiplicity of size 3, ℓ_i is uniquely identified as the number of its occupied nodes is strictly smaller than the number of occupied nodes on ℓ_k . By contrast, if $Free(u_1, u_3)$ holds, then since in the configuration $|U_k| = 4$ and $|U_i| = 3$ (recall that u_1 became empty), ℓ_i is also uniquely identified. As discussed in Case 4e, we can deduce that the lemma holds.

- ii. $|U_i| = 3$. By our algorithm if $|U_i| < |U_k|$ then ℓ_i is the ℓ -ring that is selected. By contrast, if $|U_i| = |U_k|$ then, assume without loss of generality that u_1 and u'_1 are the empty nodes on ℓ_i and ℓ_k respectively. Observe that $\neg Free(u_1, u_3)$ and $\neg Free(u'_1, u'_3)$ holds (otherwise we are in Case 4e). Let R_i (respectively R_k) be the set of robots on ℓ_i (respectively ℓ_k) being on the same side of the axes of symmetry as u_1 (respectively u'_1). Let $R = R_i \cup R_k$. If without loss of generality $|R_i| < |R_k|$ then, ℓ_i is selected. By contrast, if $|R_i| = |R_k|$ then, let r_1 (respectively r'_1) be the robot on ℓ_i (respectively ℓ_k) which is the closest to u_3 (respectively u'_3). If without loss of generality $dist(r_1, u_3) < dist(r'_1, u'_3)$ then ℓ_i is selected. Otherwise, if $dist(r_1, u_3) = dist(r'_1, u'_3)$ then if $view_{r_1}(t)(1) > view_{r'_1}(t)(1)$ then ℓ_i is selected. Otherwise, ℓ_k is selected. Assume without loss of generality that ℓ_i is the one that is selected. By our algorithm, the robot on ℓ_i which is the closest to u_3 , is the one allowed to move. Its destination is its adjacent node toward u_3 . By moving, the robot joins u_3 or becomes the only robot that is closest to u_3 . Let C' be the reached configuration. If the robot joined u_3 then $nb_{\ell_i}(C') < nb_{\ell_k}(C')$. Since $U_i = 3$ in C' , C' is rigid. By Lemma 5, we can deduce that the lemma holds. By contrast, if the robot does not join u_3 , as the robot get even closer to u_3 , ℓ_i remains the selected ℓ -ring and the robot that has moved remains the only one allowed to move. That is eventually, it joins u_3 and as discussed previously, we can deduce that the lemma holds.
- iii. $|U_i| = 2$. By our algorithm if $|U_i| < |U_k|$ then ℓ_i is the ℓ -ring that is selected. By contrast, if $|U_i| = |U_k|$ then, three cases are possible on each ℓ -ring of \mathcal{L} depending on the nodes of U that are occupied: (I) the two nodes are neighbors, (II) the two nodes are on the same side of $\Gamma(C)$'s axes of symmetry. (III) the two nodes are not neighbors and are on different side of the axes of symmetry. We set: $Case(I) > Case(II) > Case(III)$ where $Case(a) > Case(b)$ means that $Case(a)$ has a higher priority than $Case(b)$. That is, if ℓ_i and ℓ_k have two different priorities then, the ℓ -ring with the largest priority is one that is selected. By contrast, if the two ℓ -rings have the same priority (they belong to the same case), the selection is done in the following manner: if both ℓ_i and ℓ_k belongs to $Case(I)$ (assume without loss of generality that u_1, u_2, u'_1 and u'_2 are the nodes of U that are occupied) then, let F_1, F_2 (respectively F'_1, F'_2) be the number of robots on ℓ_i (respectively ℓ_k) being on each side of $\Gamma(C)$'s axes of

symmetry (Observe that $\forall i \in \{1, 2\}$, $F_j \neq 0$ and $F'_j \neq 0$, otherwise we are in Case 4c). Let $F = \min(F_1, F_2, F'_1, F'_2)$. The ℓ -ring that has a side with F robots is elected. If both ℓ -rings has a side with F robots, we use the distance to break the symmetry. That is, let d be the largest distance between an occupied node on an ℓ -ring of \mathcal{L} and the occupied node of U on the same ℓ -ring. Let R_1 and R_2 be the set of these nodes located on respectively ℓ_i and ℓ_k . Let $R = R_1 \cup R_2$. If without loss of generality $R_1 < R_2$ then ℓ_i is selected. Otherwise, let d_i (respectively d_k) be the smallest distance between a robot on ℓ_i (respectively ℓ_k) that are in a different side from the node of R_i (respectively R_k). If without loss of generality $d_i < d_k$ then ℓ_i is selected. If $d_i = d_k$, the ℓ that hosts a robot that is at distance d_i from an occupied node of U with the largest view is one that is selected. Now, if both ℓ -ring of \mathcal{L} belong to *Case(II)* or if they both belong to *Case(III)* then, let r (respectively r') be the robot allowed to move on ℓ_i (respectively ℓ_k) with respect to our algorithm. If $view_r(t)(1) > view_{r'}(t)(1)$ then ℓ_i is elected. Otherwise, ℓ_k is elected. From here, we know that a unique ℓ -ring is selected. Assume without loss of generality that this ℓ -ring is ℓ_i . We discuss each case separately:

- The two occupied nodes of U_i are neighbors. Let R be the set of occupied nodes on ℓ_i that are the farthest from an occupied node of U_i being on the same side of $\Gamma(C)$'s axes of symmetry. Note that $1 \leq |R| \leq 2$ (one at each side of the axes of symmetry). If $|R| = 2$ then, as C is symmetry the robot that is on a node of R with the largest view is the one allowed to move. Its destination is its adjacent node on its ℓ -ring toward the occupied node of U_i , being on the same side, taking the shortest path. By moving, a configuration C' which is still in *Case(I)* and in which $|R| = 1$ is reached. When $|R| = 1$, the robot that is on ℓ_i in the opposite side of the axes from the node of u and which is the closest to the occupied node of U_i is the one allowed to move. By moving, it either joins the occupied node of U_i or it becomes the only closest robot to an occupied node of U . Hence, in the latter case, ℓ_i remains the one that is elected and the robot that has moved remains the only one allowed to move. That is, eventually it joins the occupied node of U_i . In the configuration reached C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$ and thanks to the farthest occupied node in R , the configuration is rigid. Hence, by Lemma 5, we can deduce that the lemma holds.
 - The two occupied nodes of U_i are located on the same side or different sides of $\Gamma(C)$'s axes of symmetry. By our algorithm, the robot on an occupied node of U_i having the largest view is the one allowed to move. Its destination is its adjacent node on its current ℓ -ring in the opposite direction of the adjacent node in U_i . Assume without loss of generality that this node is u_1 . Once the robot moves, u_1 becomes empty. If the robot of u_1 joined an occupied node, then in the configuration reached C' , C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$. As C' is rigid (thanks to the unique occupied node of U_i), by Lemma 5, we can deduce that the lemma holds. By contrast, if the robot of u_1 joined an empty node then $nb_{\ell_i}(C') = nb_{\ell_k}(C')$ but $U_i = 1$. We thus retrieve Case 4(f)iv.
- iv. $|U_i| = 1$. By our algorithm if $|U_i| < |U_k|$ then ℓ_i is the ℓ -ring that is selected. By contrast, if $|U_i| = |U_k|$ then, let d be the smallest distance between a robot on an ℓ -ring of \mathcal{L} and a node of U located on the same ℓ -ring. The ℓ -ring that hosts a robot at distance d from a node of U with the largest view is the one that is elected (this is possible as C is symmetric). Assume without loss of generality that ℓ_i is the one that is selected and that u_1 is the only occupied node of U_i . By our algorithm, the robot that is the closest to u_1 is the one allowed to move. Its destination is its adjacent node on its current ℓ -ring toward u_1 . By moving, it either joins u_1 or get closer to u_1 . If the robot of u_1 joined an occupied node, then in the configuration reached C' , C' , $nb_{\ell_i}(C') < nb_{\ell_k}(C')$. As C' is rigid (thanks to the unique occupied node of U_i), by Lemma 5, we can deduce that the lemma holds. By contrast, if the robot did not join u_1 , then as this robot is the only one that is the closest to u_1 , ℓ_i remains the selected ℓ -ring and the same robot remains the only one allowed to move. That is, eventually, it joins u_1 . Hence, we can deduce that the lemma holds in this case too.
- v. $|U_i| = 0$.if $|U_i| < |U_k|$ then ℓ_i is the ℓ -ring that is selected. By contrast, if $|U_i| = |U_k|$ then, let d be the smallest distance between a robot on an ℓ -ring of \mathcal{L} and a node of U on its ℓ -ring. The ℓ -ring that hosts a robot at distance d from a node of U with the largest view is the one that is elected (Again, this is possible as C is rigid). Assume without loss of generality that

ℓ_i is selected. By our algorithm, the robot that is the closest to a node of U_i with the largest view is the one that is allowed to move. Its destination is its adjacent node toward the closest node of u_i taking the shortest path. By moving it either joins a node of U_i and in this case, we retrieve Case 4(f)iv or it becomes the only robot that is the closest to a node of U . Hence, ℓ_i remains the one that is selected and the robot that has moved remains the only one allowed to move. That is, the robot eventually joins a node of U_i and we retrieve Case 4(f)iv.

From the cases above we can deduce that the lemma holds.

Lemma 7. *Let $C \in \mathcal{C}_{U_{\text{undefined}}}$ be a rigid configuration with no outdated robots such that $\Gamma(C)$ is periodic with at least four occupied ℓ -rings. There exists a robot r on an ℓ -ring $\ell_t \notin \{\ell_i, \ell_k\}$ such that if r moves then a configuration $C' \in \mathcal{C}_{U_{\text{undefined}}}$ with no outdated robots is reached with $\Gamma(C')$ either rigid or contains a single axes of symmetry.*

Proof. By contradiction assume that such a robot does not exist. Let d and \mathcal{D} be respectively the smallest distance between two occupied nodes on ℓ_t in configuration C and the largest d -block on ℓ_t IN C . Note that since $\Gamma(C)$ is periodic, $nb_{\ell_t}(C) < \ell - 1$ (Otherwise $\Gamma(C)$ is not periodic as $d = 1$ and ℓ_t contains a single block \mathcal{D} of size $\ell - 1$). Let $R(C)$ be the set of robots on ℓ_t in C that are the closest to a block \mathcal{D} . We distinguish two cases:

- Set $R(C)$ is not empty. As C is rigid, one robot in R can be elected to move. Let this robot be the one with the smallest view. We refer to this robot by r . Let C' be the configuration reached when r moves. In C' either there is a single biggest d -block \mathcal{D} as r joins one of the biggest d -block in C or r becomes the only robot that is the closest to a d -block \mathcal{D} . In the case in which $\Gamma(C')$ contains an axes of symmetry then this axes is unique (it crosses the unique biggest block \mathcal{D} in C') which is a contradiction. In the later case, C' is rigid otherwise in C there was another robot r' which was closer to a block \mathcal{D} which is also a contradiction.
- Set $R(C)$ is empty (there is a single d -block on ℓ_t in C). In this case, let r be the robot at the border of the unique d -block with the smallest view. Note that as C is rigid, such a robot is unique. If r moves to its adjacent node on ℓ_t inside the d -block it belongs to then in C' , the configuration reached once r moves, there is a unique $d - 1$ -block. Hence, if $\Gamma(C')$ contains an axes of symmetry then this axes is unique which a contradiction.

From the cases above we can deduce that there exists a robot r on an ℓ -ring $\ell_t \notin \{\ell_i, \ell_k\}$ such that if r moves then a configuration $C' \in \mathcal{C}_{U_{\text{undefined}}}$ is reached with $\Gamma(C')$ being either rigid or contains a single axes of symmetry. Note that since there is a unique robot that is allowed to move. In C' there are no outdated robots. Hence the Lemma holds.

From Lemmas 5, 6 and Lemma 7 we can deduce the following corollary:

Corollary 3. *Starting from a configuration $C \in \mathcal{C}_{U_{\text{undefined}}}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{\text{Oriented}}$ with no outdated robots is eventually reached.*

Lemma 8. *Starting from Configuration $C \in \mathcal{C}_{\text{Empty}}$ in which there are no outdated robots, a configuration $C' \in \mathcal{C}_{p_2}$ with no outdated robots is eventually reached.*

Proof. Two cases are possible as follows:

1. $\forall j \in \{1, 2, \dots, L\}$ such that $\ell_j \neq \ell_{\text{max}}$, $nb_{\ell_j}(C) = 0$. Remember that C contains a single ℓ -ring that is occupied which is ℓ_{max} by default. Since the configuration is rigid, by our algorithm, one robot is selected from ℓ_{max} to move to its adjacent empty node outside the ℓ -ring it belongs to (the direction is chosen by the adversary). Once it moves, a configuration $C' \in \mathcal{C}_{p_2}$ is then reached.
2. Otherwise i.e., $\exists j \in \{1, 2, \dots, L\}$ such that $\ell_j \neq \ell_{\text{max}}$ and $nb_{\ell_j}(C) \neq 0$. According to our algorithm robots in R_m are the ones allowed to move where R_m is the set of robots that are the closest to a node on ℓ_{max} . Using the rigidity of C , a unique robot from R_m is selected. Let us refer to this robot by r . The destination of r is its adjacent empty node outside its ℓ -ring toward ℓ_{max} taking the shortest path. Observe that when the robot moves, if it is neither on ℓ_i nor ℓ_k , r remains the only one allowed to move (since it is the closest one to ℓ_{max} , $|R_m| = 1$). Robot r keeps the same destination and hence keep moving toward ℓ_{max} taking the shortest path. That is, eventually, r becomes on either ℓ_i or ℓ_k . That is, a configuration $C \in \mathcal{C}_{p_2}$.

Observe from the cases above that at each instant, there is only one robot which is allowed to move. That is, as long as such a robot remains idle, it keeps being the only one allowed to move. Hence, we can deduce that the lemma holds.

Lemma 9. *Starting from a configuration $C \in \mathcal{C}_{\text{Semi-Empty}}$ in which there are no outdated robots, a configuration $C' \in \mathcal{C}_{\text{Oriented}}$ with no outdated robots is eventually reached.*

Proof. Let ℓ_i and ℓ_k be the two ℓ -rings that are adjacent to ℓ_{\max} . Assume without loss of generality that $nb_{\ell_k}(C) > 1$ and $nb_{\ell_i}(C) = 0$. Let ℓ_n be the ℓ -ring that is neighbor to ℓ_i . Note that $\ell_n = \ell_k$ is a possible case. Let \rightarrow be the direction from ℓ_{\max} to ℓ_k taking the shortest path. By our algorithm, since C is rigid, exactly one robot from ℓ_n is selected to move. Its destination is its adjacent empty node outside its ℓ -ring with respect to \rightarrow . Let us refer to this robot by r . Observe that when r moves, if r is not on ℓ_i , then no other robot is allowed to move except r (since r is the only closest robot now to ℓ_i). Hence, eventually, r joins ℓ_i . Let us refer to the configuration reached by C' . Then, $nb_{\ell_i}(C') = 1$ and $nb_{\ell_k}(C') > 1$. Therefore $C' \in \mathcal{C}_{\text{Oriented}}$ is eventually reached. Moreover, as there is a unique robot that is activated at each time, when C' is reached there are no robots with outdated views. Hence the lemma holds.

Lemma 10. *Starting from a configuration $C \in \mathcal{C}_{\text{Oriented-2}}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{\text{Oriented-1}}$ with no outdated robots is eventually reached.*

Proof. Let u be the node on ℓ_k that is on the same L -ring as v_{target} . According to our algorithm, as long as $nb_{\ell_k}(C) > 3$, robots that are the closest to u moves to their adjacent node towards u taking the shortest path. As robots move to join u , the number of robots decreases on ℓ_k and eventually a configuration C' in which $nb_{\ell_k}(C') = 3$ or $nb_{\ell_k}(C') = 2$ is eventually reached. Once such such a configuration is reached, **Align**(ℓ_k, ℓ_i) is executed. By Lemma 1, a configuration $C'' \in \mathcal{C}_{\text{Oriented-1}}$ with no outdated robot is reached and the lemma holds.

Lemma 11. *Starting from a configuration $C \in \mathcal{C}_{\text{Oriented-1}}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{p_2}$ with no outdated robot is eventually reached. Moreover, $nb_{\ell_{\max}}(C) \neq 4$ and ℓ_{\max} contains at most one multiplicity node. This node is adjacent to v_{target} .*

Proof. Let u be the node on ℓ_{\max} such that u is on the same L -ring as the unique occupied node on ℓ_i . Some extra steps are taken in the case where $nb_{\ell_{\max}}(C) < 5$. By our algorithm, if $nb_{\ell_{\max}}(C) = 3$ then robots on ℓ_{\max} executes **Align**(ℓ_{\max}, ℓ_i). By Lemma 1, robots on ℓ_{\max} eventually form a 1.block of size 3 whose middle node is adjacent to the unique robot on ℓ_i and no robot on ℓ_{\max} has an outdated view. From the reached configuration, the unique robot on ℓ_i moves to its adjacent node on ℓ_{\max} (note that this node is occupied). That is a configuration $C' \in \mathcal{C}_{p_2}$ with no outdated robot is eventually reached. Moreover, in C' , ℓ_{\max} contains one multiplicity node. This node is adjacent to v_{target} . By contrast, if $nb_{\ell_{\max}}(C) = 4$ then if u is empty then the unique robot on ℓ_i moves to join u and the lemma holds (Observe that in this case ℓ_{\max} contains no multiplicity node). If u is occupied then by our algorithm if u has an empty adjacent node on ℓ_{\max} then the robot on u moves to its adjacent empty node on ℓ_{\max} (the scheduler chooses the direction to take if the robot has a choice to make). If u has no adjacent empty node on ℓ_{\max} then by our algorithm the robot on ℓ_{\max} which is adjacent to u and does not have a neighboring robot at distance $\lfloor \ell/2 \rfloor$ is the one allowed to move. Its destination is its adjacent empty node on ℓ_{\max} . That is, eventually u becomes empty. The unique robot on ℓ_i is then the only one allowed to move. Its destination is u . Hence, a configuration $C' \in \mathcal{C}_{p_2}$ in which there are no multiplicity nodes and no outdated robots on ℓ_{\max} is reached.

Finally, if $nb_{\ell_{\max}}(C) \geq 5$ then by our algorithm, the unique robot on ℓ_i is the one allowed to move. Its destination is its adjacent node on ℓ_{\max} . We can thus deduce that the lemma holds.

From Lemmas 11 and 10, we can deduce the following corollary:

Corollary 4. *Starting from a configuration $C \in \mathcal{C}_{\text{Oriented}}$, a configuration $C' \in \mathcal{C}_{p_2}$ is eventually reached.*

Lemma 12. *Starting from a configuration $C \in \mathcal{C}_{\text{Semi-Oriented}}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{\text{Oriented}}$ with no outdated robots is eventually reached.*

Proof. Recall that when $C \in \mathcal{C}_{Semi-Oriented}$, $nb_{\ell_i}(C) = nb_{\ell_k}(C) = 1$ where ℓ_i and ℓ_k are the two ℓ -rings that are adjacent to ℓ_{max} . Let ℓ_{n_i} and ℓ_{n_k} be the two ℓ -rings that are neighbors of respectively ℓ_i and ℓ_k . In the case where $\ell_i = \ell_{n_k}$ and hence $\ell_k = \ell_{n_i}$ (the configuration contains only three occupied ℓ -rings) then by our algorithm, using the rigidity of C one robot on either ℓ_k or ℓ_i is elected to move. Its destination is its adjacent empty node in the opposite direction of ℓ_{max} . Once the robot moves, a configuration $C' \in \mathcal{C}_{p_2}$ is eventually reached. By contrast, if $\ell_i \neq \ell_{n_k}$ and hence $\ell_k \neq \ell_{n_i}$ then using the rigidity of C , one of the closest robot to either ℓ_i or ℓ_k is elected to move. Its destination is its adjacent empty node towards the closest node to either ℓ_i or ℓ_k . Note that once the robot moves, it is the only one allowed to move as it is the closest one. That is a configuration $C' \in \mathcal{C}_{Oriented}$ is reached. Note also that since at each time only one robot is allowed to move, C' does not contain outdated robots.

By Corollary 4 and Lemma 12, we can deduce the following:

Corollary 5. *Starting from a configuration $C \in \mathcal{C}_{Semi-Oriented}$, a configuration $C' \in \mathcal{C}_{p_2}$ with no outdated robots is eventually reached.*

Theorem 1. *Starting from any rigid configuration $C \in \mathcal{C}_{p_1}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{p_2}$ with no outdated robots is eventually reached. Moreover, ℓ_{max} contains at most one multiplicity node. This node is the one that is on the same L -ring as v_{target} .*

Proof. Derived from Corollaries 1, 3, 4 and 5 and Lemma 8.

Figure 15 summarizes the transitions within Preparation phase configurations.




Fig. 15. Transitions within Preparation phase

We now show that starting from a configuration $C \in \mathcal{C}_{p_2}$ with no outdated robots and a potential one multiplicity node on ℓ_{max} which is on the same L -ring as v_{target} , the gathering is eventually achieved.

We now show that starting from a configuration in either \mathcal{C}_{pr} or \mathcal{C}_{I_s} , a configuration in \mathcal{C}_{sp} is eventually reached.

Lemma 13. *Starting from $C \in \mathcal{C}_{pr}$ with no outdated robots, a configuration $C' \in \mathcal{C}_{I_s}$ with no outdated robots is eventually reached.*

Proof. Recall that for any $C \in \mathcal{C}_{pr}$, $C \in \mathcal{C}_{target}$ holds. Let ℓ_i be the ℓ -ring adjacent to ℓ_{target} such that $\ell_i \neq \ell_{max}$. We distinguish two cases:

1. $nb_{\ell_i}(C) > 0$. Recall that in some cases during the preparation phase, to reduce the number of maximal ℓ -rings, a single tower of size 2 is created in some ℓ -rings that were maximal in the initial configuration (the case in which the number of occupied nodes on each ℓ_{max} is equal to ℓ). Robots need to move carefully so that the number of ℓ -rings that are maximal never increases again. Hence, in the proposed solution, depending on the number of robots on ℓ_i , robots behave differently. Let R_{ℓ_i} be the set of robots on ℓ_i and let $R_m \subseteq R_{\ell_i}$ be the set of robots that are the closest to v_{target} . We refer by u to the node on ℓ_i which is adjacent to v_{target} . The following sub-cases are possible:
 - (a) u is occupied. With respect to the algorithm, robots on u move to join v_{target} . Observe that as long as there are robots on u , these robots remain the only ones that are allowed to move. Since the scheduler is weakly fair, eventually, u becomes empty, R_{ℓ_i} decreases and we retrieve Case 1b.
 - (b) u is empty. With respect to the proposed solution, if $nb_{\ell_i}(C) < \ell - 1$, robots in R_m are allowed to move, their destination is their adjacent empty node on ℓ_i toward u taking the shorted path. That is, at least one robot on ℓ_i eventually joins u and we retrieve Case 1a (Observe that in this case, there are no towers on ℓ_i). By contrast, if $nb_{\ell_i}(C) = \ell - 1$ then by Lemma 2, ℓ_i can hosts at most one multiplicity node. That is, there is at least one robot in R_m which is not part of a multiplicity node. According to the algorithm, this robot is the one allowed to move, its destination is its adjacent empty node on ℓ_i toward u taking the shortest path. By moving, we retrieve eventually Case 1a.

According to the algorithm, as long as $nb_{\ell_i}(C) > 0$, no robot other than those which are on ℓ_i are allowed to move. That is, R_{ℓ_i} never increases. On another hand, at each time Case 1a occurs, R_{ℓ_i} decreases. From Cases 1a and 1b, we can deduce that a configuration C' in which $nb_{\ell_i}(C') = 0$ is eventually reached. We then retrieve Case 2.

2. $nb_{\ell_i}(C) = 0$. Let ℓ_k be the neighboring ℓ -ring of ℓ_{target} with respect to direction \rightarrow (from ℓ_{target} to ℓ_{max} taking the shortest path). Let R_m be the set of robots on ℓ_k that are the closest to v_{target} with respect to \rightarrow . From the proposed algorithm, robots on R_m are the ones allowed to move, their destination is their adjacent node outside ℓ_k and toward ℓ_{target} with respect to \rightarrow . Let us refer to the ℓ -ring to which the robots have moved by ℓ_{k-1} . Note that ℓ_{k-1} is empty in C (By definition of neighboring ℓ -ring). Once the scheduler activates at least one robot from R_m in C , a configuration C' in which $1 \leq nb_{\ell_{k-1}}(C') \leq 2$ is eventually reached. Since no other robots on ℓ_k is allowed to move, by induction, we can show that at least one robot from the robots that moved from ℓ_k eventually reaches ℓ_i . Thus, we retrieve Case 1.

From the cases above, we can deduce that robots on an ℓ -ring different from ℓ_{max} and ℓ_{target} keep getting closer to v_{target} to eventually join it. Once they join v_{target} they are not allowed to move anymore. Hence, we can deduce that the lemma eventually holds.

Lemma 14. *Starting from a configuration $C \in \mathcal{C}_{l_s}$ in which $nb_{\ell_{target}}(C) = 1$, a configuration $C' \in \mathcal{C}_{sp-3}$ or $C' \in \mathcal{C}_{sp-2}$ is eventually reached. Moreover, the only multiplicity node on ℓ_{max} is the one that is adjacent to v_{target} .*

Proof. From Theorem 1, we know that when the second phase starts, no robot has an outdated view. On another hand, by Lemma 10, if $nb_{\ell_{max}}(C) = 4$ then no robot on ℓ_{max} contains a multiplicity node. That is, by Lemma 1, we can deduce that a configuration $C' \in \mathcal{C}_{sp-3}$ or $C' \in \mathcal{C}_{sp-2}$ is eventually reached and no multiplicity node exists on ℓ_{max} . By contrast, if $nb_{\ell_{max}}(C) \neq 4$ then by Lemmas 1 and Lemma 13 ℓ_{max} contains no outdated robots and a most one multiplicity node. This multiplicity node (if it exists) is the one that is adjacent to v_{target} .

Let R be the set of robots on ℓ_{max} which are the closest to u_3 . By our algorithm. If $|R| = 2$ then both robots of R are allowed to move. Their destination is their adjacent node toward u_3 . If only one of the two robots move then by our algorithm the robot that was supposed to move is the only one allowed to move (the robot that is at distance $d+1$ from u_3 or the robot that is adjacent to u_3). That is a configuration C' in which both robots of R have moved is eventually reached. Note that in C' , either $nb_{\ell_{max}}(C) = nb_{\ell_{max}}(C')$ (robots do not join u_3) or $nb_{\ell_{max}}(C) = nb_{\ell_{max}}(C') + 1$ (both robots join u_3). In the first case, robots in R remain the only one allowed to move. That is eventually they join node u_3 . In the later case, if $nb_{\ell_{max}}(C') > 5$ then by our algorithm, robots on u_3 are the ones allowed to move. That is, eventually u_3 becomes empty in the configuration reached C'' , $nb_{\ell_{max}}(C) = nb_{\ell_{max}}(C'') + 2$. By

contrast, if $nb_{\ell_{max}}(C') = 5$ (respectively $nb_{\ell_{max}}(C') = 3$), robots on ℓ_{max} execute **Align**(ℓ_{max}, ℓ_i). Note that during the execution of **Align**, if u_3 is occupied and possibly hosts a multiplicity, robots on u_3 do not move. That is, through out the execution of **Align**, the number of robots on ℓ_{max} remains equal to 5 (respectively 3). By Lemma 1, we can deduce that a configuration $C' \in \mathcal{C}_{sp-3}$ or $C' \in \mathcal{C}_{sp-2}$ is eventually reached. Moreover, the only multiplicity node on ℓ_{max} is the one that is adjacent to v_{target} . Hence the lemma holds.

Similarly to Lemma 14, we can show the following lemma:

Lemma 15. *Starting from a configuration $C \in \mathcal{C}_{ts}$ with $nb_{\ell_{target}}(C) > 1$ a configuration $C' \in \mathcal{C}_{sp-1}$ is eventually reached. Moreover, if ℓ_{max} contains a multiplicity node in C' then this multiplicity is adjacent to v_{target} .*

Lemma 16. *Starting from a configuration $C \in \mathcal{C}_{sp-1}$, a configuration $C' \in \mathcal{C}_{sp-2}$ is eventually reached.*

Proof. Let $C \in \mathcal{C}_{sp-1}$. We refer to the non empty ℓ -ring that is adjacent to ℓ_{max} by ℓ_{mark} . Depending on the number of robots on ℓ_{mark} , the following cases are considered:

1. $nb_{\ell_{mark}}(C) = 2$ and ℓ_{mark} contains a 1.block of size 2. By our algorithm, robots on ℓ_{mark} that have two adjacent occupied nodes are the ones allowed to move. If the scheduler activates all the robots allowed to move, $C' \in \mathcal{C}_{sp-2}$ is reached and hence the lemma holds. By contrast, if the scheduler activates only a subset of robots, the configuration remains in \mathcal{C}_{sp-1} . Moreover, the same robots keep being the only ones allowed to move. Since the scheduler is weakly fair, these robots are eventually activated and hence a configuration $C' \in \mathcal{C}_{sp-2}$ is eventually reached.
2. $nb_{\ell_{mark}}(C) = 2$ and ℓ_{mark} contains a 2.block of size 2. Observe that in this case $C \in \mathcal{C}_{target}$ and $\ell_{target} = \ell_{mark}$. By our algorithm, robots adjacent to v_{target} are the ones allowed to move. Their destination is v_{target} . If the scheduler activates all the robots allowed to move, a configuration $C' \in \mathcal{C}_{sp-2}$ is reached and the lemma holds. If the scheduler activates only robots at one border of the 2.block, we retrieve Case 1. Finally if the scheduler activates a subset of robots then a 1.block of size 3 is created and we retrieve Case 3.
3. $nb_{\ell_{mark}}(C) = 3$. Observe that, in this case $C \in \mathcal{C}_{target}$ and $\ell_{target} = \ell_{mark}$. According to our algorithm, robots on ℓ_{mark} that are at the border of the 1.block are the only ones allowed to move. Their destination is their adjacent on ℓ_{mark} inside the block they belong to. If the scheduler activates all the robots allowed to move, $C' \in \mathcal{C}_{sp-2}$ is reached and the lemma holds. If by contrast, the scheduler activates only robots on one border of the block, ℓ_{target} contains a single 1.block of size 2 and hence we retrieve Case 1. Finally, if the scheduler activates only a subset of robots that move then the configuration remains in \mathcal{C}_{sp-1} and the same robots remain the only one allowed to move. As the scheduler is weakly fair, the number of robots on the borders of the 1.block decreases. Thus, eventually, a configuration $C' \in \mathcal{C}_{sp-2}$ is reached.

From the cases above, we can deduce that eventually all robots on ℓ_{target} join v_{target} and hence we can deduce that the lemma holds.

Lemma 17. *Starting from a configuration $C \in \mathcal{C}_{sp-2}$ in which ℓ_{max} contains at most one multiplicity node and such a multiplicity (if it exists) is adjacent to v_{target} , a configuration $C' \in \mathcal{C}_{sp-3}$ is eventually reached.*

Proof. Let $C \in \mathcal{C}_{sp-2}$. The following cases are possible:

1. $nb_{\ell_{max}}(C) = 5$. By our algorithm, robots on ℓ_{max} which are adjacent to the borders of the 1.block of size 5 move to join the middle node of the 1.block. If all robots allowed to move, execute the move phase then a configuration in which ℓ_{max} contains a single 2.block of size 3 is reached. By our algorithm, the robots on ℓ_{max} execute **Align**($\ell_{max}, \ell_{target}$) and hence the robots at the extremities of the 2.block eventually move to create a single 1.block of size 3 whose middle robot is adjacent to v_{target} . Thus a configuration $C' \in \mathcal{C}_{sp-3}$ is reached in this case. By contrast, if only a subset of robots which are allowed to move perform the move phase then we retrieve Case 3.

2. $nb_{\ell_{max}}(C) = 4$ and ℓ_{max} contains two 1.blocks of size 2. According to our algorithm, robots in each 1.block who has an adjacent occupied node at distance 2 are the one allowed to move. Depending on the robots that have moved, we retrieve either Case 1 or Case 3 or a configuration in which a single 1.block of size 3 whose middle robot is adjacent to v_{target} is created. In the later case, by our algorithm **Align**($\ell_{max}, \ell_{target}$) is executed. That is, the extremities of the 2.block eventually move to create a single 1.block of size 3 whose middle robot is adjacent to v_{target} . A configuration $C' \in \mathcal{C}_{sp-3}$ is then reached.
3. $nb_{\ell_{max}}(C) = 4$ and ℓ_{max} contains a 1.block of size 3 . By our algorithm, robots in the middle of the 1.block are the ones allowed to move. As the scheduler is weakly fair, eventually a 2.block of size 3 is created. By our algorithm, as **Align**($\ell_{max}, \ell_{target}$) is executed the extremities of the 2.block eventually move to create a single 1.block of size 3 whose middle robot is adjacent to v_{target} . Thus the Lemma holds.

From the cases above we can deduce that the lemma holds.

Lemma 18. *Starting from a configuration $C \in \mathcal{C}_{sp-3}$ in which the only node that hosts a multiplicity on ℓ_{max} is the node that is adjacent to v_{target} , a configuration $C' \in \mathcal{C}_{sp-4}$ is eventually achieved. Moreover, in \mathcal{C}_{sp-4} , there is at most one occupied node that hosts a multiplicity. This node is the one that is in the middle of the 1.block of size 3.*

Proof. Let $C \in \mathcal{C}_{sp-3}$. Depending on the number of robots on ℓ_{max} , two cases are distinguished:

1. $nb_{\ell_{max}}(C) = 2$. By assumption, since the node on ℓ_{max} which is adjacent to v_{target} is empty, ℓ_{max} does not host a multiplicity. From our algorithm, robots on v_{target} move to their adjacent node on ℓ_{max} . If v_{target} hosts only one robot, then when the robot moves, a configuration $C' \in \mathcal{C}_{sp-4}$ is reached and the lemma holds. By contrast, if v_{target} hosts more than one robot and the scheduler activates all robots on v_{target} to move then a configuration $C \in \mathcal{C}_{sp-4}$ is also reached and the lemma holds. Finally, if the scheduler activates only a subset of robots on v_{target} then we retrieve Case 2.
2. $nb_{\ell_{max}}(C) = 3$. Robots on v_{target} are the only one allowed to move. Their destination is their adjacent node on ℓ_{max} . Note that as long as v_{target} is occupied, the only robots allowed to move are the ones that are on v_{target} . Hence, eventually all robots on v_{target} move to their adjacent node on ℓ_{max} and a configuration $C' \in \mathcal{C}_{sp-4}$ is then reached.

From the cases above, we can deduce that the lemma holds.

Lemma 19. *In a configuration $C \in \mathcal{C}_{sp-4}$, if $nb_{\ell_{max}}(C) = 3$ (respectively $nb_{\ell_{max}}(C) = 2$) then the border robots (respectively at least one of the two border robots) of the 3.block (respectively 2.block) do not host a multiplicity.*

Proof. From Theorem 1, we know that when the second phase starts, no robot has an outdated view and the only multiplicity node that can exist on ℓ_{max} is the one that is adjacent to v_{target} . On another hand, in any configuration $C \in \mathcal{C}_{ls}$ or $C \in \mathcal{C}_{pr}$, no robot on ℓ_{max} is enabled to move and no robot moves to a node of ℓ_{max} . That is when a configuration $C' \in \mathcal{C}_{sp}$ is reached, the only possible multiplicity node on ℓ_{max} is the one that is adjacent to v_{target} . By Lemmas 14, 15, 16, the only node on ℓ_{max} that can host a multiplicity is the one that is adjacent to v_{target} . From Lemma 18, the only node that hosts a multiplicity is the one that is in the middle of the 1.block of size 3. By our algorithm, in a configuration $C \in \mathcal{C}_{sp-4}$ in which there are 3 occupied nodes, the robot that is at the border of the 1.block is the one allowed to move. If the scheduler activates one robot then the configuration remains in \mathcal{C}_{sp-4} but with only two occupied nodes. That is, one of the two occupied nodes does not belong to a multiplicity. Thus, the lemma holds.

Lemma 20. *Starting from a configuration $C \in \mathcal{C}_{sp-4}$, the gathering is eventually achieved.*

Proof. With respect to our algorithm, the following cases are considered :

1. C contains a 1.block of size 3 . From Lemma 19, the nodes at the border of the 1.block do not host a multiplicity. According to our algorithm, the border robots are the ones allowed to move. Their destination is their adjacent occupied node. If both robots move at the same time then the gathering is achieved and the lemma holds. Otherwise, we retrieve Case 2.

2. C contains a 1.block of size 2. From Lemma 19, exactly one of the two occupied nodes hosts a multiplicity. The unique robot that is allowed to move is the one that is not part of a multiplicity. By moving, the gathering is achieved and the lemma holds.

From the cases above we can deduce that the lemma holds.

Lemma 21. *Starting from a configuration $C \in \mathcal{C}_{sp}$, the gathering is eventually achieved.*

Proof. Holds from Lemmas 18, 16, 17 and 20 (refer to Figure 16).




Fig. 16. Transitions within the set \mathcal{C}_{sp}

Theorem 2. *Starting from a configuration $C \in \mathcal{C}_{p_2}$, the gathering is eventually achieved.*

Proof. Can be deduced from Lemmas 13, 14, 15, 16, 17, 18 and 21.

Theorem 3. *Assuming an (ℓ, L) -torus in which $L < \ell$ and $L > 4$ and starting from an arbitrary rigid configuration, Protocol 1 solves the gathering problem for any $k \geq 3$.*

5 Concluding remarks

We presented the first algorithm for gathering oblivious mobile robots in a fully asynchronous execution model in a torus-shaped space graph. Our work raises several interesting open questions:

1. What is the exact set of initial configurations that are gatherable? Our work considers initial rigid configurations only, and we know that periodic and edge-symmetric configurations make the problem impossible to solve. As in the case of the ring, there may exist special classes of symmetric configuration that are still gatherable.
2. The case of a square torus is intriguing: the robots would lose the ability to distinguish between the big side and the small side of the torus, so additional constraints are likely to hold if gathering remains feasible.
3. Following recent work by Kamei et al. [16] on the ring, it would be interesting to consider myopic (*i.e.* robot whose visibility radius is limited) yet luminous (*i.e.* robots that maintain a constant size state that can be communicated to other robots in the visibility range) robots in a torus.

References

1. François Bonnet, Maria Potop-Butucaru, and Sébastien Tixeuil. Asynchronous gathering in rings with 4 robots. In Nathalie Mitton, Valeria Loscri, and Alexandre Mouradian, editors, *Ad-hoc, Mobile, and Wireless Networks - 15th International Conference, ADHOC-NOW 2016, Lille, France, July 4-6, 2016, Proceedings*, volume 9724 of *Lecture Notes in Computer Science*, pages 311–324. Springer, 2016.
2. Kaustav Bose, Manash Kumar Kundu, Ranendu Adhikary, and Buddhadeb Sau. Optimal gathering by asynchronous oblivious robots in hypercubes. In Seth Gilbert, Danny Hughes, and Bhaskar Krishnamachari, editors, *Algorithms for Sensor Systems - 14th International Symposium on Algorithms and Experiments for Wireless Sensor Networks, ALGOSENSORS 2018, Helsinki, Finland, August 23-24, 2018, Revised Selected Papers*, volume 11410 of *Lecture Notes in Computer Science*, pages 102–117. Springer, 2018.

3. Jannik Castenow, Matthias Fischer, Jonas Harbig, Daniel Jung, and Friedhelm Meyer auf der Heide. Gathering anonymous, oblivious robots on a grid. *Theor. Comput. Sci.*, 815:289–309, 2020.
4. Serafino Cicerone, Gabriele Di Stefano, and Alfredo Navarra. Asynchronous robots on graphs: Gathering. In Paola Flocchini, Giuseppe Prencipe, and Nicola Santoro, editors, *Distributed Computing by Mobile Entities, Current Research in Moving and Computing*, volume 11340 of *Lecture Notes in Computer Science*, pages 184–217. Springer, 2019.
5. Serafino Cicerone, Gabriele Di Stefano, and Alfredo Navarra. Gathering robots in graphs: The central role of synchronicity. *Theor. Comput. Sci.*, 849:99–120, 2021.
6. Gianlorenzo D’Angelo, Alfredo Navarra, and Nicolas Nisse. A unified approach for gathering and exclusive searching on rings under weak assumptions. *Distributed Comput.*, 30(1):17–48, 2017.
7. Gianlorenzo D’Angelo, Gabriele Di Stefano, Ralf Klasing, and Alfredo Navarra. Gathering of robots on anonymous grids and trees without multiplicity detection. *Theor. Comput. Sci.*, 610:158–168, 2016.
8. Shantanu Das, Nikos Giachoudis, Flaminia L. Luccio, and Euripides Markou. Gathering of robots in a grid with mobile faults. In Barbara Catania, Rastislav Královic, Jerzy R. Nawrocki, and Giovanni Pighizzini, editors, *SOFSEM 2019: Theory and Practice of Computer Science - 45th International Conference on Current Trends in Theory and Practice of Computer Science, Nový Smokovec, Slovakia, January 27-30, 2019, Proceedings*, volume 11376 of *Lecture Notes in Computer Science*, pages 164–178. Springer, 2019.
9. Stéphane Devismes, Anissa Lamani, Franck Petit, and Sébastien Tixeuil. Optimal torus exploration by oblivious robots. *Computing*, 101(9):1241–1264, 2019.
10. Durjoy Dutta, Tandrima Dey, and Sruti Gan Chaudhuri. Gathering multiple robots in a ring and an infinite grid. In Padmanabhan Krishnan, P. Radha Krishna, and Laxmi Parida, editors, *Distributed Computing and Internet Technology - 13th International Conference, ICDCIT 2017, Bhubaneswar, India, January 13-16, 2017, Proceedings*, volume 10109 of *Lecture Notes in Computer Science*, pages 15–26. Springer, 2017.
11. Paola Flocchini, Giuseppe Prencipe, and Nicola Santoro, editors. *Distributed Computing by Mobile Entities, Current Research in Moving and Computing*, volume 11340 of *Lecture Notes in Computer Science*. Springer, 2019.
12. Samuel Guilbault and Andrzej Pelc. Gathering asynchronous oblivious agents with local vision in regular bipartite graphs. *Theor. Comput. Sci.*, 509:86–96, 2013.
13. David Ilcinkas. Oblivious robots on graphs: Exploration. In Paola Flocchini, Giuseppe Prencipe, and Nicola Santoro, editors, *Distributed Computing by Mobile Entities, Current Research in Moving and Computing*, volume 11340 of *Lecture Notes in Computer Science*, pages 218–233. Springer, 2019.
14. Tomoko Izumi, Taisuke Izumi, Sayaka Kamei, and Fukuhito Ooshita. Time-optimal gathering algorithm of mobile robots with local weak multiplicity detection in rings. *IEICE Trans. Fundam. Electron. Commun. Comput. Sci.*, 96-A(6):1072–1080, 2013.
15. Sayaka Kamei, Anissa Lamani, Fukuhito Ooshita, and Sébastien Tixeuil. Gathering an even number of robots in an odd ring without global multiplicity detection. In Branislav Rován, Vladimiro Sassone, and Peter Widmayer, editors, *Mathematical Foundations of Computer Science 2012 - 37th International Symposium, MFCS 2012, Bratislava, Slovakia, August 27-31, 2012. Proceedings*, volume 7464 of *Lecture Notes in Computer Science*, pages 542–553. Springer, 2012.
16. Sayaka Kamei, Anissa Lamani, Fukuhito Ooshita, Sébastien Tixeuil, and Koichi Wada. Gathering on rings for myopic asynchronous robots with lights. In Pascal Felber, Roy Friedman, Seth Gilbert, and Avery Miller, editors, *23rd International Conference on Principles of Distributed Systems, OPODIS 2019, December 17-19, 2019, Neuchâtel, Switzerland*, volume 153 of *LIPICs*, pages 27:1–27:17. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2019.
17. Ralf Klasing, Adrian Kosowski, and Alfredo Navarra. Taking advantage of symmetries: Gathering of many asynchronous oblivious robots on a ring. *Theor. Comput. Sci.*, 411(34-36):3235–3246, 2010.
18. Ralf Klasing, Euripides Markou, and Andrzej Pelc. Gathering asynchronous oblivious mobile robots in a ring. *Theor. Comput. Sci.*, 390(1):27–39, 2008.
19. Laure Millet, Maria Potop-Butucaru, Nathalie Sznajder, and Sébastien Tixeuil. On the synthesis of mobile robots algorithms: The case of ring gathering. In Pascal Felber and Vijay K. Garg, editors, *Stabilization, Safety, and Security of Distributed Systems - 16th International Symposium, SSS 2014, Paderborn, Germany, September 28 - October 1, 2014. Proceedings*, volume 8756 of *Lecture Notes in Computer Science*, pages 237–251. Springer, 2014.
20. Gabriele Di Stefano and Alfredo Navarra. Optimal gathering of oblivious robots in anonymous graphs and its application on trees and rings. *Distributed Comput.*, 30(2):75–86, 2017.
21. Ichiro Suzuki and Masafumi Yamashita. Distributed anonymous mobile robots: Formation of geometric patterns. *SIAM J. Comput.*, 28(4):1347–1363, 1999.