



HAL
open science

What defines a great surgeon? A survey study confronting perspectives

Romain Luscan, Emeline Malheiro, Fiona Sisso, Sébastien Wartelle, Yann Parc, Brigitte Fauroux, Thierry Bégué, Hubert Johanet, Françoise Denoyelle, Erea-Noël Garabédian, et al.

► To cite this version:

Romain Luscan, Emeline Malheiro, Fiona Sisso, Sébastien Wartelle, Yann Parc, et al.. What defines a great surgeon? A survey study confronting perspectives. *Frontiers in Medicine*, 2023, 10, 10.3389/fmed.2023.1210915 . hal-04262462

HAL Id: hal-04262462

<https://hal.sorbonne-universite.fr/hal-04262462>

Submitted on 27 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



OPEN ACCESS

EDITED BY

Marlene M. Speth,
Cantonal Hospital of Aarau, Switzerland

REVIEWED BY

Luca Plo,
St. Jude Children's Research Hospital,
United States
Robert Gaudin,
Charité University Medicine Berlin, Germany

*CORRESPONDENCE

François Simon
✉ f.simon@aphp.fr

RECEIVED 23 April 2023

ACCEPTED 05 June 2023

PUBLISHED 28 June 2023

CITATION

Luscan R, Malheiro E, Sisso F, Wartelle S, Parc Y, Fauroux B, Bégué T, Johanet H, Denoyelle F, Garabédian E-N and Simon F (2023) What defines a great surgeon? A survey study confronting perspectives. *Front. Med.* 10:1210915. doi: 10.3389/fmed.2023.1210915

COPYRIGHT

© 2023 Luscan, Malheiro, Sisso, Wartelle, Parc, Fauroux, Bégué, Johanet, Denoyelle, Garabédian and Simon. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

What defines a great surgeon? A survey study confronting perspectives

Romain Luscan^{1,2}, Emeline Malheiro³, Fiona Sisso^{1,4}, Sébastien Wartelle⁵, Yann Parc^{6,7}, Brigitte Fauroux^{8,9}, Thierry Bégué^{10,11}, Hubert Johanet^{12,13}, Françoise Denoyelle^{1,2}, Erea-Noël Garabédian^{1,2} and François Simon^{1,2*}

¹Université Paris Cité, Faculté de Médecine, Paris, France, ²Department of Paediatric Otolaryngology, AP-HP, Hôpital Necker-Enfants Malades, Paris, France, ³Department of Otolaryngology, Centre Hospitalier Intercommunal de Créteil, Créteil, France, ⁴Department of Paediatric Anaesthesiology, AP-HP, Hôpital Necker-Enfants Malades, Paris, France, ⁵Department of Paediatric Otolaryngology, Clinique Marcel Sembat, Boulogne-Billancourt, France, ⁶Paris Sorbonne University, Faculté de Médecine, Paris, France, ⁷Department of Digestive Surgery, AP-HP, Hôpital Saint Antoine, Paris, France, ⁸Pediatric Noninvasive Ventilation and Sleep Unit, AP-HP, Hôpital Necker Enfants-Malades, Paris, France, ⁹Université Paris Cité, EA 7330 VIFASOM (Vigilance Fatigue Sommeil et Santé Publique), Paris, France, ¹⁰Paris-Saclay University, Faculté de Médecine Paris-Saclay, Le Kremlin-Bicêtre, France, ¹¹Department of Orthopaedic Surgery and Traumatology, AP-HP, Hôpital Antoine Béclère, Clamart, France, ¹²Department of General Surgery, Clinique Turin, Paris, France, ¹³Académie Nationale de Chirurgie, Paris, France

Background: The definition of a *great surgeon* is usually reported by surgeons themselves. The objective of the study was to define a multifaceted definition of a *great surgeon*, by confronting patients', healthcare workers', and surgeons' perspectives.

Study design: An online open-ended questionnaire was created to identify three qualities and three shortcomings defining a *great surgeon*. Age, gender, and profession of respondents were collected. Responses with a similar meaning were combined into word groups and labeled within four themes: human qualities, technical surgical skills (TSS), non-technical skills (NTS), and knowledge. Multivariate analyses were conducted between themes and respondent characteristics.

Results: Four thousand seven hundred and sixty qualities and 4,374 shortcomings were obtained from 1,620 respondents including 385 surgeons, 291 patients, 565 operating theater (OT) health professionals, and 379 non-OT health professionals. The main three qualities were dexterity (54% of respondents), meticulousness (18%), and empathy (18%). There was no significant difference between professional categories for TSS. Compared with surgeons, non-OT health professionals and patients put more emphasis on human qualities (29 vs. 39% and 42%, respectively, $p < .001$). OT health professionals referred more to NTS than surgeons (35 vs. 22%, $p < 0.001$). Knowledge was more important for surgeons (19%) than for all other professional categories ($p < 0.001$).

Conclusions: This survey illustrates the multifaceted definition of a *great surgeon*. Even if dexterity is a major quality, human qualities are of paramount importance. Knowledge seems to be underestimated by non-surgeons, although it essential to understand the disease and preparing the patient and OT team for the procedure.

KEYWORDS

surgeon, technical skills, non-technical skills, surgery, survey

Introduction

What defines a *great surgeon*? This question has obsessed generations of surgeons whose social status, training, knowledge, and skills have evolved remarkably over the centuries, from the first prehistoric surgeons trepanning skulls with flintstones to the modern-day technologically assisted surgeons. As Robert Liston's "fastest knife in the West End" in the pre-anesthesiology era when speed was flaunted rather than surgical outcomes, what might be expected of a *great surgeon* has substantially changed (1). The twentieth-century surgeon had to be "supremely confident, flamboyant, dogmatic and rich" while the importance of the surgical procedure could be judged by the size of the scar "big surgeon-big cut" (2). A great surgeon would also be bold, inventive (3, 4), as well as wise: "A good surgeon knows how to operate; a better surgeon knows when to operate but the best surgeon knows when not to operate" (2).

In the current era of patient-centered care and keyhole procedures, what makes a great twenty-first-century surgeon? The definition of a great surgeon will always be biased, based on personal experience, context, and relationship toward the surgical profession. The contemporary surgeon works as part of a larger healthcare team and must therefore reflect on his skills but also be aware of the patients' and colleagues' point of views.

Many papers on the topic can be found in the literature, mostly from a surgical point of view by experienced surgeons looking back on their career and colleagues, but theirs is not the only opinion to value (2, 5–9). In a modern large multispecialty operating theater, teams and colleagues are often quick to label surgeons (sometimes unfairly) as excellent or poor surgeons, most of the time based on their operative speed and human qualities with other professions. In a national or international setting, great surgeons are often considered as such when innovative and good at communicating their results. Finally for patients, reputation, empathy, and communication are important issues, but which characteristics stand out when a surgeon is being given a 5-star ranking online?

The objective of this study was to ask peers, colleagues, and patients, their definition of a *great surgeon*. The surgeons' main qualities and shortcomings were analyzed to understand how differently they may be perceived according to professional category, age, or sex.

Methods

An online survey was distributed in February 2021 to four French medical societies' mailing lists: ENT, orthopedics, digestive surgery, and anesthesiology societies (*Société Française d'Oto-rhino-laryngologie*, *Société Française d'Orthopédie* and *Société Française de chirurgie Digestive*, *Société Française d'Anesthésie et Réanimation*); to the French Academy of Surgery's and Parisian Surgeons' Union's mailing-lists (*Académie Nationale de Chirurgie* and *Syndicat des chirurgiens des hôpitaux de Paris*); to official French national surgical nurses' and nurse anesthetist's social network groups (i.e., private Facebook groups); to patients' social groups (non-healthcare respondents answered as patients); and finally the authors' personal or professional circles (i.e.,

healthcare professionals from their own Academic or non-Academic hospitals).

Participation was anonymous, and no ethics committee approval was required. It was not appropriate to involve patients or the public in the design, conduct, reporting, or dissemination plans of our research.

Respondents answered open-ended questions: "What do you think defines an excellent surgeon? Please indicate up to three key qualities you consider most important to be an excellent surgeon and conversely up to three key shortcomings a surgeon should not have."

Age, gender, and profession were collected: surgeons, anesthesiologists, medical doctors who did not work in the operating theater (OT), surgical nurses, nurse anesthetists, other paramedical professions who do not work in the operating theater (non-OT), and finally patients.

Data preparation for analysis

Participants' answers from the same lexical field or with similar meaning (single words or multiword expressions) were combined into word groups, and all words in a given group were changed to the most frequently used word within that group, to simplify data presentation and analysis. The word groups were then labeled within one of the four following themes: (1) human and moral qualities, (2) technical surgical skills (TSS), (3) non-technical skills (NTS) (10, 11), and (4) medical knowledge. Word groups and themes were determined manually by four independent investigators and discussed among authors until a consensus was reached.


For analysis purposes, respondents' professions were also grouped into four categories according to their daily interaction with surgeons: (1) surgeons, (2) operating-theater (OT) health professionals excluding surgeons (i.e., anesthesiologists, nurse anesthetists, and surgical nurses), (3) non-OT health professionals (i.e., non-OT medical doctors and non-OT paramedical professions), and (4) patients. Age categories were defined as younger than 35 years old, between 35 and 50, and older than 50.

Statistical analysis

Univariate (χ^2 or Fisher's test exact when appropriate) analyzed the relationship between response themes and professional categories on one hand, and qualities/shortcomings and respondents' profession on the other hand. Univariate and multivariate analyses (logistic regression) were performed to identify predictive factors of qualities' themes. Statistical analyses were performed using GraphPad Prism 9.0 (GraphPad software, San Diego, CA, USA). P -value < 0.05 was considered significant.

Results

Respondents included 546 males and 1,074 females, totaling 1,620 subjects, mean age 43 ± 13 years (range 16–90). Professional categories were as follows: 385 surgeons, 291 patients, 565 OT



health professionals [anesthesiologists ($n = 53$), surgical nurses ($n = 245$), nurse anesthetists ($n = 267$)], and 379 non-OT health professionals [non-OT medical doctors ($n = 108$), and non-OT paramedical professions ($n = 271$)].

qualities, 33% (1,443) to NTS, 15% (654) to TSS, and 4% (171) to knowledge.

Overall view

A total of 4,760 qualities and 4,374 shortcomings were cited, out of which 39 word groups were identified for qualities and 33 for shortcomings (Figure 1). The top five qualities of a *great surgeon* were dexterity (cited by 54% of respondents), meticulousness (18%), empathy (18%), communication skills with patients (16%), and listening skills with patients (16%). The top five shortcomings were arrogance (39% of respondents), temperamental (31%), clumsiness (17%), impatience (14%), and bullying (13%) (Tables 1, 2).

A theme could be labeled for 4,735 of the 4,760 qualities, of which 34% (1,609) were in relation to human and moral qualities, 28% (1,336) to TSS, 26% (1,228) to NTS, and 12% (562) to knowledge (Figure 2). All 4,374 shortcomings could be labeled, of which 48% (2,016) were related to human and moral

Analysis of themes according to professional categories

Compared with surgeons (Figure 2), non-OT health professionals and patients put more emphasis on human and moral qualities (29 vs. 39% and 42%, respectively, $p < 0.001$). OT health professionals gave more importance to NTS than surgeons (35 vs. 22%, $p < 0.001$). Finally, knowledge was also more important for surgeons (19%) than any other professional categories ($p < 0.001$).

Considering shortcomings, poor TSS was similarly expressed in all professional categories' responses. Thirty-nine percent of OT health professionals and 49% of non-OT health professionals' responses referred to poor human qualities compared with 55% of surgeons' ($p < 0.001$). In contrast, 46% of OT health professionals' and 33% of non-OT health professionals' responses emphasized poor NTS as compared to only 20% of surgeons' ($p < 0.001$). Surgeons' responses referred more to poor knowledge than any other professional category ($p < 0.001$).

TABLE 1 Detailed responses for the "Great Surgeon".

	Number of respondents	Number of "equality" responses received	Number of responses labelled with a theme	Technical Surgical Skills †	Human and moral qualities †	Non-Technical skills †	Knowledge †	Dexterity †	Meticulousness †	Empathy †	Communication skills (with patient) †	Listening skills (with patient) †	Humility †	Composure †	Respectful/indulgent for colleagues †	Theoretical knowledge †	Humanism †	Patience †	Seriousness †	Teaching skills †	Experience †	Appropriateness of indications †	Forthcomingness †	Take responsibility during follow-up †	Adaptability †	Efficiency †	To be organised †	Honesty †	Hard-worker †	Speed in surgery †	Self-confidence †	Correctness of diagnosis †	Curiosity †	Courage †	Ability to focus †	Leadership †	Low complication rate †	To consider the patient as a whole †	Cleverness †	Punctuality †	Innovativeness †	Good reputation †	Clean-cut †	Pragmatic †	Open-mindedness †	
All respondents	1620	4760	4735	1336	1609	1228	562	888	298	284	262	257	237	235	224	217	214	212	177	125	115	98	91	85	68	68	68	59	56	48	35	35	34	32	29	26	25	24	17	16	14	13	12	10	4	
Surgeons	385	1134	1129	336	327	246	220	200	107	89	37	34	32	72	10	75	37	42	13	22	6	32	8	20	22	21	8	27	18	23	9	17	7	16	8	8	6	2	8	1	2	3	3	5	0	
Patients	291	833	823	223	348	134	110	156	41	52	78	77	14	28	3	50	44	27	14	28	10	27	5	13	21	9	13	6	13	16	2	8	8	4	7	4	7	4	6	1	1	3	7	3	1	0
Nurse anaesthetists	267	794	794	228	247	272	47	140	40	35	39	42	57	33	75	18	42	42	69	25	7	11	4	11	3	9	20	7	9	4	19	4	2	4	2	5	2	3	3	1	0	0	0	0		
Surgical nurses	245	730	728	187	205	282	54	116	44	34	25	30	41	45	73	33	27	60	36	16	31	6	1	6	3	17	13	14	4	10	6	1	8	5	2	4	2	4	2	4	2	2	1	0	0	
Anaesthesiologists	53	158	157	50	52	41	14	32	6	11	10	3	8	4	8	2	3	1	13	4	1	1	8	7	1	0	4	3	1	3	2	1	1	2	1	1	4	4	0	2	0	0	1	2		
Other paramedical professions	266	785	782	206	310	203	63	140	46	61	45	64	25	39	50	31	38	32	30	21	33	11	4	20	12	8	8	6	3	5	3	5	2	9	0	0	0	3	1	4	2	1	4	1		
Other medical doctors	113	326	322	106	120	50	46	84	14	22	28	7	10	14	5	8	23	8	2	9	7	10	10	8	6	3	2	2	4	5	2	3	3	1	3	2	1	2	4	5	0	4	1	3	0	
<35 yo	526	1551	1541	461	523	388	169	266	129	90	101	89	62	77	66	67	56	66	52	41	51	37	13	31	19	20	22	28	14	19	17	17	13	10	13	7	14	9	8	1	5	5	3	1		
35-50 yo	616	1817	1809	504	596	527	180	325	109	106	83	92	115	95	112	76	83	101	84	55	47	24	36	29	14	26	26	16	23	17	13	10	9	10	8	7	9	6	5	6	3	5	3	2	0	
>50 yo	478	1392	1385	371	488	313	213	277	60	88	78	60	65	48	74	75	45	41	26	17	37	42	42	23	22	20	24	22	3	4	5	18	12	8	12	2	9	4	9	8	3	4	9	3		
Male	546	1593	1578	438	517	371	262	284	95	90	88	69	82	47	80	52	60	40	36	28	45	63	30	29	21	25	31	30	23	16	11	16	13	20	8	12	10	9	6	3	6	10	5	6	3	
Female	1074	3167	3157	898	1092	857	310	554	203	194	174	188	148	153	177	132	152	137	87	87	53	28	55	39	47	43	37	29	33	24	19	21	12	21	14	15	11	13	8	3	7	4	1			

†n (share of the total responses).

†N (share of the total respondents).

*No theme was labeled to these qualities; Yo, years old.

TABLE 2 Detailed responses for the "Bad Surgeon".

	Number of respondents	Number of "shortcomings" responses received	Poor Technical Surgical Skills †	Poor Human and moral qualities †	Poor Non-technical skills †	Poor Knowledge †	Arogance †	Temperamental †	Climsiness †	Impatience †	Bullying †	Poor communication with colleagues †	Egocentric †	Stubbornness †	Overconfidence †	Lack of humanism †	Lack of empathy †	Lack of implication †	Slapdash †	Poor listening skills with patients †	Lack of teamwork †	Poor Theoretical knowledge †	Absent †	Hasty †	Dishonesty †	Fearful †	Venial †	Inefficiency †	Poor indications †	Insensitivity †	Lack of teaching skills †	Slow †	Delinquent †	No responsibility during follow-up †	Selfishness †	Inexperience †	Messy †	High complications rate †	Laziness †		
All respondents	1620	4374	653	2104	1443	171	827	506	269	233	213	195	189	174	160	141	139	135	133	122	118	104	94	90	89	77	73	72	67	61	53	40	40	39	33	29	25	21	13		
Surgeons	385	1029	172	567	205	85	143	143	75	34	16	17	43	77	69	18	34	43	34	28	20	50	6	34	24	24	27	8	36	9	2	5	6	30	13	14	2	2	8		
Patients	291	715	126	408	154	26	89	89	52	29	8	39	9	19	30	34	31	35	33	52	14	14	43	15	10	12	20	10	12	19	30	2	11	11	11	11	11	3	0	2	1
Nurse anaesthetists	267	767	109	312	335	11	120	120	38	41	80	39	59	20	18	12	16	11	6	7	30	10	14	6	9	14	7	7	23	1	5	0	22	14	0	6	3	5	8	0	
Surgical nurses	245	701	109	312	335	11	120	120	38	41	80	39	59	20	18	12	16	11	6	7	30	10	14	6	9	14	7	7	23	1	5	0	22	14	0	6	3	5	8	0	
Anaesthesiologists	53	152	29	73	47	3	25	18	18	2	3	13	10	7	1	10	0	4	0	2	7	3	1	4	8	2	2	0	0	2	0	2	0	4	2	1	1	1	2	0	
Other paramedical professions	266	712	96	326	268	22	100	92	33	43	33	41	38	20	16	30	24	18	31	21	23	12	17	14	10	12	7	12	10	17	11	3	7	1	5	1	8	2	0		
Other medical doctors	113	298	50	165	68	15	46	11	26	7	24	6	13	11	8	20	12	11	11	10	8	7	20	8	1	5	3	3	8	5	3	1	1	5	0	1	4	0	2		
<35 yo	526	1374	199	621	504	50	206	160	66	91	65	84	43	49	54	48	47	36	47	34	39	37	33	32	12	27	13	20	13	24	20	15	14	6	5	6	10	13	5		
35-50 yo	616	1702	232	818	604	48	259	232	98	103	97	72	100	73	59	51	41	45	41	37	49	27	24	28	43	24	30	29	21	15	13	22	12	12	17	10	9	4	1		
>50 yo	478	1298	223	667	335	73	162	114	105	39	51	39	46	52	47	42	51	54	45	51	30	40	37	30	34	26	30	23	33	22	20	3	14	21	11	13	6	4	3		
Male	546	1468	246	755	363	94	199	126	110	49	48	53	67	71	76	33	53	57	41	47	34	55	26	36	30	23	40	19	18	16	14	12	23	14	15	5	11	8			
Female	1074	2906	418	1341	1080	77	428	380	159	184	165	142	122	103	84	108	86	78	92	75	84	49	68	54	59	54	33	53	28	43	37	26	28	16	19	14	20	10	1		


†n (share of the total responses).

†N (share of the total respondents). Yo, years old.

Analysis of qualities and shortcomings according to profession

Notable differences compared to surgeons (Figure 3) were that communication, listening skills with patients and teaching skills were more cited by patients ($p < 0.001$). Respect, communication,

and teamwork were more cited by anesthesiologists, surgical nurses, nurse anesthetics, and non-OT paramedical professionals ($p < 0.001$). Interestingly, the appropriateness of surgical indication was more cited by surgeons than by all paramedical professions and patients ($p < 0.001$). Concerning shortcomings, surgeons particularly insisted on stubbornness and overconfidence ($p <$



0.001) while temperamental and bullying traits were put forward by paramedical professionals ($p < 0.001$).

Predictive factors of themes (qualities) according to demographic data

Multivariate analysis (Table 3) revealed that surgical nurses [OR 0.753 (0.598–0.947) $p = 0.016$] and non-OT paramedical professions [OR 0.776 (0.621–0.967) $p = 0.024$] were less concerned by TSS than surgeons. Nurse anesthetists [OR 1.901 (1.529–2.364) $p < 0.0001$], surgical nurses [OR 2.357 (1.875–2.967) $p < 0.0001$] and non-OT paramedical professionals [OR 1.313 (1.040–1.658) $p = 0.022$] were more concerned by NTS than surgeons, while patients [OR 0.726 (0.571–0.921) $p = 0.009$] and medical doctors [OR 0.670 (0.475–0.931) $p = 0.020$] were less. Non-OT medical doctors [OR 1.459 (1.120–1.895) $p = 0.005$], non-OT paramedical professions [OR 1.592 (1.291–1.964) $p < 0.001$], and patients [OR 1.776 (1.462–2.160) $p < 0.0001$] put

more emphasis on human and moral qualities than surgeons. Finally concerning knowledge, the older respondents were more concerned by this theme than younger ones [OR 1.307 (1.047–1.633) $p = 0.018$]. Also, anesthesiologists [OR 0.445 (0.240–0.764) $p = 0.006$], nurse anesthetics [OR 0.290 (0.203–0.405) $p < 0.0001$], surgical nurses [OR 0.373 (0.264–0.521) $p < 0.0001$], non-OT paramedical professions [OR 0.403 (0.291–0.553) $p < 0.0001$], and patients [OR 0.713 (0.551–0.918) $p = 0.009$] mentioned less knowledge than surgeons.

Analysis of the surgeons' subgroup

Three hundred and eighty-five surgeons (262 males and 123 females) from 12 different specialties participated in the survey. The mean age was 46 ± 15 years (range 25–84 y); 117 < 35 y, 121 between 35 and 50 y, and 147 > 50 y. Type of practice varied: 94 junior surgeons, 121 attending surgeons in academic centers, 49 attending in non-academic centers, and 121 in private practice.



TTS was less important for older surgeons [OR 0.560 (0.400–0.781) $p = 0.007$] as compared to younger surgeons. Human and moral qualities were put forward by the older surgeons [OR 1.518(1.083–2.137) $p = 0.016$]. NTS was less mentioned by surgeons in private practice [OR 0.676 (0.481–0.942) $p = 0.023$] as compared to those in public practice (Table 4; Figure 4).

Discussion

This survey is the first to deliver a multifaceted definition of a *great surgeon* by means of a large anonymous online survey involving multiple health professionals and patients. It shows that even if dexterity is a major quality, human qualities are of paramount importance. Knowledge seems to be underestimated by non-surgeons, although this quality seems

essential to understand the disease and preparing the patient and OT team for the procedure.

We used an open questionnaire to not influence the answers. The methodological drawback was the need to classify answers into word groups and themes, which was done collectively to limit bias. We rapidly collected a vast number of enthusiastic responses especially from surgical nurses and nurse anesthetists, underlining the importance of this question in their workplace relationship.

The main quality by far is dexterity, a technical skill that remains true to the millennial-old etymology of the word “surgeon” in most civilizations: *surgery* in English and *chirurgie* in French both have the same Greek origin $\chiειρουργια$ (*kheirourgia*) meaning “handiwork,” from *kheir* “hand” and *ergon* “work.” In another millennial-old culture, the same can be said of the Chinese word for surgery 手术 (*shoushu*) meaning the “skill” or “art” 术 of the “hand” 手. The essence of what makes a *great surgeon* seems unanimous and perpetually so, as someone with outstanding hand skills. As

TABLE 3 Predictors of responses.

		Responses		Univariate analysis		Multivariate analysis		
		Yes (%)	No (%)	OR	p	OR (IC 95%)	p	
Technical surgical skills	Overall	1,336 (28)	3,399 (72)					
	Age				0.157			
	<35 yo	461 (30)	1,080 (70)					
	35–50 yo	504 (28)	1,305 (72)			0.918 (0.788–1.069)	0.271	
	>50 yo	371 (27)	1,014 (73)			0.866 (0.735–1.020)	0.086	
	Professional category				0.119			
	Surgeons	336 (30)	793 (70)					
	Other medical doctors	106 (33)	216 (67)			1.103 (0.841–1.440)	0.475	
	Anesthesiologists	50 (32)	107 (68)			1.040 (0.718–1.489)	0.834	
	Nurse anesthetists	228 (29)	566 (71)			0.893 (0.722–1.104)	0.297	
	Surgical nurses	187 (26)	541 (74)			0.753 (0.598–0.947)	0.016*	
	Other paramedical professions	206 (26)	576 (74)			0.776 (0.621–0.967)	0.024*	
	Patients	223 (27)	600 (73)			0.843 (0.685–1.036)	0.105	
	Sex							
	Female	898 (28)	2,259 (72)					
Male	438 (28)	1,140 (72)	0.967 (0.845–1.106)	0.62	0.883 (0.758–1.028)	0.111		
Non-technical skills	Overall	1228 (26)	3,507 (74)					
	Age				0.0001***			
	<35 yo	388 (25)	1,153 (75)					
	35–50 yo	527 (29)	1,282 (71)			1.041 (0.889–1.220)	0.616	
	>50 yo	313 (23)	1,072 (77)			0.915 (0.768–1.090)	0.321	
	Professional category				<0.0001***			
	Surgeons	246 (22)	883 (78)					
	Other medical doctors	50 (16)	272 (84)			0.670 (0.475–0.931)	0.020*	
	Anesthesiologists	41 (26)	116 (74)			1.286 (0.864–1.882)	0.204	
	Nurse anesthetists	272 (34)	522 (66)			1.901 (1.529–2.364)	<0.0001***	
	Surgical nurses	282 (39)	446 (61)			2.357 (1.875–2.967)	<0.0001***	
	Other paramedical professions	203 (42)	279 (58)			1.313 (1.040–1.658)	0.022*	
	Patients	134 (16)	689 (84)			0.726 (0.571–0.921)	0.009**	
	Sex							
	Female	857 (27)	2,300 (73)					
Male	371 (24)	1,207 (76)	0.825 (0.717–0.950)	0.007**	1.105 (0.938–1.300)	0.236		
Human and moral qualities	Overall	1609 (34)	3,126 (66)					
	Age				0.436			
	<35 yo	523 (34)	1,018 (66)					
	35–50 yo	598 (33)	1,211 (67)			1.032 (0.891–1.196)	0.672	
	>50 yo	488 (35)	897 (65)			1.065 (0.912–1.245)	0.426	

(Continued)

TABLE 3 (Continued)

	Responses		Univariate analysis		Multivariate analysis		
	Yes (%)	No (%)	OR	p	OR (IC 95%)	p	
Knowledge	Professional category					<0.0001***	
	Surgeons	327 (29)	802 (71)				
	Other medical doctors	120 (37)	202 (63)			1.459 (1.120–1.895)	0.005***
	Anesthesiologists	52 (33)	105 (67)			1.210 (0.838–1.727)	0.302
	Nurse anesthetists	247 (31)	547 (69)			1.098 (0.890–1.354)	0.382
	Surgical nurses	205 (28)	523 (72)			0.946 (0.755–1.185)	0.630
	Other paramedical professions	310 (40)	472 (60)			1.592 (1.291–1.964)	<0.0001***
	Patients	348 (42)	475 (58)			1.776 (1.462–2.160)	<0.0001***
	Sex						
	Female	1,092 (35)	2,065 (65)				
	Male	517 (33)	1,061 (67)	0.922 (0.811–1.047)	0.211	0.968 (0.836–1.119)	0.658
	Overall	562 (12)	4,173 (88)				
	Age						<0.0001***
	<35 yo	169 (11)	1,372 (89)				
	35–50 yo	180 (10)	1,629 (90)			1.016 (0.810–1.277)	0.888
	>50 yo	213 (15)	1,172 (85)			1.307 (1.047–1.633)	0.018*
	Professional category						<0.0001***
	Surgeons	220 (19)	909 (81)				
	Other medical doctors	46 (14)	276 (86)			0.731 (0.510–1.029)	0.079
	Anesthesiologists	14 (9)	143 (91)			0.445 (0.240–0.764)	0.006**
	Nurse anesthetists	47 (6)	747 (94)			0.290 (0.203–0.405)	<0.0001***
	Surgical nurses	54 (7)	674 (93)			0.373 (0.264–0.521)	<0.0001***
	Other paramedical professions	63 (8)	719 (92)			0.403 (0.291–0.553)	<0.0001***
	Patients	118 (14)	705 (86)			0.713 (0.551–0.918)	0.009**
	Sex						
	Female	310 (10)	2,847 (90)				
	Male	252 (16)	1,326 (84)	1.746 (1.460–2.087)	<0.0001***	1.137 (0.925–1.396)	0.222

Results of univariate and multivariate analyses for the four main themes: human and moral characteristics, technical surgical skills, non-technical skills, and medical knowledge. The following variables were analyzed: age, sex, and professional category. $p < 0.05$, $p < 0.01$, $p < 0.001$ ***. Yo, years old. Statistically significant results: * $p < 0.05$, ** $p < 0.01$. Bold values are statistically significant values, with $p < 0.05$.

such, how may robotic surgery not only challenge the future of surgical procedures but also the essence of being a *great surgeon*?

Conversely, knowledge, and in a larger sense surgical wisdom, seems clearly underestimated by patients and all non-surgeon healthcare professions (especially anesthesiologists and non-OT medical doctors), which emphasizes the fact that surgery is perceived as essentially a technical, non-cerebral skill. In many respects, this sends back the historical barber-surgeons’ opposition to medical societies, but also the age-old philosophical opposition between practical and theoretical knowledge. This opposition is also noted in the surgeon’s subgroup, where young surgeons are more focused on TSS, which is regularly assessed by their peers

to complete their training (12, 13). Older surgeons, who have long-acquired and refined experience, seem to be more concerned with human and moral qualities as well as medical knowledge. Thus, we may circle back to “A good surgeon knows how to operate; a better surgeon knows when to operate but the best surgeon knows when not to operate”. Indeed, surgery should not be reduced to craftsmanship. Claude Bernard (1813–1878) insisted that observation, experience, and understanding of underlying disease mechanisms should be the chief concern of a *great surgeon*, who should gather knowledge while caring for the patient (14, 15). However, we should also be wary of the primacy of knowledge when the focus on scientific publications and communications

TABLE 4 Predictors of responses for surgeons.

		Responses		Univariate analysis		Multivariate analysis		
		Yes (%)	No (%)	OR	p	OR (IC 95%)	p	
Technical surgical skills	Overall	336 (30)	793 (70)					
	Age				0.0008***			
	<35 yo	125 (36)	220 (64)					
	35–50 yo	109 (30)	247 (70)			0.765 (0.552–1.058)	0.106	
	>50 yo	102 (24)	326 (76)			0.560 (0.400–0.781)	0.0007***	
	Sector of activity							
	Public	233 (30)	548 (70)					
	Private	103 (30)	245 (70)	0.989 (0.751–1.299)	0.936	1.171 (0.871–1.570)	0.293	
	Sex							
	Female	125 (34)	241 (66)					
Male	211 (28)	552 (72)	0.737 (0.564–0.961)	0.025*	0.825 (0.622–1.096)	0.183		
Non-technical skills	Overall	246 (22)	873 (78)					
	Age				0.651			
	<35 yo	81 (23)	264 (77)					
	35–50 yo	74 (21)	282 (79)			0.919 (0.636–1.327)	0.653	
	>50 yo	91 (21)	337 (79)			0.922 (0.641–1.326)	0.659	
	Sector of activity							
	Public	185 (24)	596 (76)					
	Private	61 (18)	287 (82)	0.685 (0.493–0.944)	0.021*	0.676 (0.481–0.942)	0.023*	
	Sex							
	Female	76 (21)	290 (79)					
Male	170 (22)	593 (78)	1.094 (0.807–1.479)	0.564	1.197 (0.870–1.657)	0.274		
Human and moral qualities	Overall	327 (29)	802 (71)					
	Age				0.031*			
	<35 yo	83 (24)	262 (76)					
	35–50 yo	104 (29)	252 (71)			1.287 (0.911–1.821)	0.153	
	>50 yo	140 (33)	288 (67)			1.518 (1.083–2.137)	0.016*	
	Sector of activity							
	Public	219 (28)	562 (72)					
	Private	108 (31)	240 (69)	1.155 (0.880–1.516)	0.306	1.055 (0.789–1.407)	0.714	
	Sex							
	Female	101 (28)	265 (72)					
Male	226 (30)	537 (70)	1.104 (0.840–1.457)	0.483	0.961 (0.737–1.324)	0.926		
Knowledge	Overall	220 (19)	909 (81)					
	Age				0.115			
	<35 yo	56 (16)	289 (84)					


(Continued)

TABLE 4 (Continued)

	Responses		Univariate analysis		Multivariate analysis	
	Yes (%)	No (%)	OR	p	OR (IC 95%)	p
35–50 yo	69 (19)	287 (81)			1.185 (0.795–1.772)	0.405
>50 yo	95 (22)	333 (78)			1.380 (0.938–2.045)	0.105
Sector of activity						
Public	144 (18)	637 (82)				
Private	76 (22)	272 (78)	1.236 (0.902–1.683)	0.183	1.135 (0.817–1.571)	0.446
Sex						
Female	64 (17)	302 (83)				
Male	156 (20)	607 (80)	1.213 (0.877–1.682)	0.240	1.092 (0.781–1.540)	0.610

Results of univariate and multivariate analysis in the surgeon’s group for the four main themes: human and moral characteristics, technical surgical skills, non-technical skills, and medical knowledge. The following variables were analyzed: age, sex, main activity.

$p < 0.05^*$, $p < 0.01^{**}$, $p < 0.001^{***}$. Yo, years old. Bold values are statistically significant values, with $p < 0.05$.



supersedes time spent operating patients in the OT: International reputation does not make a *great surgeon*, and a distinction should be made with what could be expected from a “great academic surgeon” (16). Surgery also surpasses craftsmanship by its humanism (17). The patient must remain the centerpiece beyond any technical skill or scientific activity as for the patient, nothing can replace the benevolent and reassuring contact with the surgeon who is about to undertake a procedure (18). This is confirmed in our study, as from the patients’ perspective, human and moral qualities were more mentioned than in any other group, especially communication and listening skills. Likewise, teaching skills should not be limited to academic surgeons teaching trainees, as nurses and patients were the main groups to insist on this trait: Surgeons are better when their work is explained and understood by others.

These results should be key for surgeons as they are the reflection of the shift to shared decision-making and patient-centered care (19–21). The fact that surgeons underestimated this point as compared to patients shows there is still considerable room for improvement.

This survey shows that NTS is another area for improvement for surgeons. Indeed, NTS emerged as a clear priority for OT health professionals with qualities such as respect, indulgence, communication, and leadership. The OT is a mysterious place to the outside world, which may explain why NTS are scarcely mentioned by patients. The importance that OT health professionals place on NTS reflects the need for a *great surgeon* to demonstrate respect and leadership to colleagues in the OT (22). Professionalism training is a major issue to avoid the

stereotype of the temperamental, impatient, and bullying surgeon with poor communication and teamwork (23–25). The fact that stubbornness and overconfidence (key characteristics of the “*God complex*”) were more mentioned by surgeons themselves is encouraging, emphasizing self-consciousness and desire to change (26).

Of course, expectations may vary according to surgical practice. For example, one might expect empathy, or human and moral qualities, to be more important in breast cancer surgery, whereas technical skill can be perceived as the main quality in functional mechanical surgery such as knee surgery for sportsmen. Our survey lacked statistical power to analyze this aspect, but focusing on differences between specialties would be interesting to decipher the complexity of the OT. Although gender in our pool of respondents was not evenly distributed and may be a limitation to the study (most female respondents were younger and from a paramedical profession, reflecting healthcare demographics in France), it must be noted that sex did not influence how a *great surgeon* was defined based on the multivariate analyses. From a different perspective, this reinforces previous gender studies that great male and female surgeons may have similar qualities and outcomes (27, 28).

By confronting perspectives of this multifaceted survey, our work raises the question of “who” can best judge what a *great surgeon* is. Apart from dexterity, which was mentioned by all participants, everyone answered in line with their own interests, according to their own interactions and expectations of a *great surgeon*. For example, the patient prioritized listening skills whereas the anesthesiologist praised teamwork. But would the anesthesiologist give the same response before going under the knife himself? Also, in the era of online ratings, is a “5-star surgeon” really a *great surgeon*? Should the surgeon try to please patients in order to obtain a good notation? A poorly trained, arrogant, and manipulative surgeon may easily obtain great ratings by focusing on charm and communication skills with patients. Conversely, many surgeons we met during our study insisted that the essence of a great surgeon should be the ability to treat patients, even if those patients do not actually perceive or understand the qualities: knowledge, appropriateness of indications, dexterity, and recognition and management of complications. More specifically, although management of complications or the related concept of failure to rescue (death of a patient after potentially treatable complications) was not emphasized in our study, they seem crucial because of the underlying integrity and honesty they require, a form of humanism that is invisible to the patient (29, 30).

Limits of our study include the fact that participation in the survey was voluntary, which could have been a selection bias of respondents. Also, the fact that males were underrepresented may be a bias, as increasing the number of male respondents could reveal gender differences. Our study was not designed to be representative of any specific population but rather to confront the perspectives of a large number of surgeons, health professionals, and patients. Thus, we deliberately confronted subjective points of view, as evermore so, expectations of the *great surgeon* are set subjectively by colleagues and patients.

In summary, a *great surgeon* is not only a skilled craftsman but combines a subtle mixture of human and moral qualities, NTS,

and medical knowledge. Surgeons should be aware of the different work settings (with patients or with colleagues) which each require a different set of skills. Improvement action to reach the status of *great surgeon* requires spending time in the operating theater and online reading up-to-date literature to be at the top of the game. Even then, emotional intelligence and leadership skills are not a given and surgeons should be specifically trained throughout their career.

Conclusion

Technical surgical skills (first and foremost dexterity) are essential and defining qualities for a *great surgeon*, for whom the hands are the main day-to-day tools and remain the symbol of an age-old profession for the surgeons themselves, their patients, and their healthcare colleagues. A *great surgeon*, however, requires more than that especially in a patient-centered era. Surgery should not be limited to a technique, and on the contrary, surgeons should embrace humanism, mainly by building considerate leaderships in the operating theater and trusting relationships with their patients. Lastly, knowledge, although undermined in our results, may be the key to becoming a *great surgeon*: to best adapt the technical skills to the patient’s disease, anticipate and organize the surgical team, and reassure the patient by breaking down information according to their needs.

Data availability statement

The raw data supporting the conclusions of this article will be made available by the authors, without undue reservation.

Author contributions

FSim and RL lead the study, collected data, and wrote the paper. EM, FSis, and SW collected and analyzed data. YP, BE, TB, HJ, FD, and E-NG wrote discussion and reviewed entire manuscript. All authors contributed to the article and approved the submitted version.

Acknowledgments

The authors would like to express their sincere gratitude to the *Académie Nationale de Chirurgie*, the *Syndicat des chirurgiens des hôpitaux de Paris*, the *Société Française d’Oto-rhino-laryngologie*, *Société Française d’Orthopédie*, *Société Française de chirurgie Digestive*, and *Société Française d’Anesthésie et Réanimation* for their help sharing the questionnaire and for their insight. The authors would like to thank all the respondents of the survey.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

1. Wright AS, Maxwell PJ, Robert Liston, M.D. (October 28, 1794–December 7, 1847): the fastest knife in the West End. *Am Surg.* (2014) 80:1–2. doi: 10.1177/000313481408000101
2. Jackson B. What makes an excellent surgeon? *Obes Surg.* (2019) 29:1087–9. doi: 10.1007/s11695-019-03778-8
3. Simon F, Tulasne JF, Khonsari RH. Self-experimentation or how Paul Tessier became Homo masticans. *J Plast Reconstr Aesthet Surg.* (2019) 72:1219–43. doi: 10.1016/j.bjps.2019.03.017
4. Simon F, Wolfe SA, Guichard B, Bertolus C, Khonsari RH. Paul Tessier facial reconstruction in 1970 Iran, a series of post-noma defects. *J Craniomaxillofac Surg.* (2015) 43:503–9. doi: 10.1016/j.jcms.2015.02.014
5. Simpson L. What makes a good surgeon? *J Natl Med Assoc.* (2008) 100:261–4. doi: 10.1016/S0027-9684(15)31216-5
6. Oghalai JS. What makes a great surgeon? *Laryngoscope.* (2019) 129:533–4. doi: 10.1002/lary.27774
7. Othersen HB. Ephraim McDowell: the qualities of a good surgeon. *Ann Surg.* (2004) 239:648–50. doi: 10.1097/01.sla.0000124382.04128.5a
8. Pellegrini CA, Debas HT, Brennan MF. The gift of being a surgeon: three perspectives. *Ann Surg.* (2021) 273:636–9. doi: 10.1097/SLA.0000000000004676
9. Akopov AL, Artioukh DY. Good surgeon: a search for meaning. *Turk J Surg.* (2017) 33:49–50. doi: 10.5152/turkjsurg.2017.3866
10. Yule S, Flin R, Paterson-Brown S, Maran N. Non-technical skills for surgeons in the operating room: a review of the literature. *Surgery.* (2006) 139:140–9. doi: 10.1016/j.surg.2005.06.017
11. Flin R, Yule S, McKenzie L, Paterson-Brown S, Maran N. Attitudes to teamwork and safety in the operating theatre. *Surgeon.* (2006) 4:145–51. doi: 10.1016/S1479-666X(06)80084-3
12. Martin JA, Regehr G, Reznick R, MacRae H, Murnaghan J, Hutchison C, et al. Objective structured assessment of technical skill (OSATS) for surgical residents. *Br J Surg.* (1997) 84:273–8. doi: 10.1046/j.1365-2168.1997.02502.x
13. Gofton WT, Dudek NL, Wood TJ, Balaa F, Hamstra SJ. The Ottawa Surgical Competency Operating Room Evaluation (O-SCORE): a tool to assess surgical competence. *Acad Med.* (2012) 87:1401–7. doi: 10.1097/ACM.0b013e3182677805
14. Bernard C. *Introduction à l'étude de la médecine expérimentale (1865), Part 2, Chapter 2, paragraphe III.* (1865).
15. Osborne MP. William Stewart Halsted: his life and contributions to surgery. *Lancet Oncol.* (2007) 8:256–65. doi: 10.1016/S1470-2045(07)70076-1
16. Carlson ER. Regarding "what makes a great surgeon?" *Laryngoscope.* (2019) 129:E342. doi: 10.1002/lary.27926
17. Hartzband P, Groopman J. Keeping the patient in the equation—humanism and health care reform. *N Engl J Med.* (2009) 361:554–5. doi: 10.1056/NEJMp0904813
18. Sise MJ, Sise CB, Sack DI, Goerhing M. Surgeons' attitudes about communicating with patients and their families. *Curr Surg.* (2006) 63:213–8. doi: 10.1016/j.cursur.2005.08.007
19. van Leeuwen D, Mittelman M, Fabian L, Lomotan EA. Nothing for me or about me, without me: codesign of clinical decision support. *Appl Clin Inform.* (2022) 13:641–6. doi: 10.1055/s-0042-1750355
20. Bertakis KD, Azari R. Patient-centered care is associated with decreased health care utilization. *J Am Board Fam Med.* (2011) 24:229–39. doi: 10.3122/jabfm.2011.03.100170
21. Brown EA, Bekker HL, Davison SN, Koffman J, Schell JO. Supportive care: communication strategies to improve cultural competence in shared decision making. *Clin J Am Soc Nephrol.* (2016) 11:1902–8. doi: 10.2215/CJN.13661215
22. Abahuje E, Johnson J, Halverson A, Stulberg JJ. Intraoperative assessment of non-technical skills for surgeons (NOTSS) and qualitative description of their effects on intraoperative performance. *J Surg Educ.* (2022) 79:1237–45. doi: 10.1016/j.jsurg.2022.04.010
23. Lee A, Finstad A, Gawad N, Boet S, Raiche I, Balaa F. Nontechnical skills (NTS) in the undergraduate surgical and anesthesiology curricula: are we adequately preparing medical students? *J Surg Educ.* (2021) 78:502–11. doi: 10.1016/j.jsurg.2020.08.001
24. Pradarelli JC, Gupta A, Hermosura AH, Murayama KM, Delman K, Shabahang MM, et al. Non-technical skill assessments across levels of US surgical training. *Surgery.* (2021) 170:713–8. doi: 10.1016/j.surg.2021.02.058
25. Hochberg MS, Berman RS, Kalet AL, Zabar S, Gillespie C, Pachter HL. Professionalism training for surgical residents: documenting the advantages of a professionalism curriculum. *Ann Surg.* (2016) 264:501–7. doi: 10.1097/SLA.0000000000001843
26. Elledge R, Jones J. Character failings in the surgeon fallen from grace: A thematic analysis of disciplinary hearings against surgeons 2016–2020. *J Med Ethics.* (2021). doi: 10.1136/medethics-2020-106809. [Epub ahead of print].
27. Wallis CJD, Jerath A, Coburn N, Klaassen Z, Luckenbaugh AN, Magee DE, et al. Association of surgeon-patient sex concordance with postoperative outcomes. *JAMA Surg.* (2022) 157:146–56. doi: 10.1001/jamasurg.2021.6339
28. Wallis CJ, Ravi B, Coburn N, Nam RK, Detsky AS, Satkunasivam R. Comparison of postoperative outcomes among patients treated by male and female surgeons: a population based matched cohort study. *BMJ.* (2017) 359:j4366. doi: 10.1136/bmj.j4366
29. Ghaferi AA, Birkmeyer JD, Dimick JB. Variation in hospital mortality associated with inpatient surgery. *N Engl J Med.* (2009) 361:1368–75. doi: 10.1056/NEJMsa0903048
30. Portuondo JJ, Shah SR, Singh H, Massarweh NN. Failure to rescue as a surgical quality indicator: current concepts and future directions for improving surgical outcomes. *Anesthesiology.* (2019) 131:426–37. doi: 10.1097/ALN.0000000000002602