



HAL
open science

Anti-PD-L1 therapy-associated hypophysitis and limbic encephalitis

Arthur Matthys, Sophie Demeret, Delphine Leclercq, Lucas Di Meglio

► To cite this version:

Arthur Matthys, Sophie Demeret, Delphine Leclercq, Lucas Di Meglio. Anti-PD-L1 therapy-associated hypophysitis and limbic encephalitis. *Intensive Care Medicine*, 2022, 48, pp.1807-1808. 10.1007/s00134-022-06911-x . hal-03867975

HAL Id: hal-03867975

<https://hal.sorbonne-universite.fr/hal-03867975>

Submitted on 23 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

TITLE PAGE

Manuscript title:

Anti-PD-L1 therapy associated hypophysitis and limbic encephalitis

Authorship list:

Arthur Matthys¹, Sophie Demeret¹, Delphine Leclercq², Lucas Di Meglio¹

Author affiliations:

1. Sorbonne Université, AP-HP, Hôpital de la Pitié-Salpêtrière, Département de Neurologie, Unité de Médecine intensive – Réanimation à orientation neurologique, Paris, France
2. Sorbonne Université, AP-HP, Hôpital de la Pitié-Salpêtrière, Neuroradiologie, Paris, France

Corresponding author:

Lucas Di Meglio

16-digit ORCID: 0000-0002-5158-8612

Sorbonne Université

Unité de Médecine intensive - Réanimation à orientation neurologique,
Département de Neurologie

AP-HP. Sorbonne Université - Hôpital Pitié-Salpêtrière

47-83 Bd de l'Hôpital, 75013 Paris, France

Phone: +33 (0)1 42 16 18 31

Mail: lucas.dimeglio@aphp.fr

Funding: none.

Conflict of interests: the authors declare no conflict of interest.

Manuscript features:

Article type: Images

Title: 66 characters

Text: 187 words

Figures: 2

Figures legend: 57 words

TEXT

A 71-year-old woman with history of neuro-endocrine tumor was admitted to our intensive care unit because of a fluctuating level of consciousness preceded by the subacute onset of a working memory deficit. She had been treated five months before with two cycles of 1500 mg Durvalumab – an anti-PD-L1 (Program Death-Ligand 1) antibody. Initial MRI found bilateral FLAIR hyperintensities of the hypothalamic and limbic regions (Figure 1). Remarkably, ASL exhibited a hyperperfusion suggestive of hypermetabolism, which has been described in encephalitis. CSF analysis showed a lymphocytic pleocytosis (8 cells/ μ L) with high protein rate (183 mg/dL) and positive oligoclonal bands. Antineuronal antibodies including onconeuronal antibodies were absent in serum and CSF. No evidence of cancer relapse was found. Exploration of the hypothalamic-pituitary-adrenal axis showed central hypothyroidism, hypogonadism, and diabetes insipidus. She was diagnosed with autoimmune hypophysitis and limbic encephalitis associated with immune checkpoint inhibitor treatment. Rapid improvement was observed after high dose IV steroids and therapeutic plasma exchange. One-month control MRI found improvement of limbic lesions with regression of pituitary swelling (Figure 2).

Encephalitis is an increasingly identified complication of immune checkpoint inhibitors. Metabolic consequences of hypophysitis as well as impaired consciousness or status epilepticus frequently lead these patients to intensive care units. Early clinical and radiological diagnostic is important to promptly start immunomodulation treatment.

FIGURES LEGEND

Figure 1. Durvalumab-induced limbic encephalitis

Axial (A) and coronal (B) bilateral FLAIR hyperintensities of the hypothalamus, optic radiations, midbrain, and amygdala, hyperperfused in ASL (C), with partial enhancement on coronal T1 post-contrast images (D).




Figure 2. Regressive Durvalumab-induced hypophysitis after treatment

Sagittal T1 post-contrast images: pituitary swelling with homogeneous enhancement (A), regressive on one-month control MRI (B).

